HOT TECHNOLOGY
10 Virtual Private
Networks Tested /p114

WEB SERVER SURPRISE:
Microsoft Beats Netscape /p125

WINDOWS NT: Secure It! /p81

THE FUTURE OF INFORMATION TECHNOLOGY TODAY NOVEMBER 1997 www.byte.com


SATELLITE NETWORKS

THE I DITINGUE THE INTERIOR TO THE INTERIOR TO

will compete to beam data everywhere. Which systems will win?



MMX NOTEBOOKS
Accelerate to
233 MHz





TransPort XKE

MICRON TRANSPORT™ VLX

133MHz Intel Pentium processor 16MB EDO RAM (40MB max.) 1.4GB hard drive 16X modular CD-ROM drive Li-lon battery 12.1" TFT SVGA, 800x600 display

STANDARD FEATURES Intel 430MX PCI chip set 256KB L2 pipeline burst cache PCI bus with 128-bit graphics accelerator MPEG compatible Zoomed video-ready Touchpad pointing device 16-bit stereo sound Built-in stereo speakers and microphone 2-way infrared port Modular floppy drive (flexible bay swappable with CD-ROM) Microsoft Windows 95 and MS® Plus! 5-year/1-year Micron limited warranty

Micron backs you up.

Each system is custom configured and shipped directly, so it meets your needs, not someone else's. If you have any PC or networking questions, the answers are just a phone call away – thanks inte inside to our top-notch, 24hour customer support. pentium®

Buy Micron. And get the job done right.

MICRON TRANSPORT XKE

233MHz Mobile Intel Pentium processor with MMX technology 48MB EDO RAM

3GB removable hard drive 13.3" TFT XGA display

Custom nylon carrying case Microsoft Windows 95 and MS Plus! CD

5-year/3-year Micron Power limited warranty

STANDARD FEATURES

Intel 430TX Mobile PCI chip set 512KB L2 pipeline burst cache PCI bus with 128-bit graphics accelerator, 2MB DRAM 20X modular CD-ROM drive with AutoPlay technology and headphones Pick-a-Point™ dual pointing devices Dragon Systems' NaturallySpeaking Personal voice recognition software 16-bit stereo sound (supports surround and wavetable sound) Built-in stereo speakers and microphone Integrated 33.6 fax/modem w/full telephony duplex phone CardBus- and zoomed video-ready 2 infrared ports, 1 front, 1 rear S-video and NTSC-video capability; USB, built-in game port Management Pak™, Executive Travel Pak™ 2 modular expansion bays (hard drive, CD-ROM drive, 3.5" floppy drive, lithium-ion battery)

Microsoft Office 97 Small Business Edition CDs \$5,949 **MICRON**

5-year limited warranty on microprocessor and main memory
3-year limited parts-only system warranty (1-year for frastfort VLx)
1-2 or 3-year point of onlies every experience for Micron desktop and server systems
30 days of tree Micron-operation of the every experience for Micron desktop systems; 3 upload
methods operating system incident resolutions included for Micron server systems
30-day money back, pack
44-boar technical system.

The foregoing is subject to and qualified by Micron's standard limited warranties and te and conditions of sale. Terms and conditions of sale may vary for specific configurations Copies of the limited warranties may be obtained on our Web site or by calling Micron.

Micron Sales Hrs: Mon-Fri 6am-10pm, Sat 7am-5pm (MT) Technical Support Available 24 Hours A Daycrosoft* 7 Days A Week · Toll free from Mexico: 95-800-708-1755 · Toll free from Canada: 800-708-1758 Toll free from Puerto Rico: 800-708-1756 · International Sales: 208-893-8970 · International Fax: 208-893-7393

@1997 Micron Electronics, Inc. All rights reserved. Micron Electronics is not responsible for omissions or errors in ©1997 Micron Electronics, Inc. All rights reserved. Micron Electronics is not responsible for omissions or errors in byoparally or photoparapy in purchases are subject to availability, Proise and specifications may be changed without notice, prices do not include shapping and handling and any applicable taxes. 30-day money-back policy does not include return register and original shapping-plandling hardlings applice only to Micron and products and begins from date of shipment. All sakes are subject to Micron Electronics' current terms and conditions of sake. Less prices based and original shapping-plandling hardlings are registered trademists and MMX is a trademist and and Perturnia are registered trademists and MMX is a trademist of Microsoft. Corporation. Microsoft, Vindows, Windows IVT and the Windows logs are registered trademists and of Microsoft Corporation. Microsoft, Vindows, Windows IVT and the Windows logs are registered trademists of Microsoft of Microsoft Corporation. Product marses of Microsoft controls are teachers for registered trademists of Microsoft of Microsoft Destronics, inc. or Netf PMMT Systems, Inc. Other product transes used in this publication are for dentification purposes only and may be trademarks of their respective companies.



NetFRAME MV5000

MICRON™ NETFRAME® LV2000 SERVER

Intel 233MHz Pentium® II processor w/ECC 32MB ECC SDRAM 2GB Ultra-Wide SCSI-3 hard drive NOS Support (3 incident resolutions/1st year), 7x24

STANDARD FEATURES

Single or dual Intel Pentium II processors 512KB integrated L2 cache in SEC package ECC, SDRAM (4 DIMM slots) 5 expansion slots: 4PCI, 1 ISA Integrated Adaptec PCI Ultra-Wide SCSI-3 controller Integrated Intel EtherExpress™ Pro 100 controller 12X SCSI-2 CD-ROM drive 10 drive bays: 4 external 5.25"/1 external 3.5" 2 internal 5.25"/3 internal 3.5" Microsoft® Windows NT® Server 4.0 (10-user license) Intel LANDesk® Server Manager 2.8 Dedicated server technical support, 7x24 5-year/3-year Micron PowerSM limited warranty 1-year next-business-day on-site service*



ClientPro MRE

MICRON CLIENTPRO® MRE

Intel 200MHz Pentium processor with MMX™ technology 32MB SDRAM 2.1GB Ultra ATA SMART EIDE hard drive 15" Micron 500Lx, .28dp (13.7" display)

STANDARD FEATURES

512KB pipeline burst cache, flash BIOS, DMI 2.0 3.5" floppy drive 16X EIDE variable speed CD-ROM drive Intel Pro/100 w/Wake On LAN network adapter S3 ViRGE graphics accelerator, 2MB EDO RAM Advanced Hardware and Power Management features Chassis Intrusion Alert Microsoft IntelliMouse™ Microsoft Windows® 95 Intel LANDesk Client Manager 5-year/3-year Micron Power limited warranty

MICRON NETFRAME MV5000 SERVER

Intel 300MHz Pentium II processors w/ECC 64MB ECC SDRAM 4GB Ultra-Wide SCSI-3 hard drive NOS Support (3 incident resolutions/1st year), 7x24

STANDARD FEATURES

Single or dual Intel Pentium II processors 512K integrated cache in SEC package Memory: ECC EDO or SDRAM option (8 DIMM slots) 9 expansion slots: 6 PCI, 2 ISA, 1 shared ISA/PCI Dual integrated Symbios Ultra-Wide SCSI-3 controllers Integrated Symbios Narrow SCSI-3 controllers Intel EtherExpress Pro 100 NIC Embedded RAID upgrade option 120 Compliant via embedded Intel i960-RD 5 Internal, hot-pluggable, hard drive bays

(Upgradable to 10)

3 External 5.25" media bays 1 (one) 360 watt hot-pluggable power supply standard (Upgradable to 3 for added redundancy)

Rack Adapter option Intel LANDesk Server Manager 2.8

Microsoft Windows NT Server 4.0 (10-user license)

Dedicated server technical support, 7x24 5-year/3-year Micron Power limited

warranty 1-year next-business-day on-site service*


MICRON CLIENTPRO XLU

Intel 266MHz Pentium II processor (features MMX technology) 32MB EDO RAM

2.1GB SMART EIDE hard drive 17" Micron 700FGx, .26dp (16.0" display)

STANDARD FEATURES

512KB internal L2 secondary cache, DMI support 16X EIDE variable speed CD-ROM drive 3.5" floppy drive 3Com PCI 10/100 ethernet NIC PCI 64-bit 3D video, MPEG, 4MB EDO RAM Upgradable wavetable audio with speakers Tool-free minitower or desktop Microsoft IntelliMouse, 104-key keyboard Microsoft Windows NT Workstation Intel LANDesk Client Manager 5-year/3-year Micron Power limited warranty



GOOD BUSINESS IS ABOUT MAKING THE RIGHT CALLS. START BYCALLING MICRON




Finding computers to meet your needs is easy — all you have to do is call Micron. Micron™ NetFRAME® servers, ClientPro® PCs, and TransPort™ notebooks offer value-packed, out-of-the-box computing solutions. The Micron NetFRAME MV5000 server provides the latest features, including dual Pentium® II processors, a 440LX chip set, embedded RAID and fault-tolerant components. The entry-level Micron NetFRAME LV2000 server gives you integration and stability for a great value. For your desktop needs, the ClientPro is a powerful business PC with a stable platform that comes easy to set up, easy to expand and easy to network. And for portable needs, the award-winning TransPort XKE is one of the fastest notebooks you can find, with incredible features like a 233MHz Pentium processor, graphics accelerator and 20X CD-ROM drive. The TransPort VLx offers performance and flexibility for an outstanding price. Plus, all Micron systems are backed by our award-winning service and support. Whatever your computing needs, you can count on Micron to meet them.

Call now to order.

800•362•7306

www.micronpc.com







THE ORBITING INTERNET

FIBER IN HE CLARA

By John Montgomery

58

Broadband satellite systems are ready to beam data around the world at multimegabit rates.
So what's the catch?





Socket to Me

7:

By Tom R. Halfhill
The Pentium II's proprietary slots could mean trouble for Intel's competitors. What does it mean for users?



By Peter Mudge and Yobie Benjamin Those holes in NT security sure look familiar. No wonder: Other OSes patched them years ago.





NT's Challenges: Microsoft's Solutions

96NA 3

By Mark Schlack
VP Jim Allchin tells BYTE
about the future of
Microsoft OS technology.

BUILDING NETWORK APPS

Components Battling Components

87

By Robert Richardson
Software plug-ins for Windows and
Macintosh can do remarkable things.
But they're also a source of conflict.



EDITORIAL

Raising the Java Standard

INBOX

13

BITS

600-MHz Alpha 18 Socket 7 Successor? 19 Power Mac Prevails 22 400-MHz Pentium II PCs 22 Next for Java Office Apps 24 Knuth's New Knuth

EVAL

GRAPHICS CARD

Number Nine's New Spin: **Revolution 3D**

Fast video playback and your choice of AGP or PCI.

DIGITAL CAMERA

CMOS Gets the Picture

Using a CMOS sensor, Sound Vision's SVmini-209 delivers high-quality pics at a low price.

AUTHORING SOFTWARE

A Watchamacallit for Words

Dan Bricklin's software for making hypertext documents.

LAB REPORTS

HARDWARE

26 No-Compromise Power **Portables**

By Michelle Campanale

We test MMX laptops with 166-MHz, 200-MHz, and 233-MHz CPUs. Plus: the first notebooks with Intel's Tillamook CPU.

WEB PROJECT

Cascading Style Sheets

CSS will change how Web

ways to learn and use it.

An Uncertain Discovery

Metrowerks' Discover

but it can be annoying.

By Jerry Pournelle

show: SIGGRAPH.

New tools help build the

Programming will give you a

decent introduction to Java,

CHAOS MANOR

Fooling Around with the Web

129

Manor's Web site. Plus, a visit

to the world's greatest graphics

By Rick Grehan

designers work. Here are some

JAVATALK

By Jon Udell

SOFTWARE

Extend Your Net with VPNs

By Morgan Stern We check out 10 virtual private network packages that let you use the Internet as your own private WAN.

REVIEWS

Cryptography Gets Personal

By Pete Loshin Six products that promise to secure your data, both over the Internet and on your desktop.



WEB SERVERS

Superservers

125

Netscape's SuiteSpot 3 vs. Microsoft's IIS 4.



SECURITY SOFTWARE

Battle of the Network

By Barry Nance



CORE

NETWORKS

Adjustable Cell Rates for ATM Networks

By William Stallings A new ATM service compensates for network congestion.

OPERATING SYSTEMS

Autoconf Makes for Portable Software

45

By Bob Friesenhahn Use of OS features and a freeware scripting utility solves

application portability across various flavors of Unix.

DATABASES

The Quest to Standardize Metadata

By Stephen R. Gardner Someday, disparate datamanipulation tools will be able to exchange information.

CPUs

Building the Virtual PC

51

By Eric Traut A software emulator trans-

forms the PowerPC into a Pentium PC.

PROGRAMMING

Dynamic HTML Explained, Part 1

By Rick Dobson Dynamic objects and client-side processing mean better Web sites and better browsing.

THE BYTE WEB SITE and THE VIRTUAL PRESS ROOM

WHAT'S NEW

159

Alpha workstations hit 600

MHz; Unix notebooks; and

IMPROBABL

Something to STARE At

164

4-D images arrive (on our very

SERVICE

Inquiry Reply Cards 156A-B

156

158

own pages)! Senders of junk

e-mail get hosed.

Reader Service

Index to Advertisers

Alphabetical Order

Editorial Index

by Company

more new products.

http://www.byte.com

PROGRAM LISTINGS

FTP: ftp.byte.com From BIX: Join "listings/ frombyte97" and select the appropriate subarea (i.e., "nov97").

BYTE (ISSN 0360-5280) is published monthly by The BY1E (ISSN0300-9280) is published monthly by The McGraw-Hill Companies, Inc. Publication of lifes: 1221 Avenue of the Americas, New York, NY 10020. U.S. subscriber rate \$24.95 per year. In Canada and Mexico, \$43.495 per year. European surface mail subscriptions \$60, airmail \$85. Non-European subscriptions, \$60 sur-\$00, armail \$00. Nor-European subscriptions, 300 starting frace mail or \$85 airmail. All foreign subscriptions are payable in U.S. funds that can be drawn on a U.S. bank. Single copies \$3.95 in the U.S., \$4.95 in Canada. Executive, Editional, Circulation, and Advertising Offices: 29 Hartwell Ave., Lexington, MA 02173. Periodicals 29 Hartwell Ave., Lexington, MA 021/3. Periodicias postage and standard mail postage (a) in edition codes WP1 and WP2 paid at New York, NY RCSC, and additional mailing offices. Postage paid at Winnipeg, Manitoba, Canada Post International Publications Mail Product Sales Agreement No. 246492. Registered for Product Sales Agreement No. 240492. Registered for GST as The McGraw-Hill Companies, Inc., GST #123075673. **Postmaster**: Send address changes and fulfillment questions to BYTE Subscriptions, P.O. Box 552, Hightstown, NJ 08520.

Printed in the United States of America.

CONTENTS BY PLATFORM

WINDOWS	Ruilding the Virtual PC 51	L Extend Vow Not	ACD
WINDOWS	Building the Virtual PC 51 Connectix's emulator puts a	Extend Your Net with VPNs114	AGP
A Chip off the Old Block 18	Pentium PC inside a Power	Virtual private networks let	Access framework47
Digital's new 600-MHz 21164	Mac. Here's how it works.	you use the Internet as your	ActiveX
Alpha CPU delivers the highest	Components Battling	own WAN. We review 10.	Alpha18, 159
benchmark scores of any NT system we've seen.	Components87	INTERNIET (MER	Authentication
	Extensions load extra func-	INTERNET/WEB	Available Bit Rate43
x86 Vendors Unite	tion—and aggravation into the	The Man with No	Broadband technology 58
Against Intel19	OS environment.	Domain Name23	CMOS sensors34
AMD, Cyrix, and others are	UNIX	What happens when a Web	CPUs18, 51, 73, 106
getting together to define a new PC architecture.		service has its domain name removed from the root server?	Cascading Style Sheets 53, 97
	Server Wars26		Chips 18, 51, 106, 73
Future Watch22	Sun's new Enterprise 450	10 Steps to Better	Code translation51
Coming next year: 400-MHz	family of midrange servers erases the cost-of-ownership	Usability32	Components13, 87
Pentium II PCs.	advantage claimed by NT-	Designing a Web site? Check	Cryptography114, 121
Number Nine's New Spin:	based workgroup machines.	out interface expert Jakob Nielsen's suggestions.	DVD RAM18
Revolution 3D33			Data communications58
This graphics card offers fast	Autoconf Makes for Portable Software 45	Dynamic HTML Explained,	Databases47
video playback and your choice of AGP or PCI.	A free utility lets programmers	Part 1 53	Denial of Service81
	build scripts that tailor an	DHTML permits dynamic styles, positioning, and con-	Digital cameras34, 129
A Watchamacallit	application for a specific Unix.	tent, as well as data binding to a	Dynamic HTML (DHTML) 53, 97
for Words37		browser and faster browsing	Emulation
Trellix is one of the first appli-	JAVA	through client-side processing.	Encryption 114, 121 Firewalls 114
cations to support the ActiveX Hyperlinking Protocol.	Raising the Java	Déjà Vu All Over Again81	Graphics 33, 129, 159
	Standard 10	Windows NT boxes on the	Hypertext37
Socket to Me73	The call for a standardized	Internet are subject to a variety	Internet/Web 13, 53, 58,
Intel's new CPU interfaces for	Java deserves qualified support	of attacks. Here's how to deal	81, 97, 114, 121, 125, 129, 159
its P6-class processors will make it tougher for rival chip-	and skeptical appraisal.	with the security hacks.	Java10, 18, 81, 101
makers to compete. What does	What's Next for	Cascading Style Sheets 97	Metadata47
it mean for PC users?	Java Office Apps24	Balancing HTML purity and	Mobile computing58, 73,
Déjà Vu All Over Again81	Applix, Corel, and Lotus will bring new apps to market.	presentation pragmatism,	106, 159
A look at NT's security holes,		BYTE's Webmaster experi-	Motherboards73
how they happen, and what	An Uncertain Discovery 101	ments with CSS.	Networking 18, 43, 58, 81,
you can do about them.	Metrowerks' new Discover Programming package is a	Extend Your Net	114, 121, 125 Notebooks 106, 159
Components Battling	good starting point for Java	with VPNs 114	Operating systems 45, 81, 129
Components87	development, but it has some	Virtual private networks are	PC architecture73
Everyone talks about DLL	annoying problems.	designed to eliminate the haz-	PGP121
problems, but nobody's doing		ards of private exchanges in	Personal communications
much about them.	NETWORKING	public networks.	systems 58
26 No-Compromise	Server Wars26	Cryptography Gets	Portability45
Power Portables 106	Sun's Ultra Enterprise 450	Personal121	Programming18, 45, 51,
We test Pentium laptops with	delivers a peak speed of 1.7	These six products help	53, 97, 101, 159
166-, 200-, and 233-MHz	GBps.	protect your data with encryp-	S/MIME121, 125
processors. Plus, some interest-	Adjustable Cell Rates	tion and digital signatures.	SEC slot73
ing findings about Tillamook	for ATM Networks 43	Battle of the Network	SOCKS114
machines.	Available Bit Rate informs the	Superservers125	Satellites, broadband58
MACINTOSH	source system about network	Netscape SuiteSpot 3 and Microsoft IIS 4 go another	Security 13, 58, 81, 114, 121
	congestion.	round. And the winner is	Servers
Power Mac Prevails 22	Fiber in the Sky 58		3-D graphics33, 101, 164
Apple's new 9600/350 offers	A new generation of broad-	Fooling Around with the Web129	Virtual PC51
plenty of power, thanks to its 350-MHz 604e, but a whole	band satellites will bring multi- megabit data rates to the entire	Downloading updates over the	Virtual private networks 114
550-Wil 12 00-te, but a whole	megabit data rates to the entire	Downloading updates over the	can private networks 114

globe soon. What is that going

to mean for your networks?

Internet proves hazardous to

the Chaos Manor network.


new family of PowerPC CPUs

is right around the corner.

Web design 53, 97, 129

Web servers......125

INDEX



Now you can securely sell your software worldwide

Leading the software industry into the future, Rainbow provides security solutions for your software success.

The #1 Security Solution For Developers Worldwide

Sentinel Software Protection is the most advanced and reliable protection available. Over 25,000 developers rely on more than 12 million Sentinels to prevent piracy and ensure sales revenue.

SentinelLM Software gives customers new ways to try, buy, and use your products. It is the most flexible way to enhance and control your distribution.

Internet Sentinel allows your customers to register, activate and upgrade your products anytime - anywhere over the world wide web.

Sentinel Professional Services Group provides developers security consulting, custom programming, strategic planning and distribution solutions.

For your complimentary Software Success Brochure call or visit our web site

(800) 705-5552 www.rainbow.com/success




Circle 133 on Inquiry Card.

CALIFORNIA: (714) 450-7300 • Fax: (714) 450-7450 • FRANCE: (33) 1 41 43 29 00 • GERMANY: (49) 89 32 17 98 0 • U.K.: (44) 1932 579200 Additional Offices In Belarus • China • Connecticut • Pennsylvania • Distributors Located Worldwide • EMAIL: info@rainbow.com

ALGERIA: AFAK (213) 3 41 22 36 Park Electronics Company (86) 21 6417 8626 EGYPT: ZEDAN-ADS (202) 248 8994 IRAN: GAM Electronics (98) 21 87 44 001 MALAYSIA: Eastern Systems Design PORTUGAL: COMEITA (351) 1941 55 07 SWITZERLAND: BV AG (41) 1745 25 92 ARGENTINA: Agrica, 5.A. (54) 1 8030536 CHNA (9607b); CSS (98) 10 52177722 29/204 GREECE byte Company SA. (90) 924 17 33 ITALY: BFI IBENSA SPA (39) 23 36 231 (M) 5dn Bhd (60) 3 241 1188 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 188 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 188 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 188 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 35 84 SWITZERLAND: Subcompass (34) 244 118 RUSSIA: Multisort inti (7 095) 76 34 244 118 RUSSIA: Multisort inti (7 095) 76 34 244 118 RUSSIA: Multisort inti (7 095) 76 34 244 118 RUSSIA: Multis

©1997 Rainbow Technologies, Inc. Sentinel, SentinelLM, Internet Sentinel and Professional Services Group are trademarks of Rainbow Technologies, Inc. All rights reserved.





EDITOR IN CHIEF Mark Schlack Lexington, MA, 781-860-6827 mschlack@bix.com

Editorial Assistant: Chrystie Terry Lexington, MA, 781-860-6294, chrystie_terry@mgh.com

EDITORIAL

EXECUTIVE EDITORS International: Rich Friedman Peterborough, NH, 603-924-2523 rfriedman@bix.com

New Media: Jon Udell Peterborough, NH, 603-924-2622 judell@bix.com

MANAGING EDITOR

Jenny Donelan Peterborough, NH, 603-924-2511 jdonelan@bix.com

WEST COAST Bureau Chief/Features Editor: John Montgomery San Mateo, CA, 650-513-6809 jmontgomery@dev5.byte.com

NEWS

News Editor: David L. Andrews Lexington, MA, 781-860-6296 dave.news@bix.com

Senior Editor: Rainer Mauth Frankfurt, Germany, +49 69 5801 123

Associate News Editor: Jason Krause San Mateo, CA, 650-513-6931 jason@dev5.byte.com

REVIEWS

Director: David Essex Lexington, MA, 781-860-6299

Technical Manager, BYTE Lab: Al Gallant Lexington, MA, 781-860-6389 al@dev5.byte.com

Technical Editor: Michelle Campanale San Mateo, CA, 650-513-6810 michelle@dev5.byte.com

Technical Editor: Russell Kay Lexington, MA, 781-860-6207 russellk@bix.com

Technical Editor: Pete Loshin Lexington, MA, 781-860-6830 ploshin@bix.com

Senior Technical Editor at Large: Tom Thompson Lexington, MA, 781-860-6302 tom_thompson@bix.com

Senior Technical Editor: Edmund X. DeJesus Lexington, MA, 781-860-6959 edejesus@bix.com

Senior Editor: Tom Halfhill

Senior Editor: Scott Mace scott_mace@bix.com

Production Associate:

Dave Rowell

Rowland Aertker raertker@bix.com

Dennis Barker, Cathy Kingery, Warren Williamson

Production Coordinator:

Linda Higgins Peterborough, NH, 603-924-2689 lindahiggins@bix.com

SENIOR CONTRIBUTING EDITOR Jerry Pournelle

CONTRIBUTING EDITORS

Photography: Sharon Price Associate Design Director/Graphics: Joseph A. Gallagher Designers: Cindy Sands, Donna Sweeney

VICE PRESIDENT/PUBLISHER Kevin McPherson

Lexington, MA, 781-860-6020 kmcphers@mcgraw-hill.com

Publisher's Assistant: Lois Beninati Lexington, MA, 781-860-6126

ASSOCIATE PUBLISHER Michael P. Walsh Lexington, MA, 781-860-6714 mike_walsh@mcgraw-hill.com

DOMESTIC AND INTERNATIONAL ADVERTISING STAFF See listing on page 157.

Sales Support: Kathi Andrick, 614-899-4909

LICENSING/ELECTRONIC REPRODUCTION

Copyrights Manager: Faith A. Ellington, 603-924-2525 Fax: 603-924-2602 faith_ellington@mcgraw-hill.com

FINANCE AND OPERATIONS

Director: Jack Casey

FINANCE Senior Financial Analyst: Charles Barber

Manager, Information Systems & Technology: Peggy Dunham

Systems Administrator: Mike Naglie Junior Financial Analyst:

Jason Wanatick

CIRCULATION

Circulation Operations Manager: Corrine L. Callahan Newsstand Manager:

Vicki Weston Circulation Coordinator: Jill Wood

Back Issues: 603-924-9281 Fax: 603-924-2683

ADMINISTRATION Human Resources Administrator: Pat Burke

MEMBER SERVICES MANAGER

Chuck Greenslit

HOW TO CONTACT THE EDITORS

We welcome your questions, comments, complaints, kudos, and submissions.

MAIN OFFICE: 29 Hartwell Ave., Lexington, MA 02173.

781-860-6336.
Peterborough: One Phoenix Mill Lane, Peterborough, NH

Peterborough: One Phoenix Mill Lane, Peterborough, NH 03458, 603-924-9281.

San Mateo: 1900 O'Farrell St. #200, San Mateo, CA 94403, 650-513-6912.

GERMANY/EUROPE: Emil von Behring Strasse 2, 60439 Frankfurt, Germany, 449 69 5801 123.

ELECTRONIC MAIL: On BIX, send to "editors." All BYTE

editors and columnists also have individual mailboxes on BIX for easy access. MCI: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own names.

OTHERS: Many editors also are reachable through unnet, AppleLink, CompuServe, and numerous other services. WEB: http://www.byte.com U.S. fax: Editorial: 781-860-6522 Advertising: 603-924-7507 U.K. fax: +44171 495 6734

U.N. Tax. +44(1) 495 0/34
SUBMISSIONS:
Authors: We welcome article proposals and submissions.
Unacceptable manuscripts will be returned if accompanied by sufficient return postage. Not responsible for lost manuscripts or photos.
Vendors: We welcome news of your new products; please

call the News department or the Reviews department at the earliest possible date. We cannot be responsible for unsolicited product samples.
ARTICLE REPRINTS:

For information on: Electronic: Contact Faith Ellington, BYTE, at 603–924–2525. Hardcopy: Contact Omar Salas, Reprint Services, at 612–582–3808.

SUBSCRIPTION CUSTOMER SERVICE

Inside U.S., 800-232-BYTE; outside U.S., +609-426-7676. E-mail-based customer service: mpcstsvc@mcgraw-hill.com; Web-based customer service: http://www.byte.com/admin/mpaddchg.htm. International subscribers may also contact our international subscribers may al International subscribers may also contact our international customer service facility in Galway, Ireland, by calling +353 91 752792 or via fax: +353 91 752 793.

For a new subscription, 800-257-9402 U.S. only, Email: mporders@mcgraw-hill.com or write to 875 Mightstown, NJ 08520.

Subscription Dept., P.O. Box 555, Hightstown, NJ 08520.

Subscriptions are \$24.95 for one year, \$49.90 for two years, and \$74.85 for three years in the U.S. and its possessions. In Canada and Mexico, \$34.95 for one year, \$84.95 for two years, \$87.95 for three years. Internationally, US\$60.00 for fast surface delivery, US\$85.00 for air delivery. Single-copy price is \$3.99 in the U.S. and its possessions, \$4.99 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION:

PHOTOCOPY PERMISSION:
Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to Faith Ellington, copyrights manager, 603-924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ. U.K.

BYTE

A Division of The McGraw-Hill Companies

Copyright © 1997 by The McGraw-Hill Companies, Inc. All rights reserved, BYTE and BYTE are registered trademarks of The McGraw-Hill Companies, Inc. Trademark registered in the United States Patent and Trademark Office.



Member Audit Bureau of Circulation

San Mateo, CA, 650-513-6915 thalfhill@bix.com

San Mateo, CA, 650-513-6833

NEW MEDIA

Joy-Lyn S. Blake Web Site Applications Developer:

SENIOR RESEARCHER

ASSOCIATE TECHNICAL EDITORS

PRODUCTION James J. Perry

EDITORIAL ASSOCIATE

jerryp@bix.com

Udo Flohr, Rick Grehan, Stella Kao, Dick Pountain

CONSULTING EDITORS Stephen Apiki, Raymond GA Côté, Alan Joch Stan Miastkowski Barry Nance, Roberta Pournelle, Peter Wayner

DESIGN

Design Director: Charles Dixon III Associate Design Director/Design &

BIX GLOBAL CONFERENCING SYSTEM, AN ON-LINE COMMUNITY

ACTING MANAGING EDITOR Peter Olson

EXCHANGE EDITORS

Amiga Exchange: Joanne Dow Entertainment and Leisure Exchange: Rich Taylor IBM Exchange: Barry Nance Programmers Exchange: Bill Nicholls Professionals Exchange: David Reed Tojerry Exchange: Jerry Pournelle Windows Exchange: Karen Kenworthy Writers Exchange: Wayne Rash Jr. Macintosh and Other Exchanges: At Large

INFORMATION ENGINEER

Peter Olson

BIX is the BIX Information Exchange, your best source for technical advice. BIX is owned and operated by Delphi Internet Services Corporation. Find us on the Web at http://www.bix.com/ (all browsers are welcome). E-mail our auto-responder at info@bix.com or fax us at 617-441-4902. Dial us by modem at 800-695-4882 or 617-492-8300 (V.34, 28.8 Kbps). Telnet to x25.bix.com or call us (voice) at 800-695-4775 or 617-354-4137. Connect via packet networks to host BIX. Look in the last few pages of this magazine for our advertisement.

OFFICERS OF THE MCGRAW-HILL COMPANIES:

Founder: James H. McGraw (1860-1948). Chairman and Chief Executive Officer: Doseph L. Dionne; President and Chief Operating Officer: Harold W. McGraw III; Senior Vice President and General Counsel: Kenneth M. Vittor, Executive Vice President and Chief Executive Officer: Resource of Chairman and Chief President and General Counsel: Kenneth M. Vittor, Executive Vice President and Chief Financial Officer: Robert J. Bahash; Senior Vice President, Treasury Operations: Frank D. Penglase; President, Information Services Group: Michael K. Hehir; Group Vice President, Information Technology and Communications Group: Kevin C. Harold.

Breathtaking 233 MHz Speed At A Breathe Easy Price.

233 MHz is here!



Imagine a notebook computer that's loaded with features, is 40% faster than a 166 MHz notebook vet costs less than \$3600 and you've pretty much described our next award-winning design- the WinBook XL.

The XI is one of the fastest notebooks you can buy and it features the 233 MHz Intel® Pentium® Processor with MMX Technology, a 12.1" Active Matrix display (13.3 optional), 32 MB of EDO DRAM, a 3 GB HD, a 20x variable CD ROM and a 3.5" Floppy Drive that are available at the same time- no more swapping drives.

Only WinBook could offer this powerful notebook at an incredible \$3599. Order the XL today and see why WinBook has won more than 125 industry awards for quality, innovation and value.




















WinBook FX-166 MHz Intel® Pentium® Processor with MMX® Technology, Running at 2.5V

- 12.1" SVGA TFT Active Matrix Color Display
- 32MB EDO DRAM, expandable to 72MB
- 256K Syncburst L2 cache
- 2.16GB Removable Hard Drive
- 33.6 Internal Fax/Data Modem
- PCI Graphics Accelerator w/1MB Video DRAM
- 16-bit Stereo Audio
- 59-Watt Lithium Ion Battery
- Option bay accepts Floppy drive or CD-ROM (both included) or 2nd Battery (optional)
- One Type II/III and one Type II PCMCIA Slot
- · Integrated dual-button pointing stick with optional touchpad available
- Single infrared port, IrDA 1.0 compliant
- · Parallel, Serial, PS/2, VGA, and Game port
- 7.25 lbs. with battery Windows 95[®] installed

Add \$199 for an optional 2nd battery or \$259 for a Mini-Dock w/AC adapter

Call Now: 800-293-1639 Mon-Fri 8am-9pm EST Sat 9am-4pm EST

U.S. sales only. 30-day unconditional money-back guarantee from date of purchase.



WinBook XL- 233 MHz Intel® Pentium® Processor with MMX® Technology, Running at 1.8V

- 12.1" SVGA Active Matrix Screen (add \$400 for 13.3" display)
- 32MB EDO DRAM, expandable to 128MB
- 3 GB removable Hard Drive
- 45Wh Lithium Ion Smart Battery
- 256K Syncburst L2 Cache
- 3.5" Floppy Drive and 20x variable speed CD-ROM both built-in
- Integrated dual-button pointing stick and touchpad, both active simultaneously
- 16-Bit Stereo Audio
- Two Type II or one Type III PCMCIA Slot, CardBus and ZoomVideo supported
- PCI Graphics Accelerator w/2 MB DRAM
- Parallel, Serial, PS/2, VGA, 2-way Infrared port, TV out, USB (2)
- · One-year extendible warranty
- Microsoft Windows® 95 installed


Add \$400 for 13.3" XGA (1024 x 768) TFT Active Matrix Color Display
Add \$159 for a 56K Internal Fax/Data Modem

www.winbook.com. 800-293-1639



Critically Proven.





Equipment Corp. All other trademarks are the property of their respective owners.

PHOTOGRAPH: KELLIE WALSH @ 199

editoria

Raising the Java Standard

We need many flavors, but one standard.

he recent call by Microsoft, Intel, Digital Equipment, and Compaq for a standardized Java deserves both qualified support and skeptical appraisal.

Let's take the skepticism first. Can you think of four companies with less inclination to openness? Windows and VMS have never been within a city block of a standards body. Intel used to be relatively open, for a chip company, but its latest moves with the Pentium II (see page 73) represent a classic closed door to competition. And while Compaq has developed more original technology than most PC companies, it hasn't developed a single open one that I can think of.

Nonetheless, even a broken clock is right twice a day. Mindful of this group's motives, let's look at the realities.

Why is the Internet bigger than Unix? Because you can depend on the Internet to be the same everywhere and you can't with Unix. Which way should Java evolve—like Unix or the Internet?

I vote for the Internet. So should Java advocates. For Java to spread beyond a dedicated core, both the software industry and corporate IS will have to believe it has a stable future. Right now, Java has not realized its dream of "write once, run everywhere." Plenty of small differences in virtual-machine implementations prevent that. Sun executives talk quietly about revoking Microsoft's license if it ships its version of the Java classes. Who will be left out in the cold then? The few hundred thousand Java users or the hundred million Windows users?

In a standards body, Sun will not get everything it hopes for, and neither will Microsoft. That's the point: Companies will have to cooperate to grow the pie. What do they have to lose? Let's examine the common myths:

Microsoft will hijack Java. Sure, it'll try. For over a year, the rap from Redmond has been "Java is a language, not a platform." Sounds a lot like "The Internet is a network, not a platform," a rap Microsoft was forced to retreat from. However, should Microsoft not come to its senses, there's nothing about a standardized Java that prevents Sun or anyone else from putting out its version of correctness and letting customers decide. If this technology is capable of standing up to the rigors of mission-critical computing, it's capable of surviving a standards body.

Standards slow the development process. Sure they do, in the same way that reading a map slows down the process of getting somewhere. It also prevents us from getting lost, a very likely outcome for Java if its advocates don't



has ever submitted its product to a standards body, so why should Sun? No one else—at least since UCSD's p-code implementation—has claimed its product as a universal platform. Such a goal requires more than business as usual.

In a standards body, Sun will not get everything it hopes for, and neither will Microsoft.

plan the route carefully. And what's the rush? Java is three years from being a mainstream application development platform. I'd like to think it'll be right, not just available, by then.

Java's too young to strangle in a standards body. Hmm, standards are too slow to achieve results, but too fast to allow growth.

Standards mute competition. Really? Tell that to IBM, loser of the 1980s network standards race between Ethernet and Token Ring. Submitting its Token Ring technology to the IEEE 802 committee did not prevent the other main 802-governed technology—Ethernet—from whipping IBM in the market. But it did allow customers committed to Token Ring to know where the technology was headed.

No other operating system vendor

Right now Sun and Microsoft are mirroring each other, trying to establish de facto standards. I support the Java Lobby's call to Microsoft and Intel to cease fractious activities. But I also think Java needs an independent standards body—perhaps a combination of the Java Lobby and vendors—dedicated to advancing the technology. If serious users are going to commit to Java, they're going to have to see maturity, stability, and reliability—from the vendors as well as from the products.

Mark Schlack


Mark Schlack, Editor in Chief mschlack@bix.com

www.byte.com



Thinking Smart Cards? Think ASE.

New! ASE-II™ - Next Generation ASE



In the new world of smart cards, ASE is all you need to develop and deploy smart card applications.

ASEDrive Pro[™] - The most versatile smart card drive Well connected: Interface to both PC internal and

external, serial and parallel ports

Secure: Second card slot or SIM socket for

authentication and security

Fast: PC-drive communication speed up to 115 Kbps. Cards support up

to 78Kbps

On time: Real Time Clock for e-commerce or

digital signature

Knows its cards: Multi card protocol T=0;T=1;T=14;

Memory: I²C, XI²C, 2/3 bus

Configurable: ASE*Drive* internal firmware downloadable from the PC

downoudable from the

Ready for the future: PC/SC Ready

ASESoft™ - The s Versatile: Supp Powerful: Inter

The software library for smart cards Supports most smart card types Interoperability with high level API or transmission level API

O/S savvy: Supports Windows NT, 95

ASECards™ - A wide selection of smart cards
Memory, protected memory, CPU and
Cryptographic cards support

■ **ASECrypto*** - The cryptographic library RSA; DES; TripleDES support and more. Compatible with Microsoft PC/SC cryptographic tools

ASE-FES™ - Sample smart card-based file encryption system

To order your ASE developers kit visit our web site today – www.aks.com!

North America Aladdin Knowledge Systems Inc. 800 562-2543, 847 808-0310, Fax: 847 808-0313, Email: ase.sales@us.aks.com
Int'l Office Aladdin Knowledge Systems Ltd. +972 3 636-2222, Fax: +972 3 537-5796, Email: ase.sales@us.aks.com
FAST Software Security GmbH & Co. KG +49 89 89 42 21-65, Fax: +49 89 89-42-21-40, Email: info@fast-ag.de
Aladdin Knowledge Systems UK Ltd. +44 1753 622 266, Fax: +44 1753 622 262, Email: sales@aldn.co.uk

 Japan
 Aladdin Japan Co., Ltd.
 +81 426 60-7191, Fax: +81 426 60-7194, Email: sales@aladdin.co.jp

 France
 Aladdin France SA
 +33 1 41-37-70-30, Fax: +33 1 41-37-70-39, Email: info@aladdin.fo@aladdin.fo

 Benelux
 Aladdin Software Security Benelux B.V.
 +31 24 648-8444, Fax: +31 24 645-1981, Email: aladdin@worldaccess.nl

 Russia
 Aladdin Software Security R.D. Ltd.
 +7 095 923-0588, Fax: +7 095 928-6781, Email: aladdin@aladdin.msk.ru

 © Aladdin Knowledge Systems 1997 (9/97) ASE is a trademark of Aladdin Knowledge Systems. *Subject to export license

1-800-562-2543 w w w . a k s . c o m

ALADDIN

KNOWLEDGE SYSTEMS LTD

100X

ActiveX Files

The otherwise very good ActiveX cover story (September) includes some disinformation in David Linthicum's sidebar on security. Simply put, ActiveX has no security model. The infamous Exploder control that powers down a Windows PC was signed with a Verisign certified signature (http:// www.halcvon.com/mclain/ ActiveX). Microsoft claims that Authenticode, its codesigning framework, is a security model. It is not. It's an authentication framework.

"If a control destroys your system," you say, "at least you'll know whom to beat up." This is silly. What if the government passed a regulation that thieves must wear name tags if they break into a house when the owners are not present, and then the FBI rationalizes it by saying, "If a thief steals you blind when you're not home, at least you'll know whom to jail"? I don't think so.

Any hostile ActiveX control worth its salt will erase all traces of itself before proceeding with the rest of the dirty work. Since ActiveX is Win32-omnipotent, it can do anything. ActiveX may have its place in the developer's toolbox, but it's not a suitable model for executable content.

Gary McGraw Research scientist Reliable Software Technologies gem@rstcorp.com

I'm not sure I disagree with Mr. McGraw's observations. My intention was to explain the ActiveX security model, not promote it. As with any security subsystem, there are always methods to defeat it. We've seen this with Java, with the Internet, and I'm sure ActiveX is no exception. - David Linthicum

I want to thank the folks at BYTE for writing that excellent article, "ActiveX Demystified." There is, however, something that came to mind after reading it. Does ActiveX open Microsoft to a new era of unrelenting competition? Think about it. By dividing applications into objects that follow the Component Object Model (COM) spec, Microsoft has created many more targets subject to competition. It is difficult to unseat an entire suite of applications (as Corel has found out), but now, small and hungry software firms can target spelling checkers, TCP/IP handlers, peripheral drivers, and many other objects. Are we going the way of software widgets? Is Microsoft going the way of GM, where, in order to keep costs down, it will have to subcontract? The future that ActiveX will bring will be interesting indeed. Joseph Almeida Brampton, Ontario

P&S'ing for Dollars

joe.almeida@sympatico.ca

nition of the growth of publish and subscribe technolo-



gy ("Publish or Perish," by Richard Hackathorn, September). However, we would like to clarify several points made in the article.

The statement that "no examples of monetary exchange with P&S have occurred" (page 66) dismisses the origin of publish/subscribe technology on Wall Street, where this model provides the infrastructure for billions of dollars in transactions. In fact, Open Horizon's Ambrosia product opens the door for electronic commerce beyond the trusted computer base of a LAN to the often unreliable environment of the Internet. Ambrosia offers guaranteed message delivery, transaction support, and comprehensive security around the core publish/subscribe messaging engine.

Contrary to the article's characterization of Ambrosia as based on COR-BA, it is a pure publish/subscribe product implemented in Java. Ambrosia provides three levels of CORBA compliance to increase the flexibility of customer implementations, but it is not tied to CORBA. Finally, while you quoted our CEO, you left out our contact information: 650-869-2200; http://www .openhorizon.com. Audrey Kalman

Director of marketing Open Horizon, Inc. South San Francisco, CA

While there are certainly billions of dollars being exchanged daily, these exchanges are done in systems carefully designed with limited sets of parties involved. There are no standards to allow economic exchange between independent consumers and producers. The subscribing process needs to be opened, as the Webcasting folks are doing.

We appreciate BYTE's recog-

HOW TO CONTACT US

ON THE WEB Visit The BYTE Site! Search our archives. Download articles. See industry press releases. Join on-line conferences with other BYTE readers! See http:// www.byte.com.

> BY FAX 781-860-6522

BY E-MAIL Address letters to editors@bix.com. To reach individual BYTE editors, see The BYTE Site on the Web

for a directory. Letters may be edited for publication.

BY POST Editors, BYTE, 29 Hartwell Ave., Lexington, MA 02173

SUBSCRIPTION CUSTOMER SERVICE

U.S. only: 800-232-2983; international: 609-426-7676; or see http://www.byte.com/ admin/mpcstsvc.htm.

For advertising and other noneditorial contacts, see page 157 or click on the Information link on The BYTE Site

Economic exchange is critical to that openness. While the article might have implied that Open Horizon works only as a CORBAbased product, this was certainly not the intent. That said, CORBA and Java are not mutually exclusive.

Richard Hackathorn

Web Groupware

Jon Udell's "HTML + NNTP = Groupware" (September Web Project) hit on several important points but didn't mention that the Web was originally designed to do what he's describing: collaborative authoring. When Tim Berners-Lee invented this stuff, he was trying to provide a way for people to collaborate on document authoring so that dispersed groups could write scientific papers. That's why the littleknown and even less-used **CHECKIN** and **CHECKOUT** methods are part of the HTTP standard. POST was meant to allow people to post articles and papers to newsgroups; it wasn't meant to receive results from a form as it is now used.

The only advantage of using NNTP/INND over the Web is that replication is better supported (this is where Lotus Notes scores). How about doing all this stuff using a Web browser and a Java applet that would add the relevant headers to an HTTP POST request so that you wouldn't have to split the subject line into name, company, and keywords? This would allow you to make the user interface more intuitive, and you wouldn't get misformed subject lines. The display of threading wouldn't be as easy (newsreaders have threading built in), but if Lotus Domino can do outlining "twisties" on the fly, why can't a Web server script? Doing it this way removes the problem of old text-only news readers, and we're back to a thin vanilla client with any smarts being added as Java applets that get downloaded and updated when required, plus some server-side scripting for sorting, outlining, and thread displaying.

Hubert Matthews hubert@patrol.i-way.co.uk

Very true about the Web's origins. And yet oddly, the Web has emerged into popular consciousness as primarily a read-only medium. Meanwhile, the Usenet has become a read-write medium for the masses. My strategy is to go with the flow.

The biggest advantage of using NNTP/INND is: no server-side programming required at all to deal with a basic document database, with discussions, with binary attachments, and now even with HTML. It wasn't planned this way, but the combo of NNTP servers and clients has become in a way more useful than the combo of HTTP servers and clients. that is, for the particular class of application to which I'm trying to draw attention. This is a very large, important class of application.

A Web server script can do those things you mention. I've written lots of things like that. But I'm trying to focus on what can be done with out-of-the-box tools and no programming. —Jon Udell

Other Interfaces

Your article on network user interfaces ("Good-Bye, GUI—Hello, NUI," August) left out one important NUI. Silicon Graphics' Indigo Magic has had for about a

year now many of the features other vendors will be implementing in the "near future," such as URLs directly on the desktop, a network clipboard, and a file manager that can show FTP sites or other URLs directly and lets



you drag and drop a page to a local file. Kristoffer Lawson setok@fishpool.com

Here's another interface. you might want to check out: the KDE (as in Kool Desktop Environment) project for X Window-but mostly Linux—systems. Based on the Qt widget set by Troll Tech, KDE is a free GUI/NUI undergoing development by a team of programmers around the world. At the heart of KDE is Kfm, the file manager. It's network-oriented and can view any file tree that can be described in URL format. It can already render most HTML, and the next major version, Kfm II, will also function as a Web browser (it will even support frames). There are other applications in KDE, too, including simple editors, a font browser, and a sound player. At the moment, the software is still in alpha phase, but it's remarkably stable, and I use it virtually full-time now. If you want to read more, go to http://www.kde.org/. John McNulty

john@vogue.demon.co.uk

Improbable Products, or If We Had a Million

Man, I am sitting on an S.F.to-Boston flight and cannot stop laughing. September's Improbable item about Stochastic Cleaner—the program that "cleans your hard disk of all the clutter that you probably don't need"is just great. Keep up the good work.

Steve Butcher steveb@collectivetech.com

Glad you enjoyed it. Many readers have written us to find out how they can actually buy the products covered in Improbable; for example, we received virtually millions of letters about Cyber Babewatch (August), including one from a clinic that dangled before us the possibility of real cash expenditure. But until those fussy, ROI-obsessed venture capitalists start returning our calls, the items mentioned on the end page will have to remain on the drawing board in Marc Abraham's mind. - Editors

Hot Plug Today

While you did a solid job of describing how Hot Plug PCI technology works, and the role it can play in reducing server downtime, you left out information regarding the current availability of compliant products ("Hot Plug Will Deliver Higher Availability," July Bits). Net-Frame Systems has been shipping Hot Plug PCI systems, boards, and device drivers since 1996, when the company introduced its ClusterSystem 9016 server. Last June we introduced the ClusterSystem 9008, which offers eight individually hotYour Computer Guy Will Hug You. Your Bookkeeper May Kiss You.



Save \$1,500 On The ServerSuite Designed Exclusively For Small Business.

Cheyenne®ServerSuite™ 3.0 includes three award-winning, industry-leading products that deliver a turnkey solution for all your critical server needs: storage management, anti-virus and fax communications. And for a truly affordable price. The \$995 suggested retail price represents a savings of more than 60% if each product were purchased separately.

ARCserve®, Novell's preferred storage management solution, is the industry's best-selling data backup and restore product. It gives you total protection for all of your critical data.

InocuLAN®, Novell's preferred anti-virus solution, is the best anti-virus software you can buy. It offers the most advanced and comprehensive virus protection for your entire network — server and workstations.

FAXserve[™], Novell's recommended fax solution, eliminates the

need for paper faxes. With FAXserve, there's no more standing at the fax machine, employees can fax right from their desktop

computer maximizing productivity and ensuring privacy. All three of these outstanding products will

save you time, money and frustration.

Call today and find out how ServerSuite


Call today and find out how ServerSuite can help your small business. And if anybody gets too close, tell them a simple thank you will do.

ServerSuite for NetWare Includes:

- ARCserve
- InocuLAN
- FAXserve

Call 1-800-991-4438 For A Free Trial Or Visit Us At www.cheyenne.com/advert/ss3







pluggable PCI card slots.

NetFrame has tested its systems with the proposed Hot Plug PCI standard you wrote about and recently announced that both the 9016 and the 9008 are fully compliant with the most recent draft of the specification. NetFrame is committed to ensuring that its servers will be compliant with the finalized specification, due later this year. Marcia Speece

Director of corporate communications NetFrame Systems

Milpitas, CA http://www.netframe.com

FIXES

We used Visual C++ version 4.2, not 4.3, as part of our benchmark tests of Pentium II PCs (September Hardware Lab Report).

Zyxel's omni.net (October Hardware Lab Report) is 17.9 (W) x 13.1 (L) x 3.8 (H) centimeters, not inches.

Wright Strategies' FormLogic 3.0 development kit (September What's New, page 145) costs \$250 per user for 75 users. The per-user price goes down incrementally as the number of seats goes up.

COMING UP IN DECEMBER

COVER STORY

Microprocessor Update

BYTE's annual analysis of the microprocessors that will be powering systems in the next year.

MANAGING DATA

Enterprise Management Frameworks

Computer Associates, Tivoli, and a handful of others have created systems that help you monitor and administer everything on your network. Here's how they work, what they do, and what they can't do.

BUILDING NETWORK APPLICATIONS Microsoft COM 3

A look at the recently announced changes to Microsoft's Component Object Model.

Editors' Choice Awards

Our pick of the most important products of the year.

REVIEWS

Web Development Kits

We round up high-powered software for developing and deploying custom Web applications.


BeOS

We get our hands on this multimedia-rich OS and analyze its chances of being an alternative to Apple's upcoming Rhapsody.

NT 4.0 Enterprise Edition

Until 5.0 arrives, the place to get Microsoft's latest NTbased networking technologies is NT 4 Enterprise Edition. Our tests will help you decide if it's worth the upgrade.

Now that APC Smart-UPS° includes FREE web-enabled PowerChute® plus, protecting network uptime has never been easier



Visit us at COMDEX/Fall Booth #L2453



Power problems attack networks relentlessly. To protect

hardware and data from system crashes, experts, network managers and computer users worldwide prefer one solution above all others combined: APC Smart-UPS. Now, all 120V Smart-UPS include FREE PowerChute plus power management software.

The most reliable protection you can buy

Smart-UPS provide complete protection against power spikes, surges, brownouts,

and blackouts. You'll also gain maximum server uptime and decrease management costs. Award-winning features include:

- CellGuard[™] intelligent battery management monitors battery performance and extends battery life.
- SmartSlot[™] internal accessory slot lets you customize and enhance the performance of your Smart-UPS.
- QuickSwap™ user-replaceable batteries can be quickly and safely swapped out without powering down the connected equipment.



PowerChute plus FlexEvents™ lets you control UPS reactions to power events. You can configure PowerChute plus to provide graceful, unattended server shut-

down during an extended power outage or alert you to out-of-bounds environmental conditions before they result in costly downtime.

Web server and **SNMP** ready

APC's NEW WebAgent™ allows you to monitor and manage your Smart-UPS using your Web browser. New WebAlert™

notifies users of Web server shutdown via their browser. PowerChute plus also includes the PowerNet™ SNMP Agent

plug-in, which allows you to integrate your Smart-UPS with your existing SNMP management strategy.

Smart-UPS and PowerChute plus provide

the complete solution in one convenient box. Server protection and peace of mind have never been easier.

Ties	00	e-	ıım	œ
200	200			201
	ELE ELE	160		

Fax or mail this coupon to APC and learn



	owards a new Smart-UPS.	
☐ YES!	I'm interested in trading up a competitors' or an older APC UPS to Smart-UPS. Please send Trade-UPS info.	
□ NO	I'm not interested at this time but please send my FREE power protection handbook.	
Name:		
Title:		
Company:		
Address: _	adi in the section of	
20 20	artes de la	
City/Town:	With the Late Life Court	

State: Zip: Country Phone: Brand of UPS used? Brand of PCs used? Brand of Servers used?

(888) 289-APCC x8199 Fax: (401) 788-2797 http://www.apcc.com

©1997 APC. All Trademarks are the property of their owners. SU01EF



(800)347-FAXX PowerFax





CompuServe: GO APCSUPPORT



132 Fairgrounds Road, West Kingston, RI 02892 USA

PowerChute plus provides unattended

system shutdown and UPS management for Windows NT, Netware and other

servers. Manage Smart-UPS via SNMP.

DMI and Web browsers (shown above).

Features vary by operating system.



A Chip off the Old Block

Digital has reestablished Alpha's CPU performance lead over Intel at the high end. Its next move: Another stab at the desktop PC space.



ow that the new 600-MHz 21164 delivers a considerable advantage in raw performance over Intel's Pentium II, Digital will try again to penetrate a market that has so far eluded its Alpha processor: the desktop PC.

Like other RISC CPU vendors, Digital was embarrassed in late 1995 when Intel's Pentium Pro caught up to the Alpha, at least in integer performance. However, Digital has reestablished its performance lead at the high end: A new 600-MHz 21164 Alpha-based system from Polywell, which BYTE recently tested, trounced 300-MHz Pentium II-based systems in our CPU-/FPUintensive BYTEmark tests. The 350-MHz 604e also does quite well on this test.

Now Digital is readying a new CPU, the 21164PC (see "Alpha Arrives at the Desktop," May BYTE), which costs less than the 21164 but delivers almost as much performance. The 21164PC targets desktop PCs costing \$2500 to \$3000, a price that's still at the high end of the mainstream PC market but much less than

the \$10,000 or so that systems using the 600-MHz 21164 now cost. The first 21164PC-based systems were expected to start shipping this fall, according to officials at Digital.

With the 21164PC, Digital retained the 21164's basic core but did several things to reduce costs, including moving the 21164's modest (96-KB) Level 2 cache offchip and reducing the pin count by eliminating support for multiple processors and limiting the size of the L2 cache to a maximum of 4 MB (down from 64 MB).

The 21164PC processor costs \$495 in OEM quantities for the 533-MHz model and just \$295 for

the 400-MHz version. At those prices, the chip competes with both the Pentium and the Pentium II, although the 21164PC's chip set, the 21174, costs about \$60 more than Intel's 440LX Accelerated Graphics Port (AGP) set. The 21164PC's motionvideo instruction set enables it to perform streaming video compression (e.g., full-frame and full-motion digital videodisc [DVD] acceleration) that can't be done on the x86 architecture without additional hardware, such as a graphics accelerator


with DVD support, Digital officials say.

The 21164PC isn't Digital's first attempt to enter the RISC PC market. The company's 21066, a less expensive version of the 21064 Alpha CPU, fared poorly and illustrates the many reasons why penetrating the mainstream PC market is such an uphill battle for a RISC vendor. At the time, Digital officials blamed the 21066's tepid reception on a lack of native Alpha NT applications and other market factors. But analysts say the main reason the 21066 sank was due to poor price/performance. Results from running our BYTEmarks on a reference system based on the 21164PC indicate that the new CPU will deliver plenty of performance for the dollar: It beats the 300-MHz Pentium II in both integer and floating-point performance.

> Alpha chips are still dogged by nagging questions about the number of native applications available for the platform, although Digital and its partners have done much to improve this situation since the days of the 21064. Today, Digital claims 2000 to 2500 native applications are available for the platform, and it's pushing the creation of more by offering hardware discounts for software vendors and by helping vendors port their applications to Alpha. "We have been driving the porting of applications to Alpha for all OSes-with the focus on NT, and Unix a close second," says Aaron Bauch, manager of technical mar-

keting for Digital's Alpha Microprocessor. Another technology, Digital's FX!32 emulation/translation software, improves the performance of native x86 programs when executing on Alpha NT hardware.

Nevertheless, there are some holes. For example, Microsoft currently has native Alpha versions of Excel 97 and Word 97, but none of any other applications in its Office family. Getting more Alphas onto more desktops will make the platform a more



attractive one for software developers to target.

Many Alpha-powered systems are still geared toward high-end applications, such as animation, graphics production, and databases, and most smaller companies apparently don't need all that power at the prices Alpha systems command (see the Survey on page 24). Bauch believes that this will change with the continued evolution of Windows NT. "Our advantage in the NT marketplace is performance and the longevity of a system," he explains.

By the first half of 1998, Digital will be ready to release a new CPU, the 21264. This is to be the company's flagship processor; it will target high-performance servers and workstations and offer both uniprocessor and multiprocessor configurations.

In the past, Digital has simplified the CPU core while gunning for the highest speed. The new 21264, which features a complex, out-of-order CPU core, will process up to 80 instructions at once. It has a bandwidth several times higher than that of previous chips, channeling up to 5.3 GBps of cache data and 2.6 GBps of main memory into the demanding new processor core. The new 21264 will start life at 500 MHz, still far ahead of any competitors in terms of speed. And you can expect Digital to release a PC version of the 21264, according to Pippa Jollie, product manager for the 21164PC.

Digital is trying to emulate the success of x86 manufacturers in building a base of OEM customers by making the technology more readily available. During the past few years, for example, Mitsubishi and Samsung have begun producing Alpha chips, VLSI Technology has begun producing third-party core logic (and it might release a less expensive alternative to the 21174 chip set), hundreds of options from third-party hardware vendors' add-in cards now exist, and 2000-plus independent software vendors now support the platform.


What's missing—and what Digital covets—is a design win for the 21164PC with a top-tier PC vendor, such as Compaq or Dell. "It's always been a primary goal to get a tier-1 company," says Digital's Jollie. Tier 1 vendors are interested, she says, but they're currently in wait-and-see mode. "With the 21164PC, we are providing vendors a product that we hope they will adopt. I would be thrilled if they did."

—Jason K. Krause

Geek Mystique

The Internet's Busting Out All Over

The number of people who today regularly access the Internet through alternative points of access has almost tripled since spring 1996. These alternative points of access include locales other than home, school, or the office such as museums, libraries, retail outfits (including malls and cyber cafés), recreational facilities, churches, hospitals, and community centers. In 1996, 1.5 percent of the survey respondents



claimed to access the Internet through alternative points; that's now up to 4 percent, suggesting that the Internet's importance in our daily life is increasing.

x86 Vendors Unite Against Intel



oiled by Intel's rigid patents on Slot 1, rival vendors of x86 chips are working on a new CPU interface to succeed the widely

used Socket 7. The higher-bandwidth interface would be an open alternative to Intel's proprietary sockets and slots, but it could split the PC system architecture into incompatible standards.

Cyrix officials confirm they've held discussions with AMD and other companies about a successor to Socket 7. Socket 7 is the 296-pin CPU socket used by all P5-class x86 chips, including Intel's Pentium processors, the AMD K5 and K6, the Cyrix 6x86 and 6x86MX, and the Centaur IDT-C6. Intel's competitors need an alternative because they can't license the patented bus protocols for Intel's P6-class processors.

All of Intel's P6 processors (including the Pentium Pro, the Pentium II, and the forthcoming Deschutes) require the same basic bus protocols, although the physical interfaces vary. The Pentium Pro uses Socket 8, the Pentium II uses Slot 1, and some future Pentium II processors will use Slot 2. Mobile versions of the Pentium II use still another proprietary interface that's a miniaturized variation on Slot 1. Motherboard makers can put Intel's CPU interfaces on their boards, but Intel won't share the technology with rival vendors of x86 processors, although it has licensed it to some core-logic chip-set vendors.

"If we adopt a proprietary solution, it will only help Intel win," says Stan Swearingen, product management director at Cyrix. "We believe the industry wants that to be an open socket. We're already talking to chip-set vendors, AMD, and other companies to define a new interface," he adds.

The interface would probably debut in 1999. Cyrix, AMD, and Centaur agree that Socket 7 will remain popular at least through 1998, and possibly beyond. Although it has less bandwidth than Intel's interfaces, it's fast enough for mainstream desktops and servers.

Vendors are currently working to ex-

Contents

Apple Pounds Clones

22

Sun's 450 Server Takes Aim at Wintel

26

Compaq Counters Sun's 450

28

How to Design
Better Interfaces

32





Desktops for the MIS director who'd ra from the seat of his chair than the

ther run his network seat of his pants.



The headaches. The heartburn. The half-eaten lunches. Running a network isn't easy. Especially when you're the one doing the running. At Compaq, we think it's time that changed.

Introducing the new Compaq Deskpro line. The Deskpro 2000, 4000 and 6000, all with improved Intelligent Manageability, offer you what you want most: control

Control over installation, configuration and asset management, all from a single, convenient location. Control over problems before they happen, saving critical data. Control over administrative, lifetime and support costs—keeping total cost of ownership low. And control over your time. So you can focus on the future, instead of repairing the past.

The Deskpro 4000N, one of our network-ready models, gives you even better control over structured work environments. Because it has no removable media drives and requires less space, it's the ultimate choice in manageable computing.

And with ODM, Compaq's Optimized Delivery Model, your new Deskpro will be built to order. You'll receive Compaq quality, Compaq innovation and Compaq reliability at new aggressive prices, more aggressive than you've ever seen from Compaq.

For more information about the Deskpro series, visit us at www.compaq.com/products/desktops/, or contact your local reseller.

COMPAQ



tend the life of Socket 7 in several ways. This fall, AMD will likely announce a new K6 processor with a larger Level 1 (L1) cache. Centaur plans to ship next year a new version of the IDT-C6 that will integrate the Level 2 (L2) cache. Other possible stopgaps include CPU daughtercards that plug into Socket 7 (see "Socket to Me" on page 73).

Meanwhile, Intel isn't standing still. In August, it announced a new Pentium Pro processor with 1 MB of L2 cachetwice the maximum cache size of earlier Pentium Pro chips. Intel plans to introduce the Deschutes version of the Pentium II in mid-1998. Deschutes will be the first Pentium II chip fabricated on a 0.25micron process, and it will eventually replace today's 0.35-micron Pentium II chips (for more information, see "Future Watch," below).

Slot 2 is a higher-performance version of Slot 1 that will run at a bus frequency of at least 100 MHz and support larger single-edge contact (SEC) cartridges. These cartridges have room for bigger L2 caches. Intel is aiming Slot 2 at higherend desktops and servers, leaving Slot 1 for mainstream systems.

Even if Intel's competitors can rally around an alternative interface, it will put many companies and users in a quandary. Today it's possible to make a Socket 7 motherboard that works with anybody's P5-class processor. But manufacturers say it costs too much to construct a motherboard with two different CPU interfaces because they're electrically incompatible. Vendors would have to either create two versions of every product or choose sides.

The result could be two competing PC architectures: Intel and non-Intel. And since Intel is the industry's leading supplier of CPUs, motherboards, and chip sets, the non-Intel faction faces an uphill battle to establish an open standard.

-Tom R. Halfhill

Power Mac Prevails (with an Asterisk)


hanks to its 350-MHz PowerPC 604e CPU, faster cache, and other improvements, Apple's new Power Macintosh 9600/350 delivers excellent performance. But its status as the "fastest Mac" comes with an asterisk.

Thanks to turmoil surrounding Mac OS licensing and Apple's acquisition



Apple's Power Macintosh 9600/350 uses the 350-MHz 604e CPU.

of Power Computing, the competition for the 9600/350 is now a lot thinner. With Motorola pulling out of the Macclone market and the Power Computing buy-out, Apple doesn't have to worry as much about clone vendors further eroding its market share by introducing



Future Watch

Coming in 1998: 400-MHz PII PCs



By this time next year, Pentium II chips should be available at speeds

of 400 MHz or higher, along with Pentium II versions for systems that have more than two processors and for notebooks.

Intel says the Deschutes version of the Pentium II will debut at 333 MHz early next year. It will be built on a 0.25-micron process and will reach speeds of 450 MHz by the end of next year. Sometime during the first half of 1998, Intel will release a 350- or 400-MHz version of the Pentium II that will support a 100-MHz system bus. This chip, which will

sit in a Slot 1 cartridge, will target desktops, entry-level servers, and workstations.

Around midvear, the company will introduce Pentium II processors that plug into Slot 2, which is intended for servers and accommodates a larger Level 2 cache that runs at the core clock speed of the processor. Slot 2 configurations will support a

100-MHz system bus next year, and servers based on it will scale to a minimum of four processors, company officials said.

Intel will introduce Pentium II processors for portables during the first half of 1998. These chips will be available in either a modified cartridge design (similar to slots but significantly smaller) or the Mobile Module.

new, powerful Macs based on the upcoming G3 series (e.g., the PowerPC 750).

Another chip, Exponential's 533-MHz X704 CPU, is also no longer an option: After falling short of its target clock speeds and delivery schedule, Exponential killed the X704 and is suing Apple for breach of contract, interference, and other actions. At press time, the only Mac-clone vendor that had licensed Apple's Mac OS System 8 was Umax Computer.

For now, Apple's top high-end system is based on the 604e; G3-based systems from the company will probably ship this fall. But the 9600/350 offers plenty of performance for power users. In addition to its 350-MHz CPU, the system has a 1-MB secondary (L2) cache and a new cache controller that enables the CPU to talk to the L2 cache at 100 MHz. Due to the cache design, known as an in-line cache, the PowerPC doesn't have to wait as long for data as it would if the CPU accessed the L2 at the same speed as the 50-MHz system bus (CPU to main memory). The 604e's increase in megahertz is due to the new 0.25-micron process.

The 9600/350 delivered the highest integer performance of any desktop system BYTE has tested using our CPU/FPU BYTE-mark tests. You can see how it rates against other systems on page 18. The BYTEmarks measure raw CPU performance and do not test other system components, such as hard drive and video adapter. In our suite of cross-platform Photoshop tests, the Power Mac beats a 300-MHz Pentium II decisively in the arbitrary rotate test, but the other scores are closer.

The PowerPC 750 (code-named Arthur), the first processor slated to come from the new G3 PowerPC family, will initially run slower (275 MHz) than the fastest 604e. But thanks to a separate L2 cache bus and a small die size, the G3 series promises better performance at a lower price: A system from Power Computing with a 275-MHz G3 scored 9.4 and 6.1 in the BYTEmark integer and FPU tests, respectively. That system won't ship now, although Apple might sell it in the future.

But although Apple's decided that competition from clones wasn't such a good idea, it still must compete against Wintel, and, compared to some Pentium II PCs, the 9600/350 is pricey: with 64 MB of RAM, a 4-GB hard drive, a 24X CD-ROM, a Zip drive, and a video card with 8 MB, it's about \$5400. AST's similarly configured Bravo MS 6300 is \$2950. **–Dave Andrews**

Bug of the Month

The Man With No Domain Name



Dennis Gaughan must have looked forlorn, standing in the pouring rain, pounding on Network Solutions' door and pleading with security to put him in touch with tech support. But what else was there to do? His domain name was gone.

Sometime Saturday afternoon, August 2, WebCom, a Web and e-mail ser-

vice that hosts Gaughan's intranet site, had its domain name removed from the root servers of Network Solutions, which manages the domain-registration system for the Internet. The source of the problem was a bug in a script that Network Solutions was running over the weekend while cleaning its databases, erroneously deactivating WebCom's domain. In the aftermath of the crash, WebCom, which is based in California, was unable to contact Herndon, Virginia-based Network Solutions to find out what had happened. Many analysts say the WebCom incident is yet another in a string of snafus that highlight the Internet's immaturity for hosting bet-your-business applications.

"Network Solutions is a single point of failure for the Internet, yet there's no 24-hour hot line to contact them if something goes down," says Thomas Leavitt, executive vice president of WebCom. Network Solutions claims to have a direct line for contacting system administrators at any time, but it's not a general hot line, and company officials asked BYTE not to publish the number for the general public. Leavitt was unaware of this number at the time that his Web site went down.

In the wake of the domain-name crisis, WebCom officials were able to find a WebCom user, Gaughan, who lived in the same area as Network Solutions' facilities. "I went to Network Solutions' facility in Herndon," says Gaughan. "I knew it wasn't the InterNIC engineering center, just an administrative office, but I wanted to get their security to put me in touch with someone who could help."

Gaughan's confrontation with security happened to coincide with the first thunderstorm in the area in 3½ months, and he got soaked for his efforts, but Network Solutions called in some staff members and ran an emergency regeneration of the root server Zone file to restore accessibility of WebCom's domain.

Send yours to jason_krause@mgh.com!

DVD RAM Splits, But Products Still Coming

Just when it looked as if DVD RAM was sailing along smoothly as the next standard for writable storage, a rift in the group of key vendors backing the standard has created serious questions for end users. A trio of companies—Hewlett-Packard, Philips, and Sony—have decided to come up with an alternative format to DVD RAM, the recordable version of DVD video.

The new format, which will be called DVD+RW, is incompatible with the one approved by the DVD Consortium and differs largely in its higher recording capacity, as well as in its recording tech-

nology. Nevertheless, major companies, such as Toshiba, say they're on track to release products based on the original standard by the end of this year.

DVD+RW will handle 3 GB on a single-sided disk, and twice that on a double-sided disk, versus 2.6 GB per side for the Consortium DVD RAM standard. At press time, Mitsubishi, Ricoh, and Yamaha had all signed on to the renegade standard, providing momentum for this proposal.

Could the split in the DVD RAM standard be a replay of the infamous Betaversus-VHS battle? Possibly, but it almost certainly portends unsettled times for buyers of DVD RAM products. Several other major players, such as NEC and Toshiba, have not announced any intent to support this new standard. "Toshiba is pretty much in line with the original schedule to commercialize this technol-

bits

ogy and introduce products into the market by the end of 1997," says Ken Ishihara, vice president for Toshiba America. "We are currently not going with those three companies and are [not] working with that [other] format."

Werner Glinka, director of marketing for Hitachi's Storage Products Group, says his company has already delivered samples of its GF-1000 drive to key customers, who will sell Hitachi's drives under their own labels. Like Toshiba, Hitachi's drive is based on the original standard.

Glinka admits that the rival standard provides for slightly more storage space at first, but he says the DVD Consortium has announced plans to provide up to 50 GB of storage space over the next 10 years. "What counts in the end is broad availability of products from a number of companies," he says. "Broad availability will solidify the standard." Sony isn't currently saying when it will ship drives that are based on the new format—only that it will support it.

Why the split? Sources who wish to remain unnamed said there are several possible reasons. One is that Sony was unhappy with its cut of the royalties from the original standard. Others say Philips and HP wish to cast confusion in the market so that more people will buy their multisession recordable CD drives.

Whatever the reason, the rift might give even more impetus to solutions such as Iomega's Zip drive, which stores less data than DVD per disc, but more than a floppy. Unless you must have the first writable DVD product, it may be better to wait and see for sure. —Jon Pepper

What's Next for Java Office Apps

A mid a sea of changing strategy and concerns over Java's direction, software vendors say they will continue to bring Java business applications to market. Software developers working in the Java space must juggle the evolving Java platform with the realities of bandwidth availability and end users' expectations.

has since scrapped that approach. "The problem was that we would demonstrate our applications, and the response from users, even at pro-Java sites, was 'This is great, but can you add just this one feature?'," says Chris Biber, Corel's director of strategic alliances. "Before you know it, users were asking us to add

Java Office Apps Road Map

Applix: Will release this year an NT server version of Anyware Office (which delivers a word processor, a graphics-capable spreadsheet, an e-mail client, and HTML authoring to Java-enabled clients) to complement current Unix servers. Also planned: a new presentation module and a Java client for the TM1 OLAP program. (508-870-0300; http://www.applix.com)

Corel: Will release in mid-1998 "Remagen" (which lets Java-enabled clients access existing Corel WordPerfect Suite 8 or other office suites running on a server) and "Alta" (a universal in-box, calendar/scheduler, ad hoc work-flow, task-management, and data access/analysis package), plus technology for dynamic UI and application assembly to make programs run better over networks. (613-728-0826; http://www.corel.com)

Lotus: Will release this year the "Kona" family (which includes a NUI and data-access, spreadsheet, word processor, charting, project-scheduling, presentation-graphics, calendar, to-do, and e-mail applets). (617-577-8500; http://www.kona.lotus.com)

But vendors such as Applix, which already sells Java-based business applications, continue to forge ahead with new versions. Corel, after rethinking its strategy, says it will release a new Java suite next year, and Lotus plans to release Java productivity applets in the fourth quarter of this year.

Corel originally announced plans for a Java version of its full-function Office suite of applications, but the company more and more features. Adding all those would have resulted in a chubby—not a thin—client." Corel will satisfy demands for a fully functional, Javaenabled office suite with its Remagen technology (see the table above), while a new product line, currently codenamed Alta, will combine elements of CorelCentral and the evolved Corel Office for Java.


While Corel and Lotus work on their projects, Applix says it will continue to improve its existing Anyware Office and Enterprise Anyware (which consists of sales, service, and help-desk modules). "We've already released our first suite, so we know that you can use this kind of technology to create complex applications for the power-user community," says Barry Burke, vice president of product marketing at Applix.

However, as vendors go forward, they will have to master the art of broken field running as the Java platform evolves. The latest donnybrook between Microsoft and Sun, over which foundation class to support—Sun's JFC or Microsoft's AFC—in addition to questions over who should control the Java standard may only serve to impede Java's growth.

Survey

Small Companies Snub Alpha

ost companies select x86-based hardware to run their Windows NT applications over Digital's Alpha CPU, especially companies that have less than 500 employees. According to a recent survey of companies that now run Windows NT, which was conducted by BYTE's research department, almost 97



percent of those smaller companies don't have any systems powered by Alpha CPUs.



The Internet Appliance Toolkit (IAT) includes:

everything on the demo, plus

built-in internationalization

Watcom C/C++ compilers

drivers for hundreds of PC peripherals

embedded filesystems

demo apps with source files

scalable fonts embedded OEM pricing

and much more

Build the Internet into smart phones, set-top boxes, photocopiers, kiosks, printers, PLCs ... anything!

Better yet, build it on time. The IAT, used to create this demo, comes with everything you need, from rapid application development tools to Internet apps to source code. Build a custom browser in days, not months!

And talk about performance. With the IAT and QNX you can use low-cost x86 platforms to deliver incredible speed and reliability. Believe it!

Download your free
1.44M demo today!
www.qnx.com/iat

or call:

800 676-0566 (ext. 1048)







Datapro Report

Server Wars: Sun and Compaq Take Shots at Each Other

Sun Microsystems' recently announced Ultra Enterprise 450 Work Group server is a stiff competitor for Compaq's ProLiant servers. The Enterprise 450 levels the cost-of-ownership issue against Windows NT/Intel (Wintel) servers, offers better performance, supports PC-client environments, and offers the resiliency of Solaris and scalability across Sun's Enterprise server product line (which supports up to 64 processors in a symmetric multiprocessor/server configuration). Compaq's ProLiant 7000 (see article, next page) is strategically positioned against the 450, but Sun's 450 announcement is a bold strike against Wintel.

The Enterprise 450 is a robust midrange server. It supports up to four UltraSparc II processors, which use Sun's UPA system bus; it has a peak speed of 1.78 GBps. This compares with 540 MBps for Intel's Pentium Pro. A fast system bus lets multiple processors access memory faster, providing more efficient symmetrical multiprocessing.

The Enterprise 450's I/O architecture is based on the PCI bus: It has six PCI buses, including three 66-MHz PCI buses, resulting in a peak I/O bandwidth of just over 1 GBps. This is more than three times the I/O bandwidth of the Pentium Pro Intel servers, which support two 33-MHz PCI buses.

The Enterprise 450 is actually priced less than Compaq's ProLiant 6000 and 7000 servers (see the table below). And Sun has taken care of third-party application software costs, which were a huge differentiator between midrange Unix servers and Wintel servers. Sun has negotiated a new workgroup-server pricing level for one- to four-way Sun Enterprise servers that levels the pricing differentiation for applications such as Oracle and Sybase. Third-party applications for Sun's Enterprise 450 are priced the same as identical applications for Wintel servers.

Sun's Enterprise 450 server provides more performance than the fastest Intel servers currently available for Windows NT 4.0 (see the table). Compaq has yet to publish a TPC-C result for the ProLiant 7000 for NT, but it claims 10,547 tpm for the ProLiant 7000 with four 200-MHz Pentium Pros running SCO UnixWare. Its price/performance result (\$71/tpm) was not as good as Sun's. Compaq is expected to publish a TPC-C result for the ProLiant 7000 running NT, which should have better price/performance—and maybe even better performance.

PC users can access their files transpar-



Sun's Enterprise 450 has 10 PCI slots, including 66-MHz, 64-bit-wide ones.

ently from any Sun server with Sun's Solaris for Intranets, which ships with every Sun Enterprise server. Solaris for Intranets is also available for \$1290 for Solaris Intel platforms.

Introduced recently, SunLink, a module of Solaris for Intranets, supports file systems for Windows 3.11, 95, and NT; Mac; NetWare; and MS LAN Manager. Print-sharing and file-sharing services for these clients are supported by SunLink. PC users can access their Microsoft Office files from Sun's 450 without changing anything. SunLink is included with the Enterprise 450 server, but no additional client software is needed.

Sun has completely disguised Solaris from PC users, who can install the Enterprise 450 (or any Sun Enterprise Server) using any browser. Sun's WebStart is an easy one-button installation that has options for customized configurations. Installation is no harder

than it is for Compaq's SmartStart.

The Enterprise 450 has many, but not all, of the Reliability, Availability, and Serviceability (RAS) features found in the Enterprise 3000, 4000, 5000, and 6000 servers. It comes standard with two (and an optional third) 560-W power supplies, which are hot-swappable. Sun's 450 also supports hot-pluggable disk drives, thermal sensing, and four levels of system diagnostics.

Sun's SyMON provides a complete set of on-line diagnostics. If a CPU or memory module fails, the 450 detects the failure automatically, takes the failed module off-line, and continues to process. But the system does not support on-line reconfiguration (as other Sun servers do), where a failed processor or memory module can be replaced, or a new module added, and the system can reconfigure itself without being taken down.


Short of supporting NT, Sun has done almost everything it can do to take on Wintel workgroup servers: It has eliminated price as a barrier and brings most of its enterprise capabilities to the workgroup server. The Enterprise 450 should gain market share against Sun's major Unix competition (HP and IBM), whose Unix midrange servers lag far behind. For mixed Unix and NT environments, Datapro recommends that customers evaluate both Sun and Compaq (and other Wintel platforms) for workgroup computing.

Peter Lowber is a principal analyst for Datapro, a division of the Gartner Group. For more information on Datapro reports, call 609-764-0100; fax 609-764-2814; or see http://www.datapro.com.

Sun Strike on NT

	Sun Enterprise 450	Compaq ProLiant 6000	Compaq ProLiant 7000
Processor/ MHz	UltraSparc II/ 250 and 300	Pentium Pro/ 200	Pentium Pro/ 200
L2 cache	1 and 2 MB	512 KB and 1 MB	512 KB and 1 MB
TPC-C tpm results	11,560 (four 300-MHz CPUs, Solaris 2.6, Sybase 11.5)	9029 (four CPUs with 512-KB cache, UnixWare, Sybase)	10,547 (four CPUs with 1-MB cache, UnixWare, Sybase)
\$/tpm	56.6	79	71
Entry street price (128 MB of memory, 4-GB disk)	\$14,650 (250 MHz) \$19,150 (300 MHz)	\$15,196 (512-KB L2 cache with NT Server 4.0)	\$23,016 (1-MB L2 cache with NT Server 4.0)

The power HDD that gets you ahead in business - Samsung HDD



Samsung is opening a new chapter in HDD technology with its Winners & Voyagers line of products, offering unmatched quality and service SpinPoint^{*}

no matter where you live or work!

Samsung R&D engineers in San Jose Center are dedicated to bringing you the latest developments in HDD technology and capabilities. And Samsung's vast global network of service centers ensures prompt assistance to keep you on schedule and performing at your best. Wherever in the world you do business, Samsung will be there, dedicated to your success.

Samsung HDD - Success depends on the right choice.

Circle 136 on Inquiry Card.

■ London, United Kingdom TEL: 44-181-391-8264 FAX: 44-181-974-2800 ■ Singapore TEL: 65-535-3075 FAX: 65-221-5510 ■ Wanchal, Hong Kong TEL: 852-2862-6924 FAX: 852-2866-1316 ■ Beijing, China TEL: 86-10-6505-2541 FAX: 86-10-6505-2543



[■] Seoul, Korea TEL: 822-751-6114 FAX: 822-751-6989
■ New Jersey, USA TEL: 1-201-229-4046 FAX: 1-201-229-4069
■ Miami, USA TEL: 1-305-594-1090 FAX: 1-305-594-7335
■ Frankfurt, Germany TEL: 49-61-96-582510 FAX: 49-61-96-661011




ProLiant 7000 Takes on Sun 450

With the excellent reputation Solaris has for supporting enterprise-class, mission-critical environments, and the scalability of Sun's Enterprise Server line, Sun's 450 is attractive for workgroup server and enterprise environments. But with its ProLiant (PL) 7000, Compaq has developed a server that's strategically positioned against Sun's 450.

The PL 7000 provides many of the same Reliability, Availability, and Serviceability (RAS) features as Sun's Enterprise 450 (see Datapro Report, previous page). In addition, the PL 7000 supports up to four of Intel's Pentium Pro 200-MHz, 1-MB, L2 cache processors.

But Compagis positioning the PL 7000



Compaq's ProLiant 7000 is expandable to eight CPUs.

with the future capability to support up to eight Intel processors. As eight-way servers for NT become a reality with NT 5.0 and Deschutes, the next-generation Intel server processor, the pressure will be back on Sun. The 450 is only a fourway server; for more scalability, Sun users are forced into a much-higher price bracket. Also, Compaq is strategically positioning the PL 7000 as a standards-based server for hot-plug PCI and I₂O.

Now that Sun is supporting the PCI bus, Compaq is upping the ante. This is not an issue yet, but it may become one as these new standards materialize during 1998.

-P.L.

Book Reviews

The Bible, Updated

onald Knuth's magnum opus *The Art of Computer Programming* is, quite simply, the bible of classical computer science. "The Knuths" are still referred to and studied in an age when technology changes faster than processor clock speeds. Now, for the first time since 1972, Knuth is updating his lifework. Addison-Wesley has released the first volume, *Fundamental Algorithms*; the second (*Seminumerical Algorithms*) and third (*Sorting and Searching*) are due to arrive in November.

It is Knuth's philosophical approach that preserves his work so well. He does not prescribe to the latest trend in programming languages. Instead, he expounds the funda-

mental flow of programming algorithms, the essential architecture of data structures, and the basic mechanisms of stacks and queues, using, as he puts it, "English as my high-level language." This approach cannot fairly be dubbed "generic." Given the clarity and specificity of Knuth's models, these constructs can be directly applied to a broad range of languages, OSes, and hardware architectures.

Typically, Knuth first describes an algorithm or structure in general terms. He sets up the discussion with tables, flow diagrams, and other graphical aids. For instance, when opening the section on information structures, Knuth covers important terms and notations by describing a simple algorithm involving playing cards. The sample data structure includes fields for TAG, SUIT, RANK, NEXT, and TITLE—the fields required for the data record. He then displays the actual cards next to a computer representation

THE CLASSIC WORK NEWLY UPDATED AND REVISED

The Art of Computer Programming

VOLUME 1 Fundamental Algorithms Third Edition

DONALD E. KNUTH

of the data records. Next, a figure shows record structures along with arrows that depict how the records are linked. An algorithm for turning over a new card is presented step-by-step, accompanied in parentheses by relevant comments, as shown below.

A1. Set NEXT(NEWCARD) to TOP. (This puts the appropriate link into the new card node.)

A2. Set TOP to NEWCARD. (This keeps TOP pointing to the top

A2. Set TOP to NEWCARD. (This keeps TOP pointing to the top of the pile.)

A3. Set TAG(TOP) to 0. (This marks the card as "face up.")

Finally, Knuth uses low-level assembly language for the routine, listing each command with comments. This meticulous, thorough methodology proceeds from a general description to a specific implementation, so you understand the flow logic, the data architecture, and the practical implications of the algorithm. The bulk of the first volume covers information structures, including stacks, queues, binary trees, and dynamic storage.


In his update, Knuth incorporates his own handwritten notes and adds hundreds of new exercises and solutions, focusing on subjects that have "converged" over the years. In some cases, Knuth concedes that a subject is evolving too rapidly to pin down. And in one notable passage, Knuth admits that his MIX system, a mythical computer that he uses to elucidate his models, is "now quite obsolete"—for example, MIX has no OS; it bootstraps from tape. He plans to replace MIX with a 64-bit RISC computer, the MMIX 2009, but he has delayed converting the programs in Volumes 1 through 3 until after next year (and the completion of Volumes 4 and 5).

This is no casual read. But it is the essential reference for the serious computer scientist and anyone who wants to understand computer structures and programmatic flows. If you want a deep understanding of buffer-allocation or garbage-collection routines, along with alternative approaches and efficiency analysis, consult your Knuths. **Stan Diehl** is a frequent contributor to BYTE and former director of BYTE reviews. You can reach him at sdiehl@nebs.com.

The Art of Computer
Programming, Volume 1:
Fundamental Algorithms,
Third Edition

by Donald Knuth; Addison-Wesley; 656 pages; 0-201-89683-4; \$49.44

Unicenter TNG Is The Smartest Way To Manage Any Network.



After years of struggling to manage distributed networks, network managers are replacing their hodgepodge of various tools and piecemeal solutions with a single, integrated network management solution.

One that can manage the entire enterprise and all your networks, including TCP/IP, DECnet, IPX/SPX and SNA.

Only Unicenter TNG Offers End-to-End Management.

Unicenter® TNG™ offers automatic, intelligent, object-oriented network management that enables you to manage proactively. So you









can anticipate and solve problems before they happen.

Unicenter TNG gives you a single point of control for your complex and heterogeneous global network. Its dynamic auto-discovery ensures that your network configuration is current. The Real World Interface™ allows for better visualization of your network. And third-party tools such as element managers integrate with Unicenter TNG through its open and extensible architecture.

Unicenter TNG Is The Industry Standard For Enterprise Management.

Unicenter TNG is an integrated solution for end-to-end enterprise management. With support for every major hardware platform



The Real World Interface uses virtual reality to create a 3-D environment that represents objects just as they appear in the real world.

and operating system, Unicenter TNG is open, scalable, extensible and always vendor-neutral.

The Best Feature Of All: Unicenter TNG Is Shipping Today.

Unicenter is a proven software solution that's available today. It's real, mission-critical and up

sands of sites around the world for some of the smartest users in the world. Users who know that working smarter always beats working harder.

and running in thou-

For More Information Call 1-888-864-2368 Or Visit www.cai.com



Unicenter TNG*

HOW POWERFUL IS THE NEW DELL WORKSTATION?





USINED!	Viewperf CDRS Benchmark ^a Test Workstations – Relative Price Performance [‡]	
Dell	WorkStation 400 266MHz w/ELSA Gloria-M Glint MX	\$195
IBM _®	IntelliStation M Pro Model 26U INGR w/Intense 3D Pro 1000	\$220
Compaq	Professional Workstation 6000 Diamond Multimedia FireGL 4000	\$318
Sun Ultra	Ultra 1 Creator3D Model 170E w/Creator3D	\$446
SGI	02 R5000/180MHz SC02	\$533
Digital	Personal Workstation 266i w/AccelGraphics AccelPro 2500TX	\$624
SGI	Octane 1x175MHz R10000 SI w/Tram	\$922

Dell's expertise in industry-standard technology gives the Dell WorkStation 400 a price performance edge over selected models from significant competitors. This chart reflects a 3D-graphics-oriented benchmark modeling an environment similar to mechanical CAD.



Fasten your seatbelts. Because the Dell® WorkStation 400 is built for speed. From its high-bandwidth dual independent bus architecture to its single or dual fast, new 266 or 300 MHz Intel Pentium® II processors, the word is "go." Even in the midst of the demanding data and graphics applications, it always feels like there's power to spare. And there is, thanks to all the high-performance industry-standard components inside. Like the 3D, financial modeling, CAD, authoring and animation video cards and even enhanced audio capabilities such as integrated 16-bit SoundBlaster Compatible Sound. But the real rush comes from the fact that your Dell WorkStation 400 can be custom-built for you from the ground up. And is backed by a \$9.8 billion global company* that can support it (and your company) in every way. With system engineering, 24x7 technical hardware telephone and online support, consulting, global integration, leasing, and asset management. The Dell WorkStation 400 comes with everything you'd expect in a workstation. Except, of course, the usual price tag.

ADVANCED APPLICATIONS WORKSTATION

DELL® WORKSTATION 400M

- 266MHz Pentium® II Processor (Dual Processor Capable)
- 64MB ECC EDO DIMM Memory
- 2GB Ultra/Wide SCSI-3 Hard Drive (7200 RPM)
- Matrox Millennium II PCI with 4MB Dual Ported WRAM Memory
- 1000LS Monitor (15.9" v.i.s.)
- 24X Max/12X Min Variable EIDE CD-ROM Drive
- Integrated 16-bit SoundBlaster Compatible Sound
- Factory Installed Windows NT® 4.0 with 1 Year Telephone Support
- Integrated 3Com® 10/100 EtherLink® Controller
- 3 Year Limited Warranty[†] with 3 Years Next-Business-Day On-site^a Service

\$3999

Order Code: 900007

FINANCIAL SERVICES WORKSTATION

DELL WORKSTATION 400M

- 300MHz Pentium II Processor (Dual Processor Capable)
- 64MB ECC EDO DIMM Memory
- 4GB Ultra/Wide SCSI-3 Hard Drive (7200 RPM)
- · APPIAN Jeronimo J2 Graphics Card
- Two 1000LS Monitors (15.9" v.i.s.)
- 24X Max/12X Min Variable EIDE CD-ROM Drive
- Integrated 16-bit SoundBlaster Compatible Sound
- Factory Installed Windows NT 4.0 with 1 Year Telephone Support
- Integrated 3Com 10/100 EtherLink Controller
- 3 Year Limited Warranty[†] with 3 Years Next-Business-Day On-site^Δ Service

\$5879

Order Code: 900009

3D GRAPHICS WORKSTATION

MEMORY EXPANDABLE TO 512MB! CALL FOR DETAILS.

- Dual 300MHz Pentium II Processors
- 128MB ECC EDO DIMM Memory
- 4GB Ultra/Wide SCSI-3 Hard Drive (7200 RPM)
- Advanced 2D/3D ELSA Gloria-L/MX Graphics Card
- 20HS Trinitron® Monitor (19" v.i.s.)
- 24X Max/12X Min Variable EIDE CD-ROM Drive
- Integrated 16-bit SoundBlaster Compatible Sound
- Factory Installed Windows NT 4.0 with 1 Year Telephone Support

- Integrated 3Com 10/100 EtherLink Controller
- 3 Year Limited Warranty[†] with 1 Year Next-Business-Day On-site^a Service
- * Upgrade to 3 Years Next-Business-Day On-site[△] Service for \$99.

\$8179

Order Code: 900006

TO ORDER TOLL-FREE

800 - 822 - 3309

TO ORDER ONLINE

www.dell.com

Mon-Fri 7am-9pm CT Sat 10am-6pm CT Sun 12pm-5pm CT In Canada*, call 800-233-1589 GSA Contract #GS-35F-4076D

Keycode #01263



^{*}Prices and specifications valid in the U.S. only and subject to change without notice. †For a complete copy of our limited warranties, please write Dell USA L.P., One Dell Way, Round Rock, TX 78682, Attn: Warranties.

"On-site service provided by third-party providers and may not be available in certain remote areas. 3Com and EtherLink are registered trademarks of 3Com Corporation. *Reported revenues for last four fiscal quarters.

"Copyright 1997, Standard Performance Evaluation Corporation. Information value correct as of print date. Intel, the Intel Inside logo and Pentium are registered trademarks and MMX is a trademark of Intel Corporation. Windows NT are registered trademarks of Microsoft Corp. ©1997 Dell Computer Corp. All rights reserved.

bits

Blasts from the Past

Years ago in BYTE

What goes around, comes around. Five years ago, the hot topic was penny-pinch-



ing PCs. Dell's Dimension 386SX/25 system offered an 80-MB hard drive, two floppy drives, Windows 3.1, and a mouse for just \$1359. Inexpensive PCs made lots of news this summer, too—not

only traditional Pentium-type PCs that sell for under \$1000, but NetPCs and network PCs (and cost of ownership), too.



Bill Gates was drumming up support at users-group meetings for OS/2, but developers (and BYTE columnist Jerry Pournelle) complained that OS/2 didn't take advantage of the 386 and that it was a crippled OS on the 286. Compaq's 20-MHz Portable 386 weighed 20 pounds, had 1 MB of RAM, and 40 MB of hard drive space for a mere \$7999.



Remember the movie *Tron*, about a programmer who finds himself trapped inside the electronic world of computers? Today its special effects seem tame, but at the time people were wowed. We wrote about how it was made and how *Tron* presaged a new era in computer-generated imagery.



Steve Ciarcia's well-known Circuit Cellar column, one that attracted a loyal following over the years, debuted. And Apple co-founder Steve Wozniak wrote an article about how to extend the 6502 processor using software.

10 Steps to Better Usability

Jakob Nielsen, Sun Microsystems
Distinguished Engineer, discusses the hows
and whys of product usability.



BYTE: You've studied usability and userinterface design issues since 1983. Is the number of people who design products with which others interact increasing?

Nielsen: Oh, yes, more people are already designing their own user interfaces, in the sense that a Web page is a user interface. The scope of user-interface design has expanded dramatically because of the Web. It used to be a small set of professionals doing it. But now, it's essentially everybody, because everybody seems

to be designing a Web site.

My analogy is that designing a Web page is quite similar to designing a dialog box. In either situation, you're designing a set of options for users. These options include what users can click on, what they can do, and what the stream of their attention is when looking over the layout.

Designing a Web site is similar to designing an application. You have to worry about not just those detailed issues, but also about the navigational flow. How users move between all those different options is one example of what comes into site design as opposed to page design.

We now have millions of people doing this, whereas, a few years ago, we had a few thousand people doing this. Many of the issues and problems that we see on the Web today, such as inconsistency, are the same ones we've had with other systems, such as mainframes, for a long time.

You can get more on this topic from http://www.useit.com/papers/heuristic.

Nielsen's Top 10 List

PROVIDE STATUS FEEDBACK.
The system should tell users what's going on. "This is particularly true for the Web, which is not yet robust and reliable."

MATCH BETWEEN SYSTEM AND REAL WORLD. The system should communicate in words, phrases, and concepts that are familiar to the user.

GIVE USERS CONTROL AND FREEDOM. "Don't trap people in a state where they cannot escape. Always have a cancel button available."

BE CONSISTENT. "If a button for your home page is always in the same location, users don't have to figure out where it is." PREVENT ERRORS. This may sound obvious, but if something is likely to lead to an error, make it difficult to do and ask confirmation questions such as, "Do you really want to do this?" But don't overdo the confirmation, or the user may get impatient and click "YES" to everything.

MAKE OBJECTS, ACTIONS, AND OPTIONS INTUITIVE. "Recall, where you have to remember what something does, is much more difficult than recognition, where you immediately know what something does."

PROVIDE FLEXIBILITY. "Give experienced users shortcuts and give novice users

Wizards. There should be more than one way to accomplish a task."

PRACTICE AESTHETIC AND MINIMALIST DESIGN. "Every piece of information on the screen competes with all the other information there. If something isn't necessary, remove it."

HELP USERS RECOGNIZE, DIAGNOSE, AND RECOVER FROM ERRORS. "In an errormessage situation, the user is motivated to overcome a problem. Errors are a primary opportunity to teach users through informative error messages."

PROVIDE ON-LINE HELP that provides quick answers to specific questions.

BIEXTRA

INTERNATIONAL

Don't Blink

Your eyes might be the best way to control your PC screen. Page 32IS 3

Multilingual Net Searches

And Internet-based translation services. Page 32IS 4

Broadband Choices

ISDN or ADSL? The question just won't go away. Page 32IS 7

Bug Hunters

New testing tools help software developers control bugs and costs. Page 32IS 17

Greener Design

Software helps manufacturers build environment-friendly products. Page 32IS 23

The Compact Power Performer...



...LEO Databook Series

LEO Stargate

Delivering crisp, clear images on a slim-line, high-resolution 12.1" LCD display, the **LEO Stargate** uses 95% less desktop space than a standard CRT display. Coupled with the LEO Databook Series systems, the **LEO Stargate** provides the ultimate visual computing solution for any office environment.





LEO Safari 200

Packing the functionality and performance of a conventional PC in an ultra-slim case, the LEO Safari 200 has powerful networking and multimedia features that make it ideal for a full array of LAN, POS, edutainment and Internet applications.



LEO Safari Plus 200

Combining the power and flexibility of a Pentium processor-based PC with the simplicity of a traditional terminal, the LEO Safari Plus 200 is the ultimate slim-line solution for today's increasingly networked corporate, school and home computing environments.



LEO Oasis 300

Plug into the exciting new world of home multimedia computing with the LEO Oasis 300. From surfing the Web and sending e-mail to playing the latest multimedia games and managing the family finances - the LEO Oasis 300 provides the supreme home infotainment center.



First International Computer, Inc.

6F, FORMOSA PLASTICS REAR BUILDING 201-24, TUNG HWA NORTH ROAD, TAIPEI, TAIWAN

Tel: 886-2-7174500 Fax: 886-2-7182782

FIC WWW site:http://www.fic.com.tw E-mail:mkt@ss1.fic.com.tw Specifications subject to change without notice. All trademarks used here in are the registered property of their respective owners The Intel Inside and Pentium Logo are trademarks of Intel Corporator of Intel Comparator of I

See us at
COMDEX FALL
Las Vegas, Nov. 17-21, 1997
Booth No. L2462 (L.V.C.C.)





Don't Blink

Forget Windows, icons, and your mouse. Your eyes may be the ultimate computer commander.


nvision a PC that lets you trace a series of hyperlinked documents as you glance at the keywords or activate an incoming e-mail message by just looking at the subject line. Researchers at the Heinrich-Hertz research institute (HHI) in Berlin recently demonstrated a gazecontrolled 3-D user interface. It works without inputting traditional explicit commands. "Our current prototype reads users' gazes and reacts before they can utter a command," says Siegmund Pastoor, a project leader at HHI.

Called Blick (the German word for gaze), the system includes an autostereoscopic display that represents objects in 3-D without the user wearing either a head-mounted display or shutter glasses. Built-into-the-monitor head-tracking and eye-tracking cameras capture a user's gaze.

"The advantage of our system is that users do not need to look at a fixed point on the screen or hold their head in a particular position," says Pastoor. Blick projects the stereoscopic right- and left-eye views into the user's visual field.

Blick's autostereoscopic, free-viewing 3-D display uses direction multiplexing, a display technique that makes different





The next generation of user interfaces may be in 3-D and controlled by your gaze.

perspective views visible only from specific positions. For each position, the system calculates on the fly both stereoscopic views and projects them together to create the illusion of a 3-D space. Images seem to jump out at you.

To avoid time lags between the head-tracking camera's image capturing and the stereoscopic visualization on the monitor (a typical delay of about 120 milliseconds), the system runs an algorithm to predict the viewer's head position. Thus, the graphics subsystem often works with anticipated head positions.

Additionally, an eye-tracking system constantly senses a user's point of fixation (via a cornea-reflex method). The system then simulates the limited depth

of focus of the human visual system and makes currently fixated objects on the screen stand out against the environment. Thus, the user can interact with 3-D objects by just looking at them. If you focus on an object for more than 0.1 second, the object may change its shape or pop up new objects. Of course, the system takes time to get used to.

HHI researchers also developed a visual OS (VOS) that allows you to paste together objects, configure applications, and even "visually" program applications in 3-D space, controlled by your gaze. VOS runs on a Silicon Graphics Onyx machine and also allows for live videoconferencing in a virtual 3-D space.

-Rainer Mauth

Search the Net in Multiple Languages

Information retrieval on the Internet can be a laborious task, not just because search engines often give you links that are completely out of context, but also because you may stumble on sites that are in a language you don't understand. The only way around this hassle is a multilingual search engine that automatically translates information into a language that you understand. Lernout&Hauspie, a leading speech and language technology developer, is planning to offer this service in mid-1998.

L&H acquired several translation companies, including Mendez Translations (Brussels, Belgium), Translingua (Bonn, Germany), and Lexitrans (Madrid, Spain), last year. L&H says it will be investing \$35 million in the development of Internet-based translation services. "Internet-based services will employ both our speech technologies and our newly acquired translation capabilities," says Bob Kutnick, L&H's chief technology officer.

The L&H on-line translation services will include multilingual text retrieval based on machine translation, and automated submission and receipt of human translations via e-mail. The L&H search engine will, for example, translate a German-language search request into English, create an abstract of the retrieved documents, and translate the result back into German. According to Kutnick, the engine will also rank translated documents and build content clusters that make it easier for you to narrow down your interests. If you want an exact translation of your findings, you will be able to submit documents via e-mail.

The company plans to offer several levels of services (e.g., basic machine translation for a flat monthly fee, unlimited

WHERE TO FIND

Central Research Laboratories Hayes, U.K. +44 181 848 9779 fax: +44 181 848 6565 http://www.crl.co.uk

Lernout&Hauspie Wemmel, Belgium +32 2 456 0520 fax: +32 2 460 3834 http://www.lhs.com

Prime View International Co., Ltd.

Hsinchu, Taiwan +886 3 579 8599 fax: +886 3 578 8385

New Driver Could Lead to Brighter, Cheaper LCDs

Prime View International Co., Ltd., of Taiwan has developed an LCD driving method that can crank sharp and crisp color images out of a thin-film transistor (TFT) LCD. Called the Integrated Driving Technology, this new driving method will give TFT LCDs higher resolution than other active-matrix LCDs, the company claims.

"We are the first in the world to offer such an advanced technology," says Dyi-Chung Hu, senior director of R&D and the LCM manufacturing division at Prime View. The new driving technology has received patents in the U.S., Australia, and Taiwan, and is patent-pending in Japan and the EC.

The Integrated Driving Technology will lower the cost of the LCDs by drastically reducing the number of driver ICs. Hu explains that in conventional active-matrix TFT LCDs, higher resolution has to be addressed by more individual pixels, resulting in a greater number of driver ICs.

For a Japan-made 5.4-inch TFT LCD, it requires six ICs—two 120-pixel I/O scandriver ICs and four 240-pixel I/O data-driver ICs—to drive pixels to create a full-color display. However, using Prime View's Integrated Driving Technology circuitry design, you can achieve a full-color, video-rate display with only one 240-pixel I/O data-driver IC.

Prime View's latest 1.8-inch TFT LCD module using the technology has a high resolution of 234 by 480 pixels, compared to standard 220- by 279-pixel resolution supported by the existing 1.8-inch models. It will let digital camera users obtain all the detailed images for back-panel review and replay.

The LCD module also applies an advanced chip on glass (COG) mainstream technology, which directly mounts the driver LSI onto the glass of the LCD and thus produces a thin LCD panel. Compared with the currently used tape-automated-bonding (TAB) technology, the COG process cost is lower and the process yield rate and reliability are higher.

"We are seeing more and more consumer and small industrial products incorporate specialized LCD panels. Almost all of the next generation of digital cameras will include LCDs," Hu says.

—Stella Kao

domain-specific machine translation for a higher fee, and combined machine and human translation on a per-page basis). At press time, L&H had not set fees for these services. First supported language pairs will be English/Spanish and English/German (bidirectional). Bidirectional translations from English to French, Italian, Mandarin Chinese, Korean, and Japanese will follow, though L&H declined to say when they would be available.

The services will initially be targeted at certain business domains such as law and medicine. A prototype service will be launched by the end of the year.

-Rainer Mauth

Better 3-D Sound Coming to PCs

Audio chip manufacturers such as Taiwan's C-Media and Japan's Yamaha earlier this year licensed Central Research Laboratories' new Sensaura Digital Ear 3-D audio technology. Yamaha says it selected CRL's algorithms because, for the first time, they provide spatially accurate sound perception using only two stereo speakers.

The Sensaura 3-D audio core digitally emulates human hearing. Music takes on a "bigger room sound," including the spatially accurate acoustic perception of the recorded environment. The Sensauracompatible chips manufactured by Yamaha and C-Media are meant for PC-related multimedia applications such as computer games and virtual-reality applications. They can make any monophonic or multichannel source sound like a spherical 3-D sound field by virtually positioning sound sources all around the listener, including above, below, and behind. Secondary processing provides sound effects, such as reverberation and Doppler shifting. The system also includes cross-talk cancellation that is critical for loudspeaker playback.

The chips will be compatible with Microsoft's Direct3DSound and the Virtual Dolby standards. Expect to see the first PCs including the new 3-D audio technology early next year from Taiwanese PC manufacturers such as Mitac.

-Rainer Mauth

If you really care for your software protect it.

SMARTKEY THE INTELLIGENT SOFTWARE PROTECTION.

TOP SECURITY makes it impossible to clone the key through the use of an ASIC chip.

U TRANSPARENCY also allows printers or other peripherals to be connected to the parallel port.

ALGORITHMIC INTERROGATION gives a higher security level compared to fixed-answer type interrogation devices.

CODE, personalized for each user, is factory set on each key.

PROGRAMMABLE SECURITY CODES can be user-programmed using the supplied utilities.

INTERNAL MEMORY holding up to 416 bytes of read-write non-volatile memory.

DAISYCHAIN enables up to 20 SmarteyKey and more to be installed on a same parallel port.

FUNCTIONS are implemented through the automatic encryption supplied.

PROTECTION is allowed through the encryption of data files associated with the protected applications.

SOFTWARE is provided for manual and shell protection from DOS to WIN NT and UNIX.






COMPUTER SECURITY SOLUTION

EUTRON spa Bergamo Tel. +39-35-697011 e-mail info@eutron.com Fax +39-35-697092

Internet http://www.eutron.com

Brasil - Belgium - Bulgaria - Croatia - France - Finland - Greece - Hungary - Luxemburg - Poland - Slovenia - Sweden - The Netherlands

And Your Country?



es! With Check Point FireWall-1®, you can define a single security policy that covers your entire enterprise network. Then distribute it to multiple access points across multiple platforms. With one keystroke.

Led by FireWall-1, the market share leader, we offer a comprehensive suite of applications to meet all your enterprise security needs—access control, VPNs, authentication, network address translation, and content security. Setting up your policy is easy with FireWall-1's award winning GUI. You can even integrate third party functions, like router access list management, for central control. Based on Check Point's patented Stateful Inspection technology, FireWall-1 delivers an unprecedented balance between security and performance.

The entire product suite is unified by Check Point's Open Platform for Secure Enterprise Connectivity (OPSEC) policy management framework. OPSEC is endorsed by over 85 of the world's leading networking companies, making OPSEC the de facto interoperability standard for secure enterprise connectivity.

Find out how to deliver enterprise security with just one click—download your free FireWall-1 demo at www.checkpoint.com/demo



Broadband Choices

The ISDN-versus-ADSL question just won't go away, at least in Asia and Europe in 1998.

By Stella Kao

he battle over who gets to bring broadband to the home is heating up. While ISDN seemed to be the answer a few months ago, other—possibly more practical—solutions are beginning to emerge: 56-Kbps/112-Kbps modems, cable modems, and Asymmetric Digital Subscriber Lines (ADSLs).

To date, most Internet service providers (ISPs) still operate at 33.6 Kbps, with only a few of them offering 56-Kbps speed. Rout-

ing pathways often limit throughput even further. These bottlenecks are worse during times of heavy traffic. Throughput can fall well below what current analog modems can handle. Thus, the demand for speedy broadband technologies is on the rise.

ISDN's Wide Availability

ISDN is the most widely available technology of the high-bandwidth options. Most competing high-speed offerings are currently in various stages of research, testing, and deployment. None of them are as mature or as widespread as ISDN.

Even in the U.S., where ISDN is seen as a not-so-attractive technology, an increasing number of ISPs are now capable of handling ISDN. Once it's installed properly on the user end, this high-speed technology connects reliably at speeds of up

to 128 Kbps and transfers data at speeds of up to 300 Kbps with compression.

There are two types of ISDN: Primary Rate Interface (PRI) and Basic Rate Interface (BRI). PRI ISDN is generally found in telephone switches, computer telephony, voice processing, and dialup Internet access. Residential installations and small businesses chiefly use BRI ISDN. A BRI ISDN link provides two B channels for data and voice transmission, and a D channel for signaling functions, such as call setup. You can use either or both B chan-

nels for LAN-to-LAN access, Internet access, videoconferencing, or other applications that demand higher bandwidth than analog modems can provide.

To achieve an aggregate 128-Kbps throughput, all ISDN modems now support the multilink PPP channel-bonding technology, which lets two connecting units negotiate and combine two or multiple channels to serve as one larger pipe with expanded bandwidth. In addition, multilink PPP ensures interoperability

with all carrier equipment. What's more, by incorporating a new technology called Always On/Dynamic ISDN (AO/DI), the D channel will soon be available to carry e-mail, news headlines, or other data—without having to dial up an ISP or corporate network.

Therefore, ISDN users could speak on one voice channel, send files into a corporate office on another, and get low-bandwidth data such as e-mail on a third. And because the D channel is always live between the ISDN subscriber and the phone company's central office, users save the cost of dialing up every time they want to get low-bandwidth data.



A Dead Technology?

Contrary to many phone companies' expectations, ISDN services did not take off as planned, especially in the U.S. Users complained that it

was difficult to install, that the phone companies took forever to set up the lines, that technical support was inefficient, and that it was too expensive.

Also, ISDN's 64- or even 128-Kbps rate hardly spurred the interest of the business community, which handles many bandwidth-hungry communications applications such as shared CD-ROM access, shared live video catalogs, interactive movies, and real-time, downloadable videos and music.

"If such obstacles in getting ISDN service cannot be removed,

users will turn to emerging new highbandwidth technologies," says Thomas Huang, president of VersaNet Communications, an affiliate of Taiwan modem maker CIS Technology.

In fact, a handful of ISDN vendors have already predicted that ISDN may eventually be replaced by faster technologies such as ADSL or cable modems. However, "these data-only solutions are not likely to replace ISDN, but to coexist," according to Felix Jeng, R&D manager at Alpha Telecom, a professional customer premises equipment (CPE) manufacturer.

Jeng points out that cable-modem ser-


backing of the government. There will be nearly 1 million ISDN lines installed there by the end of the year.

This is why most Taiwanese ISDN product makers target Japan as their largest sales outlet. However, because Japan's NTT and NEC corporations dominate more than 80 percent of their home market, there is little room for market expansion in Japan.

Many modem and networking-product manufacturers in Taiwan are applying their mass-production strengths to volume ISDN service providers who need terminal adapters (TAs) and infrastructure Full support for ISDN APIs such as Win-ISDN, Winsock with PPP, multilink PPP, Common API (CAPI) 2.0, and Telephony API (TAPI) is important to ensure a TA's operability. It lets ISDN TAs run most existing communications software and all commercially available applications.

Standards Support

European users, especially those in Germany, require the use of CAPI 2.0, because it eliminates the need for COMport emulation. Auto-detection for the 1TR6, 1TR7, 1TR12, E-DDS1, and NT-1 protocols, as well as the Network Driver



vices don't cover switched voice traffic. Cable-modem service is based on a shared-network topology, which means that the amount of bandwidth that's available to a customer depends on how high the traffic volumes are at any given time. In addition, he says that the shared networks operate at a speed as fast as 10 Mbps. This should give customers at least as much bandwidth as BRI ISDN under normal traffic loads.

"At least for the next two years, cable modems and ADSL devices will not pose any threats to ISDN," says Jim Hsieh, ISDN project leader for the communications product business division at CIS. ISDN is the best solution because users are able to manage phone calls, e-mail, and video-conferencing with one technology, Hsieh adds.

Cost Is a Big Factor

In spite of its slow takeoff in the U.S., ISDN has long been a standard for high-speed remote access in regions where the infrastructure is complete and the service is easy to come by. Europe and Japan have seen the greatest success in terms of ISDN proliferation. In Japan, it has the strong

equipment such as routers, bridges, and switches.

Most ISDN TAs that Taiwanese companies make are 16-bit ISA cards with Windows 95 Plug and Play support. These internal cards sport common features as they all use solutions provided by chip makers. Cutthroat competition among ISDN vendors has largely brought card prices down, resulting in decreasing profit margins.

Lately, vendors in Taiwan are moving more upscale by adding external ISDN TAs to their product lineups. While they earmark internal cards for the European market, stand-alone models are in large demand in Japan.


Finding ways to make ISDN TAs more suitable for use with portable computers, active, self-powered adapter cards that have their own processors, memory, and drivers are currently under development. E-tech will soon launch an active-type ISDN adapter that features a 32-bit CPU, at least 256 KB of static RAM (SRAM), and 8 KB of dual-port RAM for ISDN protocols and driver software. This will allow it to operate without host PC resources.

Interface Specification (NDIS) interface for raw-HDLC (high-level data-link control), Cisco-HDLC, PPP, and MLPPP supports, are included in most Taiwanese products.

Additionally, these units conform to the ISDN-1, 5ESS, DMS-100, European Telecommunications Standards Institute (ETSI), and INS Net 64 standards for ISDN communications. Some of these models also come with bundled applications, such as Internet, videotext, file transfer, fax, voice, mail, and terminal-emulation software.

For the high-end corporate segment, Taiwanese manufacturers are making more routers that enable multiple users on a LAN to access the Internet at high speeds. ISDN routers, like other routers, let users build anything from complex switched-circuit networks to simple peer-to-peer dial-in connections. Users can also fine-tune their line usage, which can reduce ISDN fees.

Many ISDN routers are equipped with some combination of a standard Ethernet port, multiple plain old telephone service (POTS) ports, and a built-in fax modem. Some of the routers even have a built-in



You're putting a team together. You need the right voice recorder company. And you're doing the selecting.

No problem. When you're presented with a big international player who has all the skills and capabilities, there's no selecting to be done. Racal Recorders has the all-round expertise you need on your side.

Almost 50 years of experience and innovation in the field of voice recorders. The understanding of the changing market. A wide range of high quality recorders with industry standard CTI and programming interfaces for system integration. And experienced project and engineering implementation teams. All backed by the long-term support of a unique world-wide network of distributors. Choose Racal Recorders. And you're guaranteed a performance that's head and shoulders above the rest.

Ethernet hub. This bundling obviates the need for extra analog lines for the user's office and additional equipment. The Prestige 2864I, from ZyXel Communications, for instance, has an option of a five-port external Ethernet hub.

The standard for compression in ISDN routers is Stac LZS, which offers up to 4-to-1 and 5-to-1 data-compression ratios. However, though many router vendors implement Stac LZS and most implementations work together, some vendors support Microsoft's Stac compression, which may not work with other Stac-based compression. Many vendors support both types, but a few support only one.

Another unique feature that's supported by ISDN routers is IP-address sharing. With this feature, each remote workstation has its own local IP addresses, but all outbound packets from the remote workstations share a single IP address, which is attached at the router. Inbound packets destined for those machines are sorted by the router and readdressed to those specific remote workstations. Because dial-in ISPs typically charge by the IP address, this can save on operating costs and effort.

At the CeBIT show in Hannover, Germany, this year, ZyXel demonstrated its Prestige 100, which lets up to four users access the Internet at the same time, supporting IP routing. Another model, the Prestige 128, supports both IP and IPX routing, as well as bridging. A single-user account feature lets multiple users on a corporate LAN access the Internet simultaneously using a single IP address from an ISP.

ADSL on the Rise

ADSL links designed to give high-speed, inexpensive remote access to corporate LANs and the Internet over standard phone lines are the next big thing on the high-bandwidth horizon. The performance benefits are clear: The technology supports typical downstream rates of 1.5 to 8 Mbps and upstream links as fast as 640 Kbps. That makes it potentially more than 10 times speedier than ISDN without the requirement to install an expensive new medium.

But while a new infrastructure is not required, high equipment cost is keeping ADSL from significant growth in the consumer market for the time being. CIS's Hsieh speculates that wide-scale ADSL

Alternatives to ISDN and ADSL

The next several months will bring increasingly widespread deployment of a variety of high-speed broadband technologies, such as cable modem and xDSL, to areas that have access to ISDN or plan to use Asymmetric Digital Subscriber Line (ADSL).

112-KBPS MODEM

An analog modem designed for high-speed Internet and remote access over two analog telephone lines. Based on the synchronous integration of two 56-Kbps modems, a 112-Kbps dual-line modem communicates over two standard analog telephone lines, providing aggregated, uncompressed download speeds of up to 112 Kbps-nearly 3.5 times faster than the current ITU V.34 standard. Using the combined bandwidth of two telephone lines, though, the technology allows you to drop one line as needed for voice calls or faxes. Proposed and promoted by Texas Instruments and U.S. Robotics, the 112-Kbps analog modems that a number of Taiwan companies make should be in stores in the U.S. this quarter.

CABLE MODEM

Modems designed to provide high-speed services via cable networks. Cable modems are internal devices that connect PCs to cable networks. Many solutions are being developed, with speeds ranging from 64 Kbps to 30 Mbps. Taiwan's CIS Technology is working with Toshiba of Japan to develop a second-generation cable modem. The modem, featuring a downstream speed of 8 Mbps, will be available in the first half of 1998 from Toshiba.

ASYNCHRONOUS TRANSFER MODE (ATM)

A high-bandwidth switching and multiplexing technology based on small, fixed-length cells that allocates physical channels for specific connections. Highly scalable, ATM provides an ideal upgrade path for supporting higher-bandwidth applications and enables the simultaneous transfer of voice, data, and video traffic at very high speeds, and supports both LANs and WANs.

CNet Technology, a networking hardware vendor in Taiwan, has unveiled a new ATM module that you can use with the company's Ethernet switches. The module includes 15 ports and costs less than \$1000 per port.

DIGITAL SUBSCRIBER LINE (XDSL)

A collective term for DSL transceivers that provide voice, data, and video services at megabit rates over standard twisted-pair wires. The technology includes ADSL, HDSL, SDSL, VDSL, RADSL, and more.

These are interim technologies that were

developed to get around the local-access bottleneck using the installed base of copper wiring from phone and cable companies.

HIGH-BIT-RATE DIGITAL SUBSCRIBER LINE (HDSL)

A technology offering full-duplex E1/T1 access over two copper-wire pairs, without repeaters. HDSL specifications created by Bellcore use 2B1Q modulation techniques. The technology is frequently used to replace repeated T1 service over distances as long as 12,000 feet. Unlike ADSL, HDSL provides users with 1.5 to 6.1 Mbps in both directions instead of just downstream.

SYMMETRIC DIGITAL SUBSCRIBER LINE (SDSL)

Also known as single-line digital subscriber line, SDSL offers E1/T1 transmission speeds in upstream and downstream directions over a single copper-wire pair. SDSL is full-duplex, so it provides speeds of up to 1.5 Mbps both upstream and downstream.

The technology may be the preferred method for doing sophisticated real-time functions, such as conducting audio, data, and video communications, or remotely connecting to a corporate LAN.

VERY HIGH-BIT-RATE DIGITAL SUBSCRIBER LINE (VDSL)

An impending upgrade to ADSL, VDSL combines ADSL technology with ATM to give users speedy communications and network access over a twisted-pair copper wire at speeds of up to 60 Mbps downstream and 2.3 Mbps upstream over distances of up to 300 meters.

Though VDSL promises an ultrahigh downstream bandwidth over copper wire, some developers question the viability of a near-term market for VDSL, because it requires that a fiber-to-the-curb switched digital-video infrastructure be in place.

RATE-ADAPTIVE DIGITAL SUBSCRIBER LINE (RADSL)

A rival technology of ADSL, RADSL can boost speeds to up to 8.2 Mbps downstream and 1 Mbps upstream with discrete multitone (DMT) capability. Because its transmission speed is rate-adaptive, based on the length and signal quality of an existing telephone line, RADSL is not optimized for only one loop, but dynamically optimizes to each loop for the greatest throughput available.

Reduce The Cost of Ownership & Boost Your Company's Productivity



maximum employee productivity at the same time. We're sure you'd be glad to know that MITAC's NetPC, the Essentia, can help

As the boss, part of your duty is to trim your company's budget while ensuring

you do just that. Compliant with the PC97 and Landesk requirements, such as LAN 75/78, LDCM, and ZAW, the system offers remote centralized management for your system administrators and optimal productivity for your general staff.

When it comes to the environment, the Essentia is tops. It emits no X-ray radiation yet it's brawny. This Best of Computex system supports 512 MB of RAM, rockets at 233 MHz & is videoconferencing ready, thus giving your employees absolute computer power.

So, make a little effort. Contact us today to see how the Essentia can help save your company time, money, and improve your employees' productivity at the same time.

Essentia

The Herald of Tomorrow's Computer.

- Intel® PP-100MHz to 233MHz processor w/MMX™ technology, and AMD K6/ 200MHz
- 512KB cache on board
- Intel Triton 82430TX chipset

- Support two 168-pins DIMM
- 14" LCD Monitor display
- LAN 75/78
- Power management
- 60W power supply
- 310x250x75mm

Looking for OEM/Distributors



November 17-21, 1997 Las Vegas Convention Center Visit MITAC at Hall S-2, L2435


Global Resources Serving Individual Needs For OEM/Distribution business, please contact:

Mitac International Corp.

No. 40, Wen Hua 2nd Rd., Kuei san Hsiang, Taoyuan, Taiwan

Tel: 886-3-3289000 Fax: 886-3-3280926 E-mail: market@smtplink.mic.com.tw





R/3, the intelligent package...

More than a million users around the world are enjoying the advantages of R/3 business management software. This is a remarkable milestone for the SAP software house — and for Siemens Nixdorf, the most successful provider of complete R/3 solutions in Europe. At R/3 competence centers, the two companies work together closely to the benefit of their customers, with a focus on design, implementation and efficient operation.



plus PRIMERGY, the NT power package...

Siemens Nixdorf's successful PRIMERGY NT servers fully exploit the vast potential of R/3 applications. Expandable in a way not seen in any competitor products, the PRIMERGY family makes customized solutions possible for medium-sized and large-scale businesses alike. Other plus points include maximum fault tolerance and availability, extra computing power with cluster technology and a price/performance ratio which no other manufacturer can beat.

Siemens Nixdorf: User

Siemens Nixdorf's comprehensive offer ensures that R/3 can start working for you quickly, economically and without problems. It includes individually dimensioned systems, a choice of qualified on-site installation or preconfigured delivery straight from the factory at fixed prices, complete operational concepts as well as user and specialist training. And – last but not least – a customer support network which is there to serve you around the clock, anywhere in the world.

ax: (+49) 52 51/8114 18, http://www.sni.de

Centered Computing

deployment will not begin until 1999. All major telecom operators are doing trials in some areas.

In the meantime, some Taiwan companies are offering high-bit-rate digital subscriber line (HDSL) systems. Providing the same fast data throughput in a symmetric and full-duplex format, HDSL is now being considered as a viable data-access option for the mass market. Alpha's HDSL systems have been marketed and accepted in Japan.

Supports Three Channels

The ADSL technology supports three channels: downstream (simplex), upstream plus control (full-duplex), and POTS. As always, POTS occupies the lowest end of the bottom 4 kHz and is split off from the digital data by a passive low-pass filter, ensuring uninterrupted voice service even if the ADSL connection fails. Both the downstream and full-duplex channels can carry more than one bearer channel. Moreover, the digital portion of the connection never reaches the service provider's switching system, thereby offsetting network overload on the central switch.

In Taiwan, CCL/ITRI is a governmentsponsored R&D organization. Chen Yun, manager of its transmission system department, says ADSL's channel-splitting capability makes the technology appealing to phone companies in the U.S. and elsewhere in the hope that they will be able to fend off competition from highbandwidth data services offered by cable modems.

To take advantage of the technology, you need a special ADSL modem, and telecommunications operators must install special switches and equipment to provide service. Because most of the necessary switch upgrades are not in place, it will take some time to bring ADSL within reach of everyone.

Foreseeing a rosy future for ADSL as the most widespread high-bandwidth solution for connecting home computers to the Internet, modem manufacturers are revving up product development for the new ADSL technology.

CCL/ITRI heads an ADSL alliance with more than 10 modem and telecom companies, including Askey, DBTEL, GVC, Hitron, Tainet, Taiwan Telecom, Tecom, UFOC, U-King, and ZyXel. The first product produced by the alliance is a remotesite product: ADSL Remote Bridge and

POTS splitter. The interface between each site is connected by an HDLC/ADSL interface. The service between each site uses a 10Base-T Ethernet interface. The frame-based media access control (MAC) encapsulation is implemented for ADSL routerbased network access.

DMT or CAP?

For now, CCL/ITRI has yet to choose between two types of ADSL: discrete multitone (DMT) or carrierless amplitude and phase modulation (CAP). Both are designed to modulate bits that are sent though the line.

According to Chen, DMT is expected to become the industry standard in the future. The technology brings transmission speeds closer to the theoretical limits allowed by ADSL, because it is more robust against difficult line conditions and impulse noise. Another major benefit offered by DMT is support for interoperability between equipment from different vendors.

Another advantage of DMT is that line coding divides available transmission bandwidth into 256 independent subchannels. Interference to the signal in one frequency range does not have as great an

impact as it would with the unified channel structure of CAP.

CCL/ITRI is currently caught between the two standards. While DMT offers more performance benefits, CAP is more widely used than DMT. Besides, CCL/ITRI officials worry that the price for DMT's chip set will remain too expensive and difficult to implement without the pressure of competition from CAP technology.

Reduced Cost

Recent developments that are aimed at reducing the cost of the ADSL technology are mainly directed toward increasing highly integrated, low-cost, high-performance chip sets. Leading suppliers for this market are Motorola, SGS-Thomson, Alcatel, Texas Instruments, and Analog Devices.

Originally, CCL/ITRI's ADSL alliance agreed to use Motorola's single-chip CopperGold ADSL transceiver, which guarantees the highest board reliability, according to Chen. CCL/ITRI is also Motorola's alpha-site test-bed for the solution. Nevertheless, Motorola is finding it difficult to increase its yield, according to sources in the alliance, making the alliance turn to alternative solutions from Alcatel or SGS-Thomson.

IC vendors from Taiwan such as Winbond Electronics and Macronix International have also announced development projects for ADSL chip sets. The move will help hardware makers to substantially reduce their costs.

Furthermore, CCL/ITRI plans to develop ATM-based (asynchronous transfer mode) ADSL technology in hopes that the technology will be competitive with cable modems without requiring telephone companies to overhaul vast portions of their existing phone network.

In 1998, the ADSL alliance will introduce the HLA system, which includes remote- and central-site products, ADSL Remote Bridge and POTS splitter and DSL Access Mux (DSLAM) and Central POTS splitter. The interface between each site is connected by an ATM/ADSL interface. The service at the remote site uses a 10Base-T Ethernet interface, and the service interface at the central site uses an ATM interface to connect the ATM public data network.

Stella Kao is a BYTE contributing editor in Taipei. You can reach her at meou@e-mail.gcn.net.tw.

WHERE TO FIND

Alpha Telecom, Inc. Hsinchu, Taiwan +886 3 578 5717 fax: +886 3 578 5817 atti@shts.seed.net.tw http://www.alpha-tele.com


CCL/ITRI Hsinchu, Taiwan +886 3 591 7567 fax: +886 3 582 0081 chen@n2sunl.ccl.itri.org.tw http://www.itri.org.tw CIS Technology, Inc. Taipei Hsien, Taiwan +886 2 698 7099 fax: +886 2 698 2735 jimtse@cis.com.tw http://www.cis.com.tw

E-tech, Inc.
Hsinchu, Taiwan
+886 3 577 4991
fax: +886 3 577 7751
paulina_kuo@ml.e-tech
.com.tw
http://www.e-tech.com

VersaNet Communications, Inc. Diamond Bar, CA, U.S. +1 909 860 7968 fax: +1 909 860 2768 thomas.huang@versanetcomm .com http://www.versanet.com

ZyXel Communications Corp. Hsinchu, Taiwan +886 3 578 3942 fax: +886 3 578 2439 crlin@zyxel.hinet.net http://www.zyxel.com





As a UNIX workstation or server user, you appreciate the value of high performance. Like many, you are probably using the 'DUMP' backup command included in your UNIX operating system. An excellent method, but a little slow for today's high performance tape drives.

Bring on TTi's 'NightShift UNIX', and reap the benefits:

100% format compatible with UNIX 'dump' utility

More than twice the speed of 'dump'

Uses the same command line parameters as UNIX 'dump'

Provides all the benefits of UNIX 'dump'

Only a fraction of other backup software costs

Support under SunOS, Solaris and HPUX

Compatible with Tape Autoloaders

NightShift UNIX backup software uses an exclusive algorithm to optimise disk reads and tape writes, at more than twice the speed of 'DUMP'. Unlike other third party backup programs, NightShift UNIX retains the standard 'DUMP' format, thus being totally compatible with your existing 'DUMP' backup scripts and able to read and write to existing 'DUMP' created backup tapes.

And at a fraction of the cost of comparable backup software, NightShift UNIX makes the ideal solution for UNIX users who need faster, economical backup, without the frustration of implementing new backup procedures.

So set the night shift to work for you!

FOR YOUR FREE DEMO COPY

(01295) 269000

DLT

Fax: (01295) 266743 · E-mail: info@tti.co.uk
URL http://www.ttech.com or http://www.tti.co.uk

Transitional Technology Int. Ltd., TTi House, Beaumont Close, Banbury, Oxon OX16 7RG England. Circle 457 on Inquiry Card.



passage 88

WORLD-WIDE WAIT NO MORE!

Compex Passage Series directly to your existing Ethernet hub for fast, secure, easy and affordable Internet and WAN access. Designed for SOHO or small/medium sized remote offices, Passage Series Routers feature:



- Single dynamic IP address with Ports Address Translation (PAT) - allows up to 254 users simultaneous Internet access using one IP address.
- **Security** built-in firewall, data encryption and authentication.
- STAC Data Compression enables greater throughput accessing the Internet.
 - **DHCP Server** automatically assigns addresses to devices on the private LÁN.
- MultiLink PPP by load sharing or overflow control for increased bandwidth on demand.
- Several Models Available capable of supporting analog modems, T1/E1, Frame Relay and AĎSL.
- **Support** backed by a worldwide company with over 10 years experience.

15 45 14 43 12 41

For more information on the Compex Passage Series ISDN Routers or our complete line of Ethernet networking products, contact Compex or leading distributors throughout the world now!

http://www.cpx.com.

COMPEX, Inc.

4051 E. La Palma, Anaheim, CA. 92807 U.S.A. Tel: (714) 630-7302 • Fax: (714) 630-6521

GERMANY

ReadyLINK Networktechnology GmbH t-Einstein-Strabe 42, 63322 Rodermark Tel: (49) 6074 98017 • Fax: (49) 6074 90668

SINGAPORE

COMPEX Systems Pte Ltd

135 Joo Seng Road, #08-01, PM Industrial Building, Singapore 368363 Tel: (65) 288 8220 • Fax: (65) 280 9947



Passage Series **ISDN** Router

LAN



Networks that work! Circle 431 on Inquiry Card (RESELLERS: 432).

Bug Bounty Hunters

As software complexity grows, new testing tools help developers control bugs and costs alike.

By Derek Jones

S

oftware testing may be one of the least attractive of all software-development activities. Yet, simply put, it's one of the most important parts of the development process.

Typically, it costs 10 times more to fix a bug at any stage of the development cycle than it does to fix it during the previous stage. But the cost of formal, comprehensive testing procedures can be prohibitive and often delays the time to market unacceptably.

Automated software-testing tools can be a cost-efficient solution for developers looking to enhance the quality of their products. In addition, as application development becomes more intricate—especially with the growing complexity created by the move to applets and components-tools that systematically check source code or detect unexpected behavior at run time are becoming increasingly important for developers.

Software testing involves more than just debugging code. It encompasses the validation and verification of software throughout the whole development process.

Static vs. Dynamic Testing

So-called static analysis tools analyze the source code of an application. Static checks deal with such details as unreachable code, the misuse of pointers, undeclared vari-

ables, and variables used before initialization. The information gathered by these techniques serves two main purposes: to help developers understand the source code (e.g., by displaying a graphical representation of the control flow) and to act as an automated proofreader, looking for constructs that are likely to cause problems.

Commercially available tools either support a variety of programming languages or are specifically designed for a certain language. Generally, tools that focus on a specific language can

better handle that language's special cases. Generic tools that support multiple languages, on the other hand, are more appropriate for working with a variety of programming languages. Generic tools include IPL's (Bath, U.K.) Cantata; Verilog's (Toulouse, France) Logiscope; and Battlemap, from McCabe and Associates (High Wycombe, U.K.). Tools for specific languages include PC-Lint, from Gimpel Software (Collegeville, PA), and QA-C and QA-C++, both from Programming Research (Her-

sham, U.K.).

PC-Lint offers an entrylevel method of quality assurance on PCs. It detects a large number of common programming errors in C and C++ and gives developers a possibility to customize. Programming Research's QA series of tools are geared to large corporate development groups. They offer comprehensive customization features and can also generate metric information as well as graphical representations of code. In addition, both PC-Lint and the QA series of tools support cross-module checks.



Find Bad Pointers

Dynamic testing tools help you test a program's individual units and modules and, gradually, as modules come together, complete applications. Their big strengths include checking for bad pointers and memory leakage. In addition, they allow

you to test the concurrent operation and integration of modules, check operation after a bug has been fixed, and perform stress tests.

There are two approaches to dynamic testing. One class of tools includes a compiler and uses source-code information to flag problems as it compiles. Another type of dynamic-testing tool checks the run-time behavior of executables.

Of course, a tool that checks source code has access to more information and can therefore do checks that are more thor-

ough. A good example of such a tool is Bounds-Checking GCC, which was developed at the Imperial College (London); see http://www-dse.doc.ic.ac.uk/~rj3/bounds-checking.html. It's an extension to the GNU C compiler that adds pointer checks. By working at the source-code level, it can detect when, for example, a pointer has "walked" off the end of an object into another one. The disadvantage of this approach is that it requires access to source code, which may not be available if you use third-party libraries.

Tools that work at the executable level don't need information about the source. A case in point for testing executables is Purify, from Pure Atria (Cupertino, CA). Purify doesn't even need to know what language the original application was written in. Although it checks uninitialized variables down to the byte level, its pointer-checking capabilities don't go down to the level that the GNU C bounds-

checking tools do. Instead, it treats contiguously allocated storage as a single memory item.

Is More Testing Needed?

How do you know how much testing has been done and how much more is still needed? There are a couple of techniques for measuring test coverage. Statement coverage counts how many of the total statements in the application are executed. Achieving 100 percent statement coverage shows that the tests are exercising every statement in the application, although it doesn't give you any measure of how much of the program structure was tested.

An interesting side effect of 100 percent statement coverage is that it helps programmers find statements that can never be executed. This is because defining test procedures to execute a given statement makes developers look at an application

GUI Checkpoint Results Show Failures Only <-- Update Selected Check--Checklist: Result: Expected: Actual: Flight Reservation ailed ★ Compare("TEXT 01/01/98 01/02/98 13 FLIGHT assed ✓ Enabled ON ON ● First ➤ State OFF Fly To: Passed ✓ Selection Los Angeles Los Ange Expand >>

GUI testing tools compare expected and real application behavior.

in a new light. It unavoidably leads to the question: Is this statement necessary? Some programmers say they remove almost 30 percent of the statements they find through this procedure.

Path coverage, on the other hand, calculates the number of paths through an application. Achieving 100 percent path coverage for any but the simplest code requires enormous resources. In practice, you can use path-coverage measures only to check the testing level of the critical portions of an application.

Some tools insert code to flag that a statement or path has been executed to obtain coverage information, a process called *instrumentation*. The big problem with instrumentation is that it involves memory and CPU overhead. Fully instrumented programs typically run up to three times slower than noninstrumented ones. A good decision for software testing is, therefore, to completely instrument only critical portions of a program.

A case in point is ATAC, a publicly available tool written at Bell Communications Research for instrumenting C code. ATAC (http://www.clark.net/pub/dickey/atac/atac_961112.tgz) gives developers comprehensive coverage information by counting various bits of code being executed at run time.

Large sources and complex applications are naturally harder to test than software with simple functionality. *Software metrics* is one way of measuring the volume and complexity of an application. This procedure looks at the structure and linkage between the larger software building blocks rather than at the level of statements and expressions.

The two most often used metrics are the Halstead software science counts, which calculates code volume based on

Testing Java Applications

When granularity [of components] becomes so tiny [as when testing Java applications], the problems of integration testing are enormous," says Jeffrey Voas, chief scientist with Reliable Software Technologies (Sterling, VA), a software research and consulting company.

Testing Java applications is difficult because developers are forced to test applets on each configuration that they plan to support. This includes the different implementations of Java virtual machines (VMs)—browsers as well as compilers. In addition, because Java doesn't allow a testing class to gain access to private data and methods, developers must either add test methods to a class or change private classes to public classes. "Both of these options might modify the class so that some faults are not found," notes Jeffrey Payne, president of Reliable Software Technologies.

Another issue is that Java's built-in security mechanisms make the testing of applets trickier. Test tools can't easily write results to disk due to security constraints. "In addition, testing must be performed both inside of and through any corporate firewalls to ensure that applets will operate correctly," Payne adds.

To specifically address the problems of VM diversity, JavaSoft has launched the 100% Pure Java Certification program, which requires Java developers to ensure that applications are portable. SunTest, a subsidiary

of Sun Microsystems, has introduced a suite of tools that helps developers not only gain certification but also perform overall quality testing.

JavaPureCheck checks that class files are indeed portable. It measures specified classes against a rule base. Classes that don't meet these rules are flagged, along with the construct that violates one of the portability rules. These errors and explanations are kept in a database that creates reports. You can download this tool for free from the SunTest Web site.

JavaSpin tests Java applications at run time. It's a low-end dynamic test tool that exercises a program through its GUI.

JavaScope is a coverage-analysis tool that includes method, branch, logical, and relational coverage (i.e., it looks at the usage of Boolean operators, which is effective for detecting boundary-condition failures). The current release does not support statement coverage, however.

JavaStar is a GUI record and playback tool. It includes a scripting language and compares the behavior of the program under test with the expected behavior.

JavaSpec uses the formal specifications of an API to automatically generate test programs. Developers can verify that an implementation of an API follows its written specification. JavaSpec was selected to create and maintain the entire Java API test suite for JavaSoft. —Derek Jones and Rainer Mauth

Organize your computers for easy access











Ergotron's LANSCAPETM Organizers bring orderly equipment access to any network environment.

Easy Access to Equipment. Features such as openbacked work centers, Pull-out Tower Shelves, and lockable casters provide maximum accessibility to your equipment.

Modular Design. Customize your LANSCAPE Organizer from a comprehensive line of modular components. Interchangeable parts allow you to easily reconfigure as your needs change.

Strength and Stability. Modules can hold up to 2,000kg of hardware. In fact, the 152 and 183cm Server Shelves exceed ANSI/BIFMA furniture standards by over three times, and are also TÜV tested and approved.

Hassle-Free Cable Management. Ergotron's patented Quik-TouchTM cable management system means no wrestling with clumsy covers. One touch will open each of the individually hinged sections so you can quickly get at the wires you need.

Long-Term Value. LANSCAPE Organizers have a Lifetime Warranty on structural components.

For a free catalog, call us today at +31 20 696.60.65



Ergotron Europa Eekholt 54, 1112 XH Diemen, The Netherlands Tel. +31 20 696.60.65 fax. +31 20 609.04.59 http://www.ergotron.com abstract operator and operand counts, and McCabe's cyclomatic complexity measure, which measures the number of control-flow nodes and edges.

If you're new to testing and have a complicated application to test, then metrics might help you find the most likely trouble spots within your code. The most complex and hardest-to-test modules of a program typically have the highest metric values. Once you locate potential trouble spots, you can break these modules down or rewrite the parts of a program that exceed predefined metric limits.

However, don't overestimate the val-

ue of metrics to software testing. Interestingly, many metrics correlate very highly to the number of noncommented lines of code. When evaluating a new software metric, always ask how accurate its predictions have been on historical data and to what extent it correlates with simple lines of code measurements. (Why use a complicated formula that doesn't give significantly better results than you can get from simply counting lines of code?)

You can also use metrics to estimate such things as the number of bugs likely remaining in code, the ease of software portability, or future maintenance costs.



Customization: All tool vendors claim that their products can be configured to handle company coding standards. But the extent to which this is possible in practice varies enormously. When evaluating tools, always send the vendors a variety of code samples to process.

Metrics: Not all tools give the same figures for the same metrics. When evaluating tools, ask vendors to process some code for which you have calculated the metrics by hand. The subsequent discussion of their results will be revealing. In addition, some metrics correlate to a certain extent with simple lines of code measurements. Given these problems, there is little sense in spending lots of money on a tool that calculates only metrics.

Visualization: This is essential when working on path coverage. Good tools provide facilities for graphically viewing the results, highlighting statements or paths that have not been executed.

Analysis of conditions: Look for tools that analyze the conditions needed to reach a given block of code and that even go as far as suggesting values that variables must take. This can be useful when looking at nested conditions.

Language support: Unless your company has applications written in a variety of languages, a tool designed for a specific language will invariably provide better results than a generic tool set.

However, all major testing tools can generate metric information, so it doesn't make sense to spend a lot of money on a tool that calculates only metrics.

GUI Testing

A critical component of all software testing is the GUI. In GUI-based applications, users have control over several concurrent input devices, and applications can output results to multiple windows.

GUI testing is usually a three-stage process. First, the tool records all keystrokes, mouse movements, and button clicks into a script file. This recorded script can be played back to drive the application in test mode. This works well when an application behaves as expected.

The second stage involves adding checks into the recorded script for handling extraordinary conditions. These checks can



include waiting for specific events to appear. It's also possible to add synchronizing points to handle cases where an application runs at different speeds.

In the third stage, the modified script runs against the application. The extent to which the script can reliably handle unexpected behavior depends on the effort you put into manually programming the script. The more sophisticated programs can graphically display differences between what the script expects and what the application sends to the screen. It's

also possible to single-step through a script and display the values of variables, as simple debuggers do.

GUI testing tools, such as Mercury Interactive's (Or Yehuda, Israel) WinRunner for Windows and XRunner for Unix, enable developers to visually create test scenarios and verifications using a point-and-click method of selecting objects on-screen. They handle application changes automatically and maintain object-specific data independently of individual scripts to ensure that the same scripts can be re-

used even when an application changes during development.

Internet Adds Complexity

Current trends in software development challenge programmers as well as designers of testing tools. The Internet is dramatically increasing the pace of the software industry, and many developers believe that there is now even less time available for testing. Object-oriented design techniques, such as polymorphism, encapsulation, and inheritance, increase the complexity of testing through the extensive use of information hiding.

In addition, Java's "build once, run anywhere" paradigm complicates matters because it requires developers to test applications not only on all platforms but also on each virtual machine (VM) they might run on, including the VMs used in Webbrowers. As Java testers say, "build once, test everywhere."

Derek Jones, a former compiler writer, is a testing expert with Knowledge Software, Ltd. (Farnborough, U.K.). You can reach him by sending e-mail to derek@knosof.co.uk.

WHERE TO FIND

Gimpel Software Collegeville, PA +1 610 584 4261 fax: +1 610 584 4266 http://www.gimpel.com

IPL Bath, U.K. +44 1225 475000 fax: +44 1225 444400 http://www.iplbath.com

McCabe and Associates High Wycombe, U.K. +44 1494 463233 fax: +44 1494 463288 http://www.mccabe.com Mercury Interactive Or Yehuda, Israel +972 3 538 8888 fax: +972 3 533 1617 http://www.merc-int.com

Programming Research Hersham, U.K. +44 1932 888080 fax: +44 1932 888081 http://www.prqa.co.uk

Pure Atria Corp. Cupertino, CA 408-863-9900 http://www.pureatria.com Reliable Software Technologies Sterling, VA +1 703 404 9293 fax: +1 703 404 9295 http://www.rstcorp.com

SunTest Mountain View, CA +1 650 336 2005 http://www.suntest.com

Verilog Toulouse, France +33 5 61 19 29 39 fax: +33 5 61 40 84 52 http://www.verilogusa.com

IT'S MORE THAN JUST A PLACE TO PARK YOUR DRIVES.

Now there is a way for you to get everything you need—data protection, increased performance, and a great price.

DPT introduces the RAIDstation3 kits, cost-effective Ultra and Ultra Wide RAID kits to secure data and increase performance for entry-level servers, or workstations running important, storage-hungry and performance-demanding applications like video editing, CAD or electronic pre-press. You get all the features normally found in expensive, high-end RAID subsystems, all for as low as \$1,249*! Just add your own SCSI disk drives and you're ready for RAID.

You don't need to be a RAID expert to set up your system. With DPT's free RAID installation software, Storage Manager™, simply answer a few questions, click on the drives you want included in the disk array, and you're in business. Nothing could be easier!

Call us today and ask about our one-time-try-it-you'll-like-it "Ultimate Deal" on the new RAIDstation3 kit, or ask for the DPT reseller nearest you.



Full-featured RAID Kits

INCLUDE

- PCI Ultra or Ultra Wide SCSI RAID adapter for superior performance
- Hardware RAID 0, 1 and 5
- 4MB of cache included, with room for up to 64MB of hardware cache
- Hot swap support for failed disk drives -
 - Automatic detection of failed drive
 - Remove failed drive without system interruption
 - Automatic spin-up of new drive
- Automatic rebuild of the disk array
- Heavy duty metal cabinet construction
- Three lockable, hot-swap carriers for 3.5" half-height SCSI drives
- Power and disk activity LEDs
- Cabinet temperature monitoring
- Three year warranty
- Unlimited free technical support

140 Candace Drive, Maitland, FL 32751 USA • Tel: 407-830-5522 Fax: 407-260-6690 • sales@dpt.com • http://www.dpt.com

DBTEL Puts The World At Your Fingertips



THE WINNING PRODUCT DBFAX 800/810

Communications Computers Consumer Electronics

O DBTEL



DBFAX-901





DECT / Wireless PBX



Color Scanner







DBFAX-800/810



C.I.D. Cordless



ADSI / E-Mail Phone



Wireless Lan



SST / Wireless PBX



ANALOG 900MHZ

DBTEL is a top manufacturer in the high-tech industry. We offer innovative communication and computer peripherals that meet our customers diverse needs, while emphasizing the importance of R & D and innovative product development. With a perspective on the future, DBTEL offers your link to all corners of the globe.

COMDEX

Nov. 17-21, 1997 Las Vegas, Nevada, U.S.A. Booth No.:L3367

OEM/ODM Distributo























Circle 444 on Inquiry Card

(RESELLERS: 445).







As consumers demand more environment-friendly products, new software tools help manufacturers build greener machines.

By Eric Johnson and Christina Seeberg-Elverfeldt

he pressure on European manufacturers to produce cleaner and greener products never lets up. A steady stream of new regulations focuses not only on issues such as waste disposal and air and water emissions, but also increasingly on companies' use of hazardous materials in their products.

Take, for example, the computer industry. Unlike the rules of the 1970–80s, the latest rules no longer apply only to manufac-

turing sites, where chips are made, circuit boards fabricated, or components assembled. As Walt Rosenberg, Compaq's director of environmental affairs, points out, "Environmental rules of the 1990s focus on the products themselves." Regulators want to see both greener PC manufacturing plants and greener PCs.

Additionally, users are demanding environment-friendly PCs. Led by public authorities in northern Europe, green-minded computer buyers have plumped for bans on certain materials, green guidelines for public procurement, and eco- and energy-label programs.

The key to reducing environmental and financial costs of manufactured products is the design process. "About 80 percent of a product's environmental costs are established in the conceptual-design phase," says Agis Veroutis of environmental con-

sultant Roy F. Weston (West Chester, PA, U.S.). "The sooner in the design phase you start analyzing the environmental impact, the better the results."

Measure Environmental Impact

What designers therefore need is a yardstick to measure the environmental performance of a product design. A new breed of tools, collectively called design-for-environment (DfE) software, lets product developers analyze the environmental impact of

their concepts. These tools comprise several databases of environmental evaluation factors and aim at product designers rather than environmental experts.

The core functions of DfE programs are eco-impact reduction and disposal optimization. However, out of the 15 tools we considered, only two of them, Ecobalance's DfE Tool and Boothroyd Dewhurst's Design for Environment, can do both.

This is not surprising, because the two functions of DfE soft-

ware are distinct and independent tasks. Eco-impact reduction compares the environmental effects of a product's design options, using life-cycle assessment, or LCA. (See the text box "Life-Cycle Assessment" on page 32IS 24.) The idea of LCA is to find the design option that scores best when considering all effects on, for example, global warming, marine pollution, or wastedisposal problems.


In disposal optimization, the idea is to model and experiment with the disposal options for a given product. Typically, there are many possibilities.

You can dismantle or shred products or components, or deliver them whole for reuse, recycling, incineration, landfill, or any mixture thereof. In theory, the final optimized design should cause the lowest environmental burden and include the optimal number of

reusable parts, no hazardous material, and a high degree of recyclable material.

You must do disposal optimization before you build the product. "Sometimes, just a slight reconfiguration of a machine's internals can make dismantling ever so much easier," says Mark Curtis, a senior partner at Boothroyd Dewhurst. But he warns that disassembly is not just assembly in reverse order. "Fasteners can get rusty, glues can refuse to unstick, and things don't always go out the way they came in." continued





Architecture of Tools

At the core of DfE software is a component-inventory database. It holds large amounts of environmentally relevant data such as emissions, energy consumption, dismantling times, and recyclability indexes for electronics parts such as batteries, capacitors, and ICs.

A design module represents components visually and shows how they link together to form the product. This module retrieves the environmental information from the inventory database and displays it on the screen.

In eco-impact reduction, the software then aggregates eco-impact information into a few categories or even a single-number index. Two common indexes are Eco-Indicator, created in the Netherlands, and EcoPoints, developed in Switzerland. These indicators compare the eco-impact of a design to a fixed reference such as human- or eco-toxicity, thereby generating a relative score per eco-impact (e.g., for global warming or acid rain). The design with the lowest sum of these relative scores is best in environmental terms.

In disposal analysis, the software runs

a sophisticated optimization process before aggregation and reporting. Several vendors have developed proprietary algorithms that model the component structure and solve for an optimum level of disassembly. Defining the optimum can be intricate. As Otto Meedt, one of the developers of Regred/DisPlay software from FAPS, points out, "If two aluminum parts are held together by an aluminum rivet, it may be better to recycle all three parts together rather than separating them."

It is on this optimization knowledge and expert judgment that DfE tools are competing. Many vendors supply proprietary component databases and optimization algorithms aimed at producers of electronics equipment. Vendors point out the paucity of public domain information in this area. "Environmental data on some components is costly to develop and commercially sensitive," remarks Martin Wielemaker, a director at Turtle Bay.

Naturally, product designers want to swap component databases around under one DfE system. But because systems are incompatible, this is not yet possible.

Standardization Is Coming

Four competing initiatives are addressing the standardization of component databases, not only for electronics but other industries as well. They are the LCAD

Life-Cycle Assessment

Life-cycle assessment (LCA) aims at comparing the environmental performance of products. It is an environmental accounting method that tries to quantify the inputs and outputs throughout the life cycle of a product, assess the effects of environmental loadings, and reduce the associated environmental burden. LCA is also the foundation for the eco-impact analysis in DfE software.

The methodology behind software tools that support LCA is to calculate the outputs during a product's life cycle and translate them into environmental effects or damage. That's why these tools need detailed infor-

mation on manufacturing processes, materials, and energy use held in a large database that describes generic manufacturing processes and their emissions (see the figure "Architecture of DfE Software" above).

Because the evaluation depends so much on the quality of the database, critics say LCA usually reveals that whatever design you chose is best. Proponents, however, argue that LCA brings a desperately needed quantitative, rational element to environmental decision-making. Despite these debates, industry and government are increasingly accepting LCA, especially in Europe.



functional CD-ROM, CD-R, DVD-ROM, color-catching Scanner.Leoptics says"Humam touch is the way to lead high-tech life into the future".

> Leoptics gets you there-Multi-media world

Fall '97 Booth No. S4033f Expo and Conv Upper Leve November 17-21,1997 -Las Vegas, Nevada USA

LEOPTICS INC.

Taipei, Taiwan Tel:886-2-7550366 Fax:886-2-7550380 http://www.leoptics.com

Circle 460 on Inquiry Card (RESELLERS: 461).


group in the U.S., led by Battelle (Columbus, OH); SPINE, a Swedish group run by Chalmers University (Göteborg); the DALCA team in the Netherlands, led by research institute TNO (Delft); and the industry consortium SPOLD in Brussels. All these groups concede that, at best, a broad integration of databases will need some more years and that the more specialized the data, the less likely it ever will become public.

However, in an attempt to open the component inventory, some manufacturers have published their data. For example, about a year ago, Delta Electronics Testing published detailed material balances on about 50 components common to electronics goods, plus details on the hazardous content and disposability of each material.

The reason for the industry's and software vendors' sensitivity in this field is that information about hazardous materials is not always public. An electronics device, for example, has a number of hazardous materials (e.g., brominated flame retardants and sometimes cadmium and mercury compounds) that are not labeled and tend to be a problem to dispose.

Low-Cost Tools

For now, say some vendors, the answer for manufacturers is to buy what they can



New design-for-environment tools help product designers create environmentally friendly products.

afford and build the rest of the expert judgment internally, "Most companies will want to use their own expertise anyway," notes Remi Coulon of Ecobalance. "It all depends on how they view their environmental situation."

Vendors such as Conceptware, Decision Dynamics, Product Ecology Consultants, and Spinwest encourage users to start with their less-expert packages,

which are considerably cheaper than the ones with built-in expert systems. This is especially helpful if a vendor's proprietary component inventory doesn't meet a manufacturer's environmental compatibility standards. In this case, companies can buy cheap software and build their own expert judgment and database.

Another competitive factor is integration with CAD systems. This is especially important if designers use DfE tools on a day-to-day basis. Says Stefan Utzinger, the managing director of Conceptware, "CAD integration is a way of building the environmental expert right into the designer's desktop."

Thus far, only Nortel/Cognition's Eco-Design Tool and Savantage's SavanSys have a direct link to Intergraph's CAD system Pro Engineer. However, Boothroyd Dewhurst, Ecobalance, and FAPS have all built their offerings with CAD linkage in mind.

DfE tools are proliferating. By the end of the year, there will be about 15 commercially available tools. While some industry experts expect a shakeout of DfE tools during 1998, the user base for DfE tools will be growing steadily. Says Weston's Veroutis, "At the end of this century, every electronic product manufacturer will have a DfE system in place." B

Eric Johnson and Christina Seeberg-Elverfeldt are consultants at Atlantic Consulting (London, U.K.). You can contact them by sending e-mail to Atlantic@ecosite.co.uk.

WHERE TO FIND

Boothroyd Dewhurst Wakefield, RI, U.S. +1 401 783 5840 http://www.dfma.com/Dfe.htm

Conceptware Eschborn, Germany +49 6196 47320 fax: +49 6196 473215 info@conceptware.de http://www.conceptware.de

Decision Dynamics Vienna, VA, U.S. +1 703 319 3944 fax: +1 703 319 3943 GregNorris@aol.com

Delta Electronics Testing Horsholm, Denmark +45 42 867722 fax: +45 42 865898 hr@delta.denmark http://www.delta.denmark

Ecobalance/Ecobilan Paris, France +33 1 53 78 23 78 fax: +33 1 53 78 23 79 Larry_Brickman@radian.com

EORM

San Jose, CA, U.S. +1 408 321 2850 fax: +1 408 436 1136 http://www.best.com/~eorm/

FAPS Erlangen, Germany +49 9131 857710 fax: +49 9131 302528 meedt@faps.uni-erlangen.de http://www.faps.uni-erlangen.de

GA Seer Technologies Los Angeles, CA, U.S +1 310 670 3404 fax: +1 310 670 6481 info@gaseer.com http://www.gaseer.com

Nortel/Cognition Manchester, U.K. +44 161 247 6259 fax: +44 161 247 6326 64500322@mmu.ac.uk http://www.Nortel.com

Product Ecology Consultants Amersfoort, The Netherlands + 31 33 4555022 fax: +31 33 4555024 info@pre.nl http://www.pre.nl

Savantage Austin, TX, U.S. +1 512 305 0053 fax: +1 512 305 0060 sandborn@savantage.com http://www.savantage.com

Siemens Nixdorf Munich, Germany +49 89 63645503 fax: +49 89 63653540

Spinwest Göteborg, Sweden +46 31 772 4222 fax: +46 31 771 4171 lars.salmi@champs.chalmers.se

Texas Tech University Lubbock, TX, U.S. +1 806 742 3543 fax: +1 806 742 3411 hzhang@coe3.coe.ttu.edu

Turtle Bay Rotterdam, The Netherlands +31 10 2651178 fax: +31 10 4651591 info@turtlebay.nl. http://www.turtlebay.nl

Generic OCXs & DLLs **Multi-Function** 9163 Bar Code Pro **OLETools** £141 d-Barcode OLE Developers Kit £145 Stamina WinX Component Library £135 Charts & Graphs Reports Chart FX Enterprise 3.0(16&32) 9247 Crystal Reports Pro 5.0 £285 First Impression OCX 2.1 9204 £235 Report FX Enterprise 9240 Graphics Server 5.0 2247 Olectra Chart Spell Checkers Sentry Spell-Checker Engine VisualSpeller OCX 2.0 Comms CommTools/DLL 9215 **Special Purpose** Greenleaf CommLib 5.2 (DLL) £235 £345 Sax Comm Objects Pro Calendar Widgets Eval-O-Matic Suite 999 £188 **Data Grids & Spreadsheets** Input Pro £135 DataTable 917 Schedule/OCX Formula One OCX 4.0 **Text Editors** Spread 2.5 ALLText HT/Pro OCX Database HighEdit Pro ActiveX Component Suite £243 £175 Classic Data Control for Btrieve CodeBase 6.2 (Unlimited-Client) £295 VBtrv Toolbox Controls 4.1 Graphics Fastgraph for Windows £189 GeoPoint £204 InterAct 9275 **TWAINWizard** £89 Images ImageGear Std ActiveX 6.0 £1250

£375

9229

£390

£249

268

299

£175

9399

£305

£175

£405

9403

9694

9395

£2784

£280

£293

9499

£196

£131

£304

£156

9446

£175

£174

£565

9150

9422

£390

9741

£345

£112

£465

£420 £445

£399

£92

ImageMan ActiveX Suite 5.0

Victor Image Proc for Win32

Sax Webster OCX (32-bit)

CA-Visual Objects 2.0 Std Clarion for Windows Pro Omnis 7 Workgroup Starter

Personal Oracle for Win95

PowerBuilder Desktop 5.0

Sybase SQL Anywhere 5.5

Visual FoxPro Professional 5.0

VisualAge COBOL Std OS/2

VisualAge COBOL Pro OS/2

With Class Enterprise 3.0

Documentation Studio Help Magician Pro 95

Paradox (Win32) 7.0

Visual dBase

EasyCASE Pro

ERwin/Desktop FRwin/FRX

AnswerWorks Doc-to-Help 2.5(Win32)

HelpSite

HyperText Suite

NextHelp RoboHELP 4.0

Visual Help Pro 3.1

WinHelp Office 4.0

BasicScript VBX

TLIB 5.04 Visual SourceSafe 5.0

Sax Basic Engine Pro

Eschalon Setup Desktop

InstallSHIELD Express 2.0

InstallShield5 Professional

PC-Install (Win32 & Win16)

Wise Installation Enterprise

Cypress Enable (32- & 16-bit)

MKS Toolkit with preferred subs Thompson Toolkit (Win&DOS)

MKS Source Integrity (with sub)

PVCS Version Manager 5.2

dsSocket OCX 1.6

SocketTools

VectorFX

LEADTOOLS ActiveX16/32 Fro

Distinct Visual Internet Toolkit 2.0

Internet

DATABASE

COBOL

PROGRAMMER'S TOOLS

CASE Tools

Help Tools

Installers

Macro Languages

Version Control

Prigg Meadow, Ashburton

Devon TQ13 7DI

Prices do not include VAT or other local taxes but do include delivery in mainland UK. Please check prices at time of order as ads are prepared some weeks before publication. This page lists some products - call us for a complete price list. ORDER BY PHONE WITH YOUR CREDIT CARD

(01364) 654100

FAX: (01364) 654200 www.GreyMatter.co.uk maildesk@GreyMatter.co.uk

WINDOWS

C-Cover

CC-Rider 6.0 (Win32)

Exemplar Setup Toolkit Pro

Thales (MS Basic to C/C++)

HighEdit Pro TX Text-Control Collection OCX	£399 £267	-
<i>C</i> &	C++ FO	R
Charts & Graphs 3D++ Class Library Graphic/Win 7.0 Real Time Graphics Tools	£290 £360 £300	
Real-Time Graphics Tools Comms		
COMM-DRV/LIB 16.1 Fax C++ SDK for Win16/95	£124 £905	
Compression		
Compression Plus Crusher! Win32 Greenleaf ArchiveLib 2.1 PKWare Data Comp Lib Win32	£202 £225 £210 £225	
Database		
DISAM96 for Win95 HyperView++ ProtoGen+ Client/Server Win Raima Engine + EADS 4.0 Report Writer Visual Coder Velocis + EADS (Offer) Visual SQL	£715 £999 £1370 £740 £75 £250 £958	
Images - Bitmap		9
Ad Oculos 3.0 Win32 & Win16 Image SDK Plus for NT	£475 £595	Spinistings
DELPHI		lan.
Delphi 3 Standard Delphi 3 Professional Delphi 3 Client/Server. Abbrevia ABC for Delphi Async Pro 2.1 for Delphi BoundsChecker 5.0 for Delphi Charting Tools for Win - Delphi Component Create Eschalon Power Controls 2.0 Essentials Helping Hand 3.0 HyperTERP/Pro ImageLib Win32&Win16 InfoPower 3.0 InnoView MultiLanguage Std 2 List & Labels for Delphi 4.0 Mobius Draw Kit Mobius FastSprites Orpheus 2.1 (32 & 16-bit) Pumpkin Project Manager 2.0 SysTools Transform: Component Expert VB2D Standard VisualPROS 1.1 WinG Sprite Kit	£43 £104 £320 £109 £164 £144 £295 £99 £105 £110 £86 £98	

SMALLTALK

- HI - H - C - - NAP

VisualAge for Smalltalk Base	£3197
JAVA	

£199
£75
£85
£399
£623
£70
£99
£169
£455
£145
£395
£70
266
£1250

Maths & Stats

IMSL C Numerical Lib w/Sub	£650
Math.h++ (with support)	£803
Linpack.h++ (with support)	2803
System Level	
WinDK	£487
WinDriver	£570
WinRT Developer's ToolKit	£242
WinSCSI-32	£129
Tools	
BoundsChecker C++Builder	£310
BoundsChecker Visual C++ 5.0	£434

VISUAL BASIC ADD-ONS

£557

£326

£130

92760

3d Graphics Tools 5 VB4 (32bit)	£134
ActiveThreed	£99
Applet Designer Professional	£332
ClassAction (VB4)	£105
ClassAssist	£173
CodeReview Pro	£276
Communications Library 3.5	£162
Crescent Internet ToolPak 3.01	£132
Designer Widgets 2.0	£99
	£395
ERwin/Desktop for VB4	
FailSafe Pro	£259
Fax Plus 2.0	£202
Helping Hand 3.0	£104
Into Code (VB4)	£55
List Pro	£173
PDQComm 3.21	£124
Developer's Suite NetWare 5.0	£362
List & Labels for VB3/4 4.0	£295
QuickPak VB/J++	£150
Spyworks Pro Subscription 5.0	£187
True DBGrid Pro 5.0	£195
VB Assist 5	£130
VB Language Manager Pro	£115
VBTools	£99
	£250
Visual Expert Developer	1250

VISUAL BASIC 5

Visual Studio 97 includes the equivalent edition of Visual Basic 5 as well as Visual C++, J++, FoxPro & InterDev

Visual Basic Enterprise 5.0	£918
Visual Basic Professional 5.0	£378
Visual Basic Learning 5.0	£70
Visual Studio 97 Enterprise	£1125
Visual Studio 97 Professional	£765

C++ COMPILERS

Borland C++ 5.0

C++Builder Standard £67 C++Builder Professional £389 C++Builder Client/Server £1267 Learn to Program w/C++Builder £39 Power++ Developer 2.0 £308 Power++ Professional £617 Power++ Enterprise £1233 Salford C/C++ Dev Bundle £295 Symantec C++ 7.5 £75 Visual C++ 5.0 Learning Edition £72 Visual C++ 5.0 Professional £377 Visual C++ 5.0 Enterprise £919 Expressional £919 Expressional £919 Expressional £919 Expressional £919	Dullallu O++ 3.0	2242
C++Builder Client/Server £1267 Learn to Program w/C++Builder £39 Power++ Developer 2.0 £308 Power++ Professional £617 Power++ Enterprise £1233 Salford C/C++ Dev Bundle £295 Symantec C++ 7.5 75 Visual C++ 5.0 Learning Edition £72 Visual C++ 5.0 Professional £377 Visual C++ 5.0 Enterprise £919 VisualAge for C++ 3.5 £309	C++Builder Standard	£67
Learn to Program W/C++Builder Power++ Developer 2.0 £398 Power++ Professional £617 Power++ Enterprise £1233 Salford C/C++ Dev Bundle £295 Symantec C++ 7.5 £75 Visual C++ 5.0 Learning Edition £72 Visual C++ 5.0 Professional £377 Visual C++ 5.0 Enterprise £919 VisualAge for C++ 3.5 £309	C++Builder Professional	£389
Power++ Developer 2.0 £308 Power++ Professional £617 Power++ Enterprise £1233 Salford C/C++ Dev Bundle £295 Symantec C++ 7.5 £75 Visual C++ 5.0 Learning Edition £72 Visual C++ 5.0 Professional £377 Visual C++ 5.0 Enterprise £919 VisualAge for C++ 3.5 £309	C++Builder Client/Server	£1267
Power++ Professional £617 Power++ Enterprise £1233 Salford C/C++ Dev Bundle £295 Symantec C++ 7.5 £75 Visual C++ 5.0 Learning Edition £72 Visual C++ 5.0 Professional £377 Visual C++ 5.0 Enterprise £919 VisualAge for C++ 3.5 £309	Learn to Program w/C++Builder	£39
Power++ Enterprise	Power++ Developer 2.0	£308
Salford C/C++ Dev Bundle £295 Symantec C++ 7.5 £75 Visual C++ 5.0 Learning Edition £72 Visual C++ 5.0 Professional £377 Visual C++ 5.0 Enterprise £919 VisualAge for C++ 3.5 £309	Power++ Professional	£617
Symantec C++ 7.5 £75 Visual C++ 5.0 Learning Edition £72 Visual C++ 5.0 Professional £377 Visual C++ 5.0 Enterprise £919 VisualAge for C++ 3.5 £309		£1233
Visual C++ 5.0 Learning Edition £72 Visual C++ 5.0 Professional £377 Visual C++ 5.0 Enterprise £919 VisualAge for C++ 3.5 £309	Salford C/C++ Dev Bundle	£295
Visual C++ 5.0 Professional £377 Visual C++ 5.0 Enterprise £919 VisualAge for C++ 3.5 £309	Symantec C++ 7.5	£75
Visual C++ 5.0 Enterprise £919 VisualAge for C++ 3.5 £309		£72
VisualAge for C++ 3.5 £309	Visual C++ 5.0 Professional	£377
	Visual C++ 5.0 Enterprise	£919
Watcom C/C++ 11.0 £206	VisualAge for C++ 3.5	£309
	Watcom C/C++ 11.0	£206

News & Views

JDESIGNERPRO

The Fastest Way to Build Bean-Based Business Apps in Java?

JDesignerPro from BulletProof is probably the most advanced tool for building and deploying single- & multi-tier database systems in Java. JDesignerPro is a truly visual enviroment for building elaborate and elegant systems without having to write a single line of code. Complex relationships are displayed as simple visual metaphors database programming has never been so much fun!

- Tab Menu System ties the menus to the access control mechanism and allows instant deployment - just assign your new module to a menu location and it is instantly accessible by users
- Interaction Manager lets you link any object to another and specify action events, completely visually
- Instance Manager let you import any Java component, including Beans, and creates a live instance at design time
- Layout Manager is 100% Pure Java. supports Java Beans and leverages the enhancements in the latest JDK
- Generates SQL for inserts, updates & deletes as the fields are created. You don't even type in the field names!
- Project Management just install JDesignerPro on a single server, then run it remotely through a browser. It tracks the screen designs for any number of developers, and they can reload & modify their projects anywhere
- Generates SQL for inserts, updates & deletes as the fields are created. You don't even type in the field names!
- Powerful Grid Class for viewing data tables with spreadsheet functions
- Filtering, Sorting & Searching classes give you immediate power for browsing
- Java Charting with a number of classic chart styles to look at your data
- Build E-Mail Windows on any screen
- JAGGServer is BulletProof's Java database engine that allows highly scalable, very fast database access for Java clients. You can also program into JAGGServer to add logic and rules. It also handles the delivery of Java client screens to the user as they are requested

Check our web site for full details on this exciting product - £623 + VAT

HYPERVIEW++ Add a GUI Builder to Your MFC Apps

HyperView++ extends MFC with fully customisable GUI builder and form/dialog/ view editor classes that you can embed in your applications. Easily reprogram the editor, its objects and controls, its attached actions, etc., to suit your needs. Now with VBScript (Cypress Enable), ODBC and drop-in ActiveX support! HyperView++ is a great alternative to VBA 5.0 for MFC developers.

- OLE/ActiveX Support event handling, browsing of methods and properties
- OLE Automation of forms, objects, properties, variables, etc.
- Compilable as MFC Extension DLL or ActiveX Control
- Built-in VB compatible Basic Scripting engine for views
- ODBC/DAO connectivity, all other standards can also be used
- Editor supports Win, ActiveX & custom controls, lightweight GUI objects, etc
- Full Featured Editor supports spacing, undo, multi-select, etc

You get full source code, and pay no run time royalties. Unusually, HyperView++ is licensed at 2999 + VAT per project, not per developer.

DEBUGGING TOOLS

BoundsChecker Standard 5.0	£259
GreatCircle Standard	£268
MemCheck	£205
Soft-ICE/Win95 3.0	£372


EDITORS

Codewright Prof 5.0	£180
Kedit for Windows	£129
Multi-Edit for Windows 7.1	£137
Visual SlickEdit (Win) 2.0	£205

What's New

Hardware

This month we look at software to stimulate creativity and a removable Jaz drive.



GDT RP RAID Controller

Price: Starts at DM 2150 (one SCSI channel) Enter 1008 on Inquiry Card.

ICP Vortex

Flein, Germany +49 7131 5972 14 fax: +49 7131 2550 63 http://www.icp-vortex.com

RAID Controller Runs Intel 960RP Chip

The GDT RP is one of the first RAID controllers to run Intel's 960RP chip. It consists of a 30-MIPS RISC processor with local memory, a PCI-to-PCI bridge, and built-in support for interrupt handling and DMA transfers. The new chip makes the GDT RP compatible with the upcoming I₂O I/O standard. But since OSes for I₂O are not ready for market yet, you'll have to wait several more months to capitalize on I₂O's performance and manageability benefits.

The GDT RP bridges I/O gaps between the CPU and disks via high-speed bus transactions and intelligent caching algorithms. This new PCI board can carry up to 64 MB of cache memory, implemented either as fast-page-mode or EDO SIMM modules. If 64 MB is not enough, an optional PCI module lets you extend cache memory to a piggyback board. In addition, the caching algorithm includes adaptive delayed-write and read-forward functions. You can now buy the board in Wide and Ultra SCSI versions; a Fibre Channel version will be available by the end of the year.

With ICP Vortex's RAIDYNE firmware installed, disk arrays with RAID levels 0, 1, 4, 5, and 10 work independently of the host machine. You can plug in extra disks and change RAID levels during operation. It also enables you to assign a spare disk to a single RAID cluster or define a pool of extra disks that can be used by all clusters in case of failure.

Because the GDT RP comes in several variants with up to five independent SCSI channels, it's a scalable solution. It works in midsize file servers as well as in high-end database servers with a capacity of more than 25 GB.

—Rainer Mauth

Communications

Serial Ports Connect to PCI

BRAIN BOXES' FOUR-PORT RS-232 I/O card provides high-speed serial-port connectivity and plugs into the PCI bus. It transfers data at speeds up



to 115.2 Kbps, includes a 16-byte FIFO buffer, and comes with software utilities for DOS and Windows 95, NT, and 3.11.

Contact: Brain Boxes, Liverpool, U.K., +44 151 220 2500; http://www.brainboxes.com. Enter 1019 on Inquiry Card.

Price: £265.

Three Interfaces in One Card

THE MC218 CARD COMBINES ANALOG, ISDN, and GSM interfaces in a single PC Card. It offers a 33.6-Kbps data transfer rate on Public Switched Telephone Networks and includes automatic recognition of the line interfaces of different countries. At speeds up to 128 Kbps on ISDN networks and 9600 bps on GSM, the MC218 meets standard data-transmission rates. It ships with Windows 95-compatibles oftware that supports faxing and electronic file transfer.

Price: Call company.
Contact: COM One, Bordeaux,
France, +33 556 78
84 00; http://www.com1.fr.
Enter 1020 on Inquiry Card.

Remote-Access Router for the Home Office

VICAS, A TELEWORKING ACCESS SYSTEM, combines a remote-access router with a phone switch and a fax machine. It provides ports for one ISDN line, two telephones, a serial connector, and two Ethernet connectors. Because the device supports the TCP/IP and SNMP protocols, it enables teleworkers to access the Internet as well as remote LANs. Vicas includes several security features and is intended for remote offices and small call centers. *Price: DM 3450*.

Contact: BinTec Communications GmbH, Nuremberg, Germany, +49 911 967 30; http://www.bintec.de.

Enter 1021 on Inquiry Card.

Networking

A New Family of Ethernet Cards

HYPERTEC'S HYPERNET RANGE OF NETwork adapters provides Ethernet connectivity for small businesses. The entry-level HyperNet PnP Combo ISA-bus card provides 10Base-2, 10Base-5, and 10Base-T connectors; HyperNet PCI, the PCI-bus version, supports 10Base-2 and 10Base-T. At the high end of the range, the HyperNet PCI 10/ 100, a Fast Ethernet version, includes 10Base-T and 100Base-TX connectors for data transfer rates up to 100 Mbps.

Price: HyperNet PnP Combo, £29; HyperNet PCI, £40; HyperNet PCI 10/100, £49. Contact: Hypertec, Ltd., Hungerford, U.K., +44 1488 686844. Enter 1022 on Inquiry Card.

Storage

Removable Jaz Drive

FINALLY THERE'S A SWAPPABLE VERSION of the lomega Jaz drive. Using an internal or external Swap Bay, the Swap Jaz Drive lets you remove the



entire drive and plug it into any other bay-equipped computer, much like a removable car stereo.

Price: Starts at DM 730.

Contact: Computer Connections, Ratingen, Germany, +49 210 242 990; http://www.storagecompany.com.

Security

Enter 1010 on Inquiry Card.

UPS Includes Remote Monitoring

OFFERING SOPHISTICATED COMMUNICAtions facilities via the RS-232 port, the Ofys Micro UPS provides complete control over all kinds of power electronics. Its supervisor software includes remote monitoring and shutdown features and guarantees fault-free operation in case of system failure. The package offers real-time graphs of operating status and alarms plus scheduling of shutdowns and start-ups.

Price: Call company.
Contact: Sicon-Socomec,
Villaverla, Italy,
+39 445 359111.

Enter 1026 on Inquiry Card.

PC Board Encrypts CD-ROMs

CDCRYPT, AN ENCRYPTING BOARD FOR CD-ROMs, supports ISO-9660 formats and protects access to CD-ROM content with a 112-bit algorithm.

The professional version contains encrypting and decrypting software, two smartcard readers to store keys, and the PC board, which encodes 650 MB in approximately 8 minutes. The software package alone is available as a Personal Edition, including a database for keys and addresses. Price: Starts at DM 2070. Contact: CE Infosys GmbH, Bodenheim, Germany, +49 6135 77 0.

Enter 1027 on Inquiry Card.

Input Devices

A Mouse for Notebooks

MouseMan, a mouse for notebooks, weighs less than a standard mouse and includes a short, 60-cm-long



cable. The three-button input device executes frequently used key combinations in Windows 95 or Netscape Navigator at the click of a button. *Price: DM 79*.

Contact: Logitech, Romanel-sur-Morges, Switzerland, +41 21 8635111. Enter 1024 on Inquiry Card.

Scanners

Large-Format Scanner

Handling documents up to 36 inches in width and of unlimited length, the Imtec 3730C large-format scanner supports black and white, 256 gray scales, and 24-bit color. Scanning an A0-size document in 400 dpi, for example, takes 24 seconds in monochrome. The device uses photo transistors for color scanning that offer superior picture quality. *Price:* £11,000.

Contact: The Imtec Group, Ltd., Stanmore, U.K., +44 181 204 3456.

Enter 1025 on Inquiry Card.

SOFTWARE

Engineering

TPCAD Optimizes Motor Design

TPCAD ENGINEERING SOFTWARE HELPS optimize three-phase induction-motor designs and predicts the performance of motors when the design changes. The program simulates test conditions and calculates the weight and cost of materials for a given design. You can purchase the analysis, optimization, and test modules separately or as a package. Price: Call company.

Contact: Information
Technologies and Electronics,
Ankara, Turkey,
+90 312 210 1310.

Enter 1031 on Inquiry Card.

Silux Simulates Multibody Dynamics

SILUX SIMULATION SOFTWARE HELPS SOLVE mechanical-design problems with new algorithms that include the detailed analysis of multibody dynamics. The package runs on Windows NT and Power Macs and allows for the detailed mechanical stress analysis of parts as well as entire systems. Silux interfaces with DXF and IGES for data exchange. Price: Starts at 4000 SFR. Contact: Silux AG, Zug-Oberwil, Switzerland, +41 52 366 0330; http://www.silux.com.

Enter 1032 on Inquiry Card.

Security

Protect Your Domino Databases

DR. SOLOMON'S ANTI-VIRUS TOOLKIT FOR Lotus Domino protects databases and mail against viruses. It monitors all incoming and outbound mail and attachments in the background, and it either isolates or deletes viruses in case of infection. Other features include on-access and on-demand scanning of Notes databases. The program runs on Windows NT net-

works; versions for OS/2 and Net-Ware will be available soon.

Price: £395 (10-user license).

Contact: Dr. Solomon's

Software, Ltd., Aylesbury,

U.K., +44 1296 318700;

http://www.drsolomon.com/.

Enter 1028 on Inquiry Card.

ServerProtect Keeps NT Networks Clean

SERVERPROTECT FOR WINDOWS NT INcludes several remote management functions that help prevent virus in-



fection on large NT networks. The software detects macro viruses as well as viruses hidden in compressed or encoded files. You can download updates of the latest virus scanners from the vendor's Web site. Price: Call company.

Contact: Articon Information Systems GmbH, Aschheim, Germany, +49 89 945 730; http://www.articon.de.

Enter 1029 on Inquiry Card.

Image Processing

Analyze High-Resolution Images

THE DIMPLE 3.0 IMAGE-PROCESSING PROgram runs on Windows as well as on the Mac OS. It processes 32-bit images and includes annotation features for producing detailed maps. The program handles and analyzes various data types: satellite, airborne, radar, or data from geological or geochemical research. The implemented scripting language lets users integrate their own functions into the menus. Price: £1395.

Contact: Cherwell Scientific Publishing, Ltd., Oxford, U.K., +44 1865 784800; http://www.cherwell.com. Enter 1030 on Inquiry Card.

Web

Java Booster Speeds Up Downloads

IF YOU REGULARLY DOWNLOAD A MULTITUDE of Java applets, Innovative Software's Java Booster may help you.



This utility caches Java applets, stores them in your Windows NT or Unix networks, and makes them accessible to all users on your network. The software also offers an off-line mode, text retrieval, and comprehensive import and export features. Price: Client version, DM 49; server version, DM 790. Contact: Innovative Software GmbH,

Frankfurt/Main, Germany, +49 69 23 69 29; fax: +49 69 23 69 30; http://www.isg.de. Enter 1015 on Inquiry Card.

Project Management

Calculate Effects of Delays

PROJECTDIRECTOR FOR WINDOWS OFFERS sophisticated time-management facilities and calculates the effects of potential delays. The software allows for an unlimited number of links between individual tasks and detects conflicts automatically. A built-in communications interface lets you send e-mail directly from the program.

Price: Call company.
Contact: Planetary Systems,
Budapest, Hungary, +36 1 313
8049; http://www.plansys.hu.
Enter 1033 on Inquiry Card.

Business

CreditSim Analyzes Finances

CREDITSIM BUSINESS-SIMULATION SOFTware helps analyze the long-term effects of management decisions on corporate finances. It displays the results in graphs and tables that are dynamically linked to the decision-input module. The program requires a Pentium PC with a minimum of 16 MB of RAM.

Price: About DM 1400.


Contact: Paradigm Business Simulators AS,

Bergen, Norway,

+47 553 065 00;

http://www.paradigm.nl.

Enter 1036 on Inquiry Card.



MindMan 3.0 Price: DM 129

Enter 1013 on Inquiry Card.

Visualizing Ideas

Karlsfeld, Germany +49 8131 505047 fax: +49 8131 505046 susan@mindman.com http://www.mindman.com

MindMan Helps Manage Creativity


The concept behind mind mapping is as simple as it is enticing: Instead of using traditional lists and other forms of note-taking during brainstorming sessions and general idea conception, use color, curved lines, and suggestive symbols to be more creative. This mirrors the way in which the mind works and lets you harness your creativity to the best advantage.

Whereas traditional mind mapping involves the use of paper and colored pens, MindMan 3.0 uses all the bells and whistles of the Windows 95 GUI to stimulate and visualize your ideas. With MindMan you can drag and drop branches to reorganize your ideas quickly, drag and drop objects from other applications, create hyperlinks to external documents and Web pages, link multiple mind maps, and define relationships between items or branches. The tool also lets you attach textual notes to items and branches and automatically assigns symbols to keywords.

Because creative processes are often more efficient when done with teams, MindMan has a conferencing system that allows for real-time editing and collaborating of shared mind maps via the Internet.

The beta version I tested didn't include any tutorials, which may be helpful if your're new to mind mapping. However, MindMan is impressively easy to use, and its concept of user interaction is consistent. The quality of the symbol library needs work, however. Most icons are just blunt and sober bit maps.

—Rainer Mauth



INTERCON - PRINTSERVER

For Excellent Connections














Features

- Configurable with any HTML 3.x Internet browser
- Multiprotocol support of all operating systems
- Automatic recognition of the used network connector
- Software update/upgrade via download in Flash-EPROM
- Printer status request from host computer
- Automatic protocol recognition
- Configuration parameters can be edited by software
- Configuration via printer operation panel (for KYOCERA)
- Recognition and reaction to network environment changes
- Supports 16 queues on 16 servers (Novell)
- Support of 8 logical printers
- Easy Installation via PCONSOLE (Novell)
- Status button



More information about InterCon:

SEH Computertechnik GmbH

D-33647 Bielefeld, Germany Südring 11

+49 / 521 / 94226-0 Phone: +49 / 521 / 94226-99 Fax: Internet: http://www.seh.de E-Mail: info@seh.de Compuserve-Id: 100742,1452

Software Support

- Novell 4.x NetWare Directory Services (NDS)
- Novell 2.x, 3.x, 4.x Bindery Mode
- SNMP (MIB II and SEH Privat MIB)
- HTML/HTTP configurable
- UNIX (TCP/IP)
- Apple Ether/TokenTalk
- Windows NT (TCP/IP)
- Windows '95 (SEH PrintMonitor)
- BS2000 RSO Spool (V. 2.3A, V. 3.0A)



Hardware Support

Ethernet 10Base2/5/T/FL (BNC, AUI, RJ45, ST)

- IC53-ETHER-KYO-5
- IC53-ETHER-KYO-FL
- IC55-ETHERPOCKET
- IC57-ETHER-EPSON

Token Ring STP, UTP (IBM Type1/2, Type3)

• IC60-TOKEN-KYO

Ethernet 100BaseTX (RJ45)

- IC73-FAST-KYO-TX
- IC77-FAST-EPSON-TX





One makes software theft illegal, the other makes it impossible.

If you would rather take the law into your own hands, the DESkey range of products have security designed into the hardware. ASICs and microprocessors running proprietary algorithms provide real protection.

A comprehensive range of drivers and our software protection utility DESlock, work to bring the highest level of security with the minimum of effort.

Call today for product information, demonstration units and technical advice. Don't just Dongle it - DESkey it

PC MAC PC Card UNIX etc.



















Data Encryption Systems Limited

Silver Street House, Silver Street, Taunton, Somerset UK TA13DL Telephone 01823 352357 Fax 01823 352358 BBS 01823 352259 E:mail sales@des.co.uk www.des.co.uk

International Customer Service

Contact your local BYTE Subscription Representative

Benelux

Gerry Westerhof Phone: 31 72 509 1855 Fax: 31 72 509 1145

Bulgaria

Daniel Christov Phone/Fax: 359 2 943 4203

France

Eric Le Quinio Phone: 33 1 49 77 03 06 Fax: 33 1 43 76 74 29

Germany, Austria, Switzerland

Wolfgang Brezina Phone: 49 89 525 847 Fax: 49 89 529 850

or Germany

Dr. Margot Kahleyss Phone/Fax: 49 30 841 0161

Maria Hadjioannou Phone: 30 61 620384 Fax: 30 61 272072

Hungary

Imre Szabo Phone: 36 76 488888 Fax: 36 76 488889

Ireland

lan Bangham Phone: 353 1 280 7133 Fax: 353 1 280 7157

Enrico Campia Phone/Fax: 39 11 898 0240

Middle East

Zafar Inamdar Phone: 971 4 666788 Fax: 971 4 621149

Wlodek Bincvzk Phone/Fax: 48 2 2625 2275

Moscow: Dmitriy Koloskov Phone/Fax: 7 095 432 0500 Novosibirsk: Oksana Gnezdilov Phone/Fax: 7 3832 495714

Scandinavia, Estonia, Latvai & Lithuania

Gunnar Sandbjerg Phone: 45 33 14 2226 Fax: 45 33 14 2218

or Scandinavia

Lauge Dehn Phone: 45 86 223188 Fax: 45 86 228159

South Africa

Bernadette Jackson Phone: 27 31 7008628 Fax: 27 31 7001979 Johannesburg: MAST Phone: 27 11 8804988 Fax: 27 11 4428327

Spain

Barcelona: Javier Casellas Phone/Fax: 34 3 238 0342 Madrid: Eduardo Montojo Phone/Fax: 34 1 5716685 or Henri Misrahi Phone: 34 1 7337346 Fax: 34 1 7338970

Turkey

Cengiz Eren Phone: 90 216 345 3473 Fax: 90 216 346 2464

United Kingdom

Peter Gregson Phone: 44 1 61 430 3423 Fax: 44 1 61 494 6976 or John Luker Phone: 44 1 258 821114 Fax: 44 1 258 821115

Latin America

Julian Sanchez Phone: 787-781-7796 Fax: 787-749-0898

Brazil

Jocelio Valle Phone: 55 21 233-8180 Fax: 55 21 233-8886

Asia Pacific

Rudy Teng Phone: 886 2 725 1701 Fax: 886 2 725 1706

South Asia

Arijit Guin, Jr. Phone: 91 33 4408721 Fax: 91 33 4405750

If there is no BYTE representative listed above for your country, please contact:

BYTE

Subscriber Services PO Box 72, Galway, Ireland Fax: +1 353 91 752793.

Phone: +1 353 91 752792.





With raging video playback and your choice of either AGP or PCI, the Revolution 3D runs circles around the competition. By David Em

Number Nine's New Spin: Revolution 3D

A ccording computing every 18 comes to 6

ccording to Moore's Law, computing power doubles every 18 months. When it comes to computer graphics,

however, it triples. As a result, graphics horsepower that was once available only on high-end workstations now exists at the consumer level.

One of the first of the new generation of graphics subsystems to include the Accelerated Graphics Port (AGP) is the Revolution 3D card from Number Nine Visual Technology. The Revolution 3D comes in single-slot AGP and PCI versions. It incorporates a third-generation 128-bit chip called Ticket to Ride.


The Revolution 3D comes in dual-ported Window RAM (WRAM) configurations ranging from 4 to 16 MB. I tested both the 8-MB PCI and AGP versions of the card, and ran both cards at 1280- by 1024-pixel resolution and 85 Hz.

The Revolution 3D's 2-D performance is spectacular. Screen refreshes are as fast as any I've seen, and at 85 Hz, the display is rock-solid. Programs such as Adobe

TECH FOCUS

AGP or More Memory?

The MMX/AGP combination should improve graphics and video performance, and bring down the price of memory and bandwidth-intensive functions such as texture mapping. However, there are currently no applications to prove this. I tested the Revolution 3D card on a 300-MHz Pentium II machine with AGP. At one point, I even turned off its 3-D features. Despite all the available power and bandwidth, graphics slowed to a virtual crawl. Budget-conscious serious gamers and professional graphics users looking to buy new systems are far better off sacrificing a little speed on the CPU end and putting their money into the fastest graphics card they can afford.



The Revolution 3D's engine processes video scaling as a texture and greatly reduces pixelation.

Photoshop and MetaCreations' Painter 5 were very responsive.

Video playback was similarly impressive and included RGB MPEG decompression. I played both Audio Video Interleave (AVI) and MPEG clips scaled to full screen at 1280 by 1024 pixels in true color on Windows 95. At 30 frames per second, the motion was extremely fluid.

Serious 3-D users will want to consider the 16-MB card, which can support double-buffered color at 1280 by 1024 pixels, or up to 1920 by 1060 pixels at 65,000 colors. The Revolution 3D supports Open-GL, Heidi, and Direct3D drivers, although Windows NT does not yet have hardware support for Direct3D.

The floating-point setup engine reduces the performance hit experienced when multiple 3-D features are enabled. The combination of the 128-bit, 2-D drawing engine and the WideBus internal architecture allows the card to process graphics and video data at up to 1.56 GBps.

The PCI and AGP versions of the 4-MB Revolution 3D sell for \$349. The 8-MB ver-

RATINGS					
TECHNOLOGY	*	*	*	*	*
IMPLEMENTATION	*	*	*	*	
PERFORMANCE	*	*	*	*	

sion costs \$449. An 8-MB upgrade to 16 MB is an additional \$249. The Revolution 3D can't compete with the highest-end 3-D graphics cards from such companies as Intergraph and Dynamic Pictures, but it costs only about a quarter as much. Its performance is well suited for artists, graphic designers, and desktop publishers who need good 3-D and scorching 2-D and video.

David Em (Sierra Madre, CA) is a digital artist and writer. You can reach him at davidem @earthlink.net.



Using new CMOS sensor technology, the SVmini-209 delivers high-quality pictures at a low price. By Stan Miastkowski

CMOS Gets the Picture

ntil recently, digital still cameras were either inexpensive, low-resolution devices or high-end units for people who need professional-grade images. But a new camera from Sound Vision, the SVmini-209, delivers ultrahigh-quality digital images at a relatively bargain price. Sound Vision itself sells the SVmini and also OEMs it to Vivitar and others.

The key to this camera is its CMOS sensor, developed with VLSI Vision (Edinburgh, Scotland). The model I tested is Sound Vision's second-generation camera. The first, sold as the Vivitar ViviCam 3000 and Umax Sharpset 8000, was the first digital still camera on the market to use a CMOS sensor instead of a charge-coupled device (CCD) sensor. High-resolution CMOS sensors are less expensive than comparable CCDs, and they also require considerably less power and support circuitry, which means dramatically increased battery life.

The SVmini-209's four-color sensor produces a native resolution of 1000 by

TECH FOCUS

Don't It Make Your Brown Eyes Blue?

A digital camera tries to record colors the way the human eye sees them. Since the retina has three different color receptors (red, green, blue), you'd assume a camera also needs three receptors. Unfortunately, the dyes in a camera's sensors don't match the eyes' color response very well.

Sound Vision adds a fourth dye, teal. This extra measurement helps achieve a better color match. Interestingly, some women's eyes have four color receptors, a condition called tetrachromaticity. Some geneticists speculate that such women can better assess their children's health by skin tone.



It's small, but the SVmini camera captures high-resolution digital images with good color.

800 pixels (10 bits per color). A Texas Instruments TMS-320C209 digital signal processor extrapolates the image to 2000 by 1600, a truly impressive 3.2-megapixel image. A noise-reduction algorithm in the camera software removes graininess from images taken in poor light.

The camera holds 1 MB of DRAM and 1 MB of flash memory. System software takes 1.5 MB, leaving about 500 KB for image storage. The SVmini uses variable JPEG compression, which you adjust using either an on-camera LCD or a serial connection, to balance image quality against storage space: 80 percent compression (100 KB per image) gives optimal quality; 40 percent (50 KB) produces some artifacts. The 500-KB internal memory isn't much space for images, so the SVmini has a slot for flash memory cards holding 2 to 16 MB. An adapter will be available for SanDisk MiniPort cards, which use a DOS-compatible file format.

The SVmini-209 sports an f/4.0 fixed-focus glass lens, a built-in flash, and a self-

RATING	s				
TECHNOLOGY	*	*	*	*	*
IMPLEMENTATION	*	*	*	*	
PERFORMANCE	*	*	*	*	*

timer. There's a built-in microphone for recording brief clips of WAV audio along with each image (although this eats into image-storage space). Windows 95 software included with the camera lets you download and view images through a serial port, set all the camera's parameters, and clear images from memory. Macintosh software is also available. An optional AC adapter extends the life of the six AA batteries.

The camera I tested, an early prototype, produced superb images in a variety of lighting conditions. While its CMOS sensor technology is new, the SVmini is obviously riding the wave of the future.


Stan Miastkowski is a BYTE consulting editor.
You can reach him at stanm@bix.com.

PHOTOGRAPH: MICHAEL MAYO © 1997

cloning your workstations
IS THIS EASY.

INTRODUCING Drive Image Professional. THE fastest, MOST flexible WAY TO clone YOUR workstations.

Cloning workstations should be as easy as cutting out paper dolls—make one master image file, and clone it as many times as you want. Well, PowerQuest has made the process of cloning workstations just that simple and fast with Drive Image Professional. Because of its patent-pending SmartSector™ technology, Drive Image Professional works up to two to three times faster than straight file-by-file or sector-by-sector methods of copying. And using its exclusive image-file editor, as well as the award-winning technology of PartitionMagic, you can swap partitions between image files, even create, resize and move FAT, FAT32, NTFS, and HPFS partitions on the fly. This gives you the unprecedented freedom to create customized configurations to meet all the needs of your individual workstations. This speed and flexibility make Drive Image Professional the complete solution for cloning workstations. Try Drive Image Professional for 60 days. If you are not completely satisfied, return it to PowerQuest and receive a full refund. For more information, contact your local reseller, or visit our Web site at www.powerquest.com or call 1-800-379-2566.



Drive Image Professional is available for use by a single technician on an unlimited* number of workstations.

*Persons or entities who image or configure more than 5,000 computers each year for the purposes of fee-based services must purchase a Drive Image Master License Agreement.

© 1997 PowerQuen Corporation. All rights reserved. PowerQuest and PartitionMagic are registered trademarks and Drive Image and SmartSector are trademarks of PowerQuest Corporation. Patents pending.

FROM THE MAKERS OF PARTITION MAGIC®



Let Microway build your next Graphics Workstation, Personal Supercomputer or Server using...

Screamer 600

Cray Performance at a PC Price!

600 MHz, 1.2 Gigaflops

Since 1982 Microway has provided the PC world with the fastest numeric devices and software available.

No product in the last 15 years has excited us more than the Alpha Screamer. With its ability to execute 2 billion operations per second, the Screamer is the best choice for your next workstation or server! In addition to NT, the Screamer runs Digital UNIX and Linux.

Your applications can now run on "the fastest Windows NT machine on the planet." These include Microsoft Office, Oracle and Netscape; plus engineering and graphics software such as Fortran, C/C++, Visual Basic, Pro/Engineer, Microstation, ANSYS, LAPACK, Gaussian, Softimage and Lightwave. Over the last 15 years we have designed systems for thousands of satisfied customers including many prestigious institutions like NASA and Fidelity Investments. Our technicians are expert at configuring all Alpha operating systems and applications, and you will not find more technically competent sales people anywhere.



Microway understands the importance of balancing fast CPUs with equally fast caches, memory and peripherals including SCSI hard drives, 3D graphics cards and RAID solutions. Microway's exclusive 4MB

SSRAM cache, fed by a 144-bit wide memory system, boosts performance by up to 30%. Its 64-bit PCI bus is driven by a state-of-the-art Digital chip set that feeds 32-and 64-bit PCI sockets.





Microway's Screamer . . . "is, quite simply, the fastest Windows NT machine on the planet. . . The performance leader."

PC Computing - July, 1997



Numeric Performance

Microway produces one of the finest numeric optimized compilers - NDP Fortran. Since 1986, hundreds of applications have been ported to the X86 with it. On a 600 MHz 21164, a dot product kernel we use for compiler testing achieves a mind-boggling 1128 megaflops!!! Using hand-coded BLA's and FFT's, our new NDP VDSP Library hits 343 megaflops triangularizing dense arrays and performs a 1024 complex FFT in 200 microseconds.

For a complete description of the optimization facilities provided by NDP Fortran or C, our Screamer Systems and motherboard pricing call 508-746-7341 or visit our WEB Site at: http://www.microway.com.

Digital, Alpha, and Digital UNIX TM Digital. Visual Basic, NT, Excel and Word TM Microsoft. Screamer, NDP Fortran and Microway TM Microway.

Microway

Technology You Can Count On

Corporate Headquarters: Research Park, Box 79, Kingston, MA 02364 USA • TEL 508-746-7341 • FAX 508-746-4678 www.microway.com, info@microway.com • France 33 491826312 • Germany 49 6997650001 • India 91 806637770 Italy 39 290782776 • Japan 81 64593113 • Korea 82 25561257 • Poland 48 22487172 • Spain 34 35809444 • UK 44 1819446222



This word/idea/document processor is something else, but we're just not sure what to call it. By Russell Kay

A Whatchamacallit for Words

an Bricklin created the electronic spreadsheet as we now know it. His subsequent software products have all been distinct and different—category makers and breakers. So, too, is his latest brainchild, Trellix. There's no category label that clearly conveys what Trellix does. In brief, it lets you create hypertext documents that function like a Web browser, outline processor, and presentation-graphics package rolled into one, complete with instant links to other parts of a document or accessible URLs.

Paper documents are mostly read from beginning to end, while Web sites are clearly nonlinear: You branch back and forth, and when you find an interesting link, you click on it and bring it up. This navigation ability is the essence of Trellix, which is designed for on-screen viewing.

A Trellix document appears in two parts: a map that shows the document's structure, and the pages. Each page can have up to four borders (which are typically quite wide) that house navigation buttons, text elements, or graphics. There is also an optional outline view. The map shows each page as a small rectangle, highlighting the current page in yellow, indi-

TECH FOCUS

Looking at a Very ActiveX

Trellix, a set of ActiveX controls that are containers for each other, is one of the first applications to support Microsoft's ActiveX Hyperlinking Protocol. A Trellix document is an ActiveX document; therefore, it can link to (or be linked from) other Trellix or ActiveX documents, including video, spreadsheets, and various graphics, or it can contain URLs pointing to Web pages. You can also include a Trellix document within another ActiveX container, such as a Microsoft Office Binder document.



Trellix organizes information with a document map, hyperlinks, an outline view, and dedicated screen areas.

cating sequential links by connecting lines, and representing structure by a vertical hierarchy. When your cursor hovers over a page icon on the map, a label appears with that page's title. Put your cursor on an underlined link, and the corresponding map icon is also highlighted.

When creating a document, you can write pages in any order and rearrange them by dragging and dropping icons on the map. You can import content from existing documents in a variety of formats. Menu items make it easy to create links and sequences of pages. It's easy to present summary information without interrupting the flow of the document. And it's even easier to incorporate auxiliary information and footnote-like references that don't get in the way.

Trellix lets you program complex documents for the reader. You can create different viewing sequences (Trellix calls them tours) in the same document, for different purposes or audiences. You can print a Trellix document, but you would normally view it with Trellix itself, a free

viewer, or as an exported HTML page that any browser can display.

Trellix isn't a normal word processor for writing letters, e-mail, or the Great American Novel, nor is it a PowerPoint replacement. But it offers a powerful new potential for presenting and viewing structured information, from research reports to textbooks to business plans.



I drafted this Eval using the "sneak peek" version 0.8, which didn't implement all the package's promised features but was easy to use without a manual. If the final release lives up to this early promise, Trellix will be a useful tool that could revolutionize many kinds of writing and presentation.


Russell Kay is a BYTE technical editor in the reviews department. You can reach him by sending e-mail to russellk@bix.com.



OUR NEW LINE OF COMPUTERS IS BEING BUILT TO SOME VERY EXACTING SPECIFICATIONS: YOURS.

INTRODUCING THE NEW, MADE-TO-ORDER COMPUSA PC™

At CompUSA®, we know that no two people are exactly alike. So why should their computers be? What's right for one person



CHOOSE THE EXACT OPTIONS AND FEATURES THAT ARE RIGHT FOR YOU.

Whether you want a computer to help you run your home, or an entire network of computers to help you run your business, we can make the perfect CompUSA PC for you.

How fast a processor do you need? How much memory? What size of hard drive would you like? What size monitor? With the new CompUSA PC, you can have your



computer your way. Of course, while every CompUSA PC will be different, they'll all have one thing in common: the value and quality you expect from CompUSA.

THREE-YEAR COMPUSA QUALITY WARRANTY.

Every CompUSA PC comes with a three-year parts warranty and a one-year on-site labor warranty. This means that all included parts are covered for three years and any needed repairs during the first year will be performed on-site.

LIFETIME HARDWARE SUPPORT.

We're so confident about the quality of our PCs, we're offering lifetime hardware support. So if you ever have any questions, problems or need advice regarding your hardware, you can call our toll-free help line 24 hours a day, seven days a week and speak to a qualified expert.

COUNT ON QUALITY COMPONENTS.

CompUSA PCs are built around the highest quality motherboards, processors and chassis. So the quality inside is as dependable as the name on the outside.



UPGRADES AND MAINTENANCE AVAILABLE AT COMPUSA LOCATIONS NATIONWIDE.

With more than 130 CompUSA locations across the country, chances are there's one near you. So you can rest easy knowing that any upgrades or maintenance you'll ever need can be done quickly and conveniently. Our technical departments are staffed with thoroughly-trained computer experts, who get the job done right the first time.

SHIPPING WITHIN FIVE DAYS.

We'll build and ship your new CompUSA PC within five business days of your order using listed components and options. With CompUSA, you not only get what you want, you get it when you want it.

EXPERT DELIVERY AND INSTALLATION.

For \$149.97, a knowledgeable CompUSA technician will deliver your CompUSA PC to your door, set it up, plug in all cables and cords and get you up and running in no time. Available in most major markets.



FOUR EASY WAYS TO ORDER.

Not only do we give you just what you want, you can get it however you like! To order call our toll-free number or shop our Web site; for helpful advice in person, come into a CompUSA; or, if you're a corporate customer, ask your Account Manager for more information.

- 1. Call CompUSA Direct at 1-800-865-4576.
- 2. Place your order on-line at www.compusa.com
- 3. Just come to any CompUSA Computer Superstore.
- 4. Contact your CompUSA Corporate Account Manager.

Call today for your custom configuration.

Monday - Friday Weekends and Holidays 7am - Midnight ET 8am - Midnight ET

1 800 865 4576

www.compusa.com



Custom Built for You™

THERE'S A COMPUSA PC FOR

COMPUSA PC™ AMERICAN



AMERICAN A150

- 150MHz Pentium[®] Processor
- 16MB EDO RAM
- 2.0GB Hard Drive
- 1MB PCI Video
- 1-3.5" 1.44MB Floppy
- 16X CD-ROM Drive

AMERICAN A166

- 166MHz Pentium® Processor with MMX™ Technology
- 16MB EDO RAM
- 2.5GB Hard Drive
- 14" SVGA, .28 NI Monitor (13.2" VIS)
- 1MB PCI Video
- 1-3.5" 1.44MB Floppy
- 24X (MAX) CD-ROM Drive
- 33.6 Data/14.4 Fax Modem
- 16-Bit Sound
- Stereo Speakers
- Microsoft Windows® 95
- Microsoft IntelliMouse
- 104-Key Keyboard

AMERICAN A200

- 200MHz Pentium® Processor with MMX™ Technology
- 16MB EDO RAM
- 3.5GB Hard Drive
- 14" SVGA, .28 NI Monitor (13.2" VIS)
- · 2MB PCI Video
- 1-3.5" 1.44MB Floppy
- 24X (MAX) CD-ROM Drive
- 56K* Data/14.4 Fax Modem
- 16-Bit Sound
- Stereo Speakers
- Microsoft Windows® 95
- Microsoft IntelliMouse
- 104-Key Keyboard

AMERICAN A233

- 233MHz Pentium® Processor with MMX™ Technology
- 32MB EDO RAM
- · 3.5GB Hard Drive
- 14" SVGA, .28 NI Monitor (13.2" VIS)
- · 2MB PCI Video
- 1-3.5" 1.44MB Floppy
- 24X (MAX) CD-ROM Drive
- 56K* Data/14.4 Fax Modem
- 32-Bit Sound
- Stereo Speakers
- Microsoft Windows® 95
- Microsoft IntelliMouse
- 104-Key Keyboard

\$129995

A200-B01 818191

A233-B01 818805

\$69995 AN150-B01 818164

\$1099⁹⁵

A166-B02 818182

COMPUSA PC AMERICAN SE

AMERICAN A166-SE

- 166MHz Pentium® Processor with MMX™ Technology
- 16MB SDRAM
- 2.5GB Hard Drive
- 512K Pipeline Burst Cache Memory
- 15" SVGA, .28 NI Monitor (13.5" VIS)
- · 2MB PCI Video
- 1-3.5" 1.44MB Floppy
- 24X (MAX) CD-ROM Drive
- 56K* US Robotics Modem
- 32-Bit Sound
- Altec Lansing ACS-90 Speakers
- Microsoft Windows® 95
- Microsoft Office 97 Small Business Edition
- Microsoft IntelliMouse
- 104-Key Keyboard

\$1399⁹⁵ A166-SE-B01 818213

AMERICAN A200-SE

- 200MHz Pentium® Processor with MMX™ Technology
- 16MB SDRAM
- 3.5GB Hard Drive
- 512K Pipeline Burst Cache Memory
- 15" SVGA, .28 NI Monitor (13.5" VIS)
- 2MB PCI Video
- 1-3.5" 1.44MB Floppy
- 24X (MAX) CD-ROM Drive
- 56K* US Robotics Modem
- 32-Bit Sound
- Altec Lansing ACS-90 Speakers
- Microsoft Windows® 95
- Microsoft Office 97 Small Business Edition
- Microsoft IntelliMouse
- 104-Key Keyboard

 233MHz Pentium® Processor with MMX™ Technology

AMERICAN A233-SE

- 16MB SDRAM
- 4.3GB Hard Drive
- 512K Pipeline Burst Cache Memory
- 15" SVGA, .28 NI Monitor (13.5" VIS)
- 4MB PCI Video
- 1-3.5" 1.44MB Floppy
- 24X (MAX) CD-ROM Drive
- 56K* US Robotics Modem
- · 32-Bit Sound
- Altec Lansing 45W Speakers with Subwoofer
- Microsoft Windows® 95
- Microsoft Office 97 Small Business Edition
- Microsoft IntelliMouse
- 104-Key Keyboard

\$1799⁹⁵

\$1549⁹⁵

*Standard shipping and handling-\$48.00 *56K Modems are capable of downloads at 56Kbps, but speeds in actual use may vary. Some software is preloaded. Software manuals/diskettes not included. All trademarks are the property of their respective copanies. CompUSA PC and Custom Built for You are trademarks of CompUSA Management Company. CompUSA Management Company. © 1997 CompUSA Management Company.

EVERY NEED AND BUDGET.

COMPUSA PC™ AMERICAN PRO

AMERICAN PRO AP266L

- 266MHz Pentium® II Processor with MMX™ Technology
- 32MB EDO RAM
- · 3.5GB Hard Drive
- 14" SVGA, .28 NI Monitor (13.2" VIS)
- 2MB 3D Virge Video
- 1-3.5" 1.44MB Floppy
- 24X (MAX) CD-ROM Drive
- Yamaha 32 Wavetable Sound

- Altec Lansing ACS-90 Speakers
- 56K* Data/14.4 Fax Modem
- Microsoft Windows® 95
- Microsoft IntelliMouse
- 104-Key Keyboard

\$199995

AP266L-B01 818280

AMERICAN PRO AP300L

- 300MHz Pentium® II Processor with MMX™ Technology
- 32MB EDO RAM
- 5.2GB Hard Drive
- 17" SVGA, .28 NI Monitor (15.8" VIS)
- 4MB 3D Virge Video
- 1-3.5" 1.44MB Floppy
- 24X (MAX) CD-ROM Drive
- Yamaha 32 Wavetable Sound

- Altec Lansing ACS-90 Speakers
- 56K* US Robotics Modem
- Microsoft Windows® 95
- · Microsoft IntelliMouse
- 104-Key Keyboard

\$279995

AP300L-B01 818304

COMPUSA PC AMERICAN PRO SE

AMERICAN PRO AP266L-SE

- 266MHz Pentium® II Processor
- 32MB EDO RAM
- 4.3GB Hard Drive
- 15" SVGA, .28 NI Monitor (13.8" VIS)
- 4MB 3D Virge Video
- 1-3.5" 1.44MB Floppy
- 24X (MAX) CD-ROM Drive
- Yamaha 32 Wavetable Sound

- Altec Lansing 45W Speakers with Subwoofer
- 56K* US Robotics Modem
- Microsoft Windows® 95
- Microsoft Office 97 Small Business Edition
- Microsoft IntelliMouse
- Microsoft Natural Keyboard

\$249995

AP266L-SE B02 818371

AMERICAN PRO AP300L-SE

- 300MHz Pentium® II Processor
- 64MB EDO RAM
- 7.0GB Hard Drive
- 17" SVGA, .28 NI Monitor (15.8" VIS)
- 4MB 3D Virge Video
- 1-3.5" 1.44MB Floppy
- · 24X (MAX) CD-ROM Drive
- Yamaha 32 Wavetable Sound

- Altec Lansing 45W Speakers with Subwoofer
- 56K* US Robotics Modem
- Microsoft Windows® 95
- Microsoft Office 97 Small Business Edition
- Microsoft IntelliMouse
- · Microsoft Natural Keyboard

\$319995

AP300L-SE B02 818832

AMERICAN AND AMERICAN PRO COMMON UPGRADES

	1 1 5 000 00 000 00 110 00
Upgrade From 14" (13.2" VIS) to 15" (13.8" VIS) Monitor 59.00 Upgrade From 14" (13.2" VIS) to 15" (13.8" VIS) Monitor	Upgrade From 32MB to 64MB119.00
Upgrade From 15" (13.8" VIS) to 17" (15.8" VIS) Monitor 225.00 Upgrade From 15" (13.8" VIS) to 17" (15.8" VIS) Monitor	Jpgrade to Microsoft Natural Keyboard 35.00
Upgrade From 2.5GB to 3.5GB Hard Drive 25.00 Ac	Add a 33.6 Data/14.4 Fax Modem
Upgrade From 3.5GB to 4.3GB Hard Drive	Add a 3C 905TX 10/100 Network Card 60.00
Upgrade From 4.3GB to 5.2GB Hard Drive 45.00 Ac	Add a Zip Drive
Upgrade From 5.2GB to 7.0GB Hard Drive 50.00 Ac	Add a 4/8GB TR-4 Tape Drive

CALL TODAY FOR YOUR CUSTOM CONFIGURATION!

1 800 865 4576

COMP USA PC

Custom Built for You™

Circle 352 on Inquiry Card. WWW.compusa.com

Common Ground 4.0

Power-publishing for the intranet.

Fully automated, zero administration, instant results.

Still struggling to Web-enable your business documents? Common Ground users just drag their documents to the dropbox, and they're done!

Common Ground prepares the documents for the Web, places them on the Web server and updates the HTML pages accordingly. And it does it all automatically!

The Java-powered viewer makes viewing documents easy too. Users don't have

to download a reader or open applications to see the document.

Download your evaluation copy now to see how Common Ground can deliver instant results for you!



FREE EVALUATION:

http://www.hummingbird.com/cg/cgdownload.html



www.hummingbird.com/cg/byte e-mail: sales@hummingbird.com (416)496-2200



A new ATM service enables applications to compensate for network congestion. By William Stallings

Adjustable Cell Rates for ATM Networks

owadays, when you use an asynchronous transfer mode (ATM) network, you have a choice from four classes of service for carrying traffic. The first one is constant bit rate (CBR), which specifies a fixed data rate. The ATM provider's network must ensure that this capacity is available and polices the incoming traffic on the connection to ensure that the subscriber does not exceed its allocation.

The second service is the more flexible variable bit rate (VBR). A VBR connection defines a sustained rate for normal use and a faster burst rate for occasional use at peak periods.

The third one is unspecified bit rate (UBR). This is a best-effort service: No amount of capacity is guaranteed, and any cells may be discarded. Finally, a new ATM service has been defined: available bit rate (ABR). It provides a guaranteed minimum capacity. When additional network capacity is available, you can burst data above the minimum rate without risk of cell loss. Each service has its uses, as seen in "Four Types of ATM Service."


ABR and UBR are best suited for LAN internetworking and other types of data traffic. UBR is directed at delay-tolerant applications (e.g., file transfer and e-mail). It provides no feedback about network congestion to the user or application. Thus, UBR increases the risk of discarded cells, which in turn increases network traffic because of the lost cells that must be retransmitted. To improve service to bursty sources that would instead use UBR, ABR was defined.

ABR is intended for applications where network delays are a concern. The main practical difference between ABR and UBR is that, in the case of ABR, the network provides congestion information to the application. This lets the program constantly modify the sending rate, achieving the best throughput.

ABR Rate Control

An application using ABR specifies a peak cell rate (PCR) that it will use and a minimum cell rate (MCR) that it requires. The

The ABR service offers a number of benefits. First, ABR connections share available network capacity. They have access to the instantaneous capacity unused by CBR/VBR connections. Thus,



ABR is useful for on-line sessions where the network response is critical.

network allocates resources so that all ABR applications receive at least their MCR capacity. It then shares any unused capacity in a fair and controlled fashion among all ABR sources.

The ABR mechanism uses explicit feedback to the sources to assure that capacity is fairly allocated. Any capacity that ABR sources don't use remains available for UBR traffic. An example of an application using ABR is a LAN interconnection. In this case, the end systems attached to the ATM network are routers.

ABR can increase network use without affecting the quality of service of CBR/VBR connections. Second, the share of available capacity used by a single ABR connection is dynamic and varies between an agreed MCR and PCR.

Third, the network provides feed-back to ABR sources so that ABR flows are limited to available capacity. The time delays inherent in providing feedback dictate the use of buffers along a connection's path. Because of the large data rate and a relatively large propagation

delay through a network, these buffers may be substantial, leading to large delays. Accordingly, the ABR service is appropriate for applications that can tolerate adjustments to their transmission rates and unpredictable cell delays. Finally, for ABR sources that adapt their transmission rate to the provided feedback, a low cell-loss ratio is guaranteed.

Feedback Mechanisms

The transmission rate of cells from a source through an ABR connection is characterized by four parameters. The current rate that the source is permitted to transmit cells at is called the allowed cell rate (ACR). The source transmits cells at any rate between zero and the ACR. The MCR is the minimum value the ACR may take. The network will not restrict a source's flow to less than the MCR. You can set the MCR to zero for a given connection. The PCR is the maximum rate the ACR may take. The initial cell rate (ICR) is the initial value assigned to the ACR.

A source starts with the ACR equal to the ICR and dynamically adjusts the ACR based on feedback from the network. Feedback appears periodically as a sequence of resource management (RM) cells. Each cell has three fields: a congestion indication (CI) bit, a no increase (NI) bit, and an explicit cell rate (ER) field. The source first checks the 2 feedback bits. If an increase is called for, it is increased by a fixed-size increment. If a decrease is called for, the rate is lowered by a fixed-size increment.

Finally, if the ER is smaller than the ACR, the source reduces the ACR to the ER. These adjustments are subject to the constraint that the ACR varies between the limits of the MCR and the PCR.

Cell Flow

The figure "Adjusting ATM Cell Flow" illustrates the way that the feedback works. It depicts a flow of data in one direction over an ATM connection; a similar flow occurs in the opposite sense for two-way data communication. Two types of ATM cells flow on an ABR connection: data cells and RM cells. A source receives a regular sequence of RM cells that enable it to adjust the rate of cell transmission.


The source initiates the bulk of the RM cells. It transmits one forward RM (FRM)

cell for every (Nrm – 1) data cells. Nrm is a preset parameter, usually equal to 32. As each FRM cell is received at the destination, it is turned around and transmitted back to the source as a backward RM (BRM) cell. Each FRM cell contains the CI, NI, and ER fields. The source typically sets CI = 0, NI = 0 or 1, and ER equal to a desired transmission rate in the range ICR \leq ER \leq PCR. An ATM switch or the destination system may change any of these fields before the corresponding BRM cell returns to the source.

An ATM switch on the network has a

- or NI bit set rather than wait for a passing BRM cell.
- Explicit-rate marking: The switch may reduce the value of the ER field of an FRM or BRM cell.

These actions let an ATM switch signal a source that congestion is occurring and to reduce its cell rate. The destination system can also signal congestion. Under normal conditions, a destination system simply converts each incoming FRM cell to a BRM cell without changing the NI, CI, or ER fields. The exception is that



The source adjusts its cell rate based on values returned by the destination and network switches.

number of ways to provide rate-control feedback to a source:

- EFCI marking: The switch sets the Explicit Forward Congestion Indication (EFCI) condition in an ATM data cell header (using the payload type field) as it passes in the forward direction. This causes the destination end system to set the CI bit in a BRM cell.
- Relative-rate marking: The switch directly sets the CI or NI bit of a passing RM cell. If the bit is set in an FRM cell, that bit will remain set in the corresponding BRM cell. More rapid results are achieved by setting one of these bits in a passing BRM cell. To achieve the most rapid result, a switch may generate a BRM cell with the CI

the CI bit gets set if an EFCI signal has been received on the previous data cell.

However, if the destination is experiencing congestion, it may set the CI or NI bit, or reduce the ER value when converting an FRM cell to a BRM cell. The first ATM switches to support ABR use the EFCI, NI, and CI bits, providing a simple relative-rate control mechanism. The more complex controls associated with the use of explicit rate constitute a second generation of ABR service.

William Stallings is a consultant on data communications and computer networking. This article is based on material in his latest book, High-Speed Networks: TCP/IP and ATM Design Principles (Prentice-Hall, 1997). You can reach him at ws@shore.net.



OS features and a freeware scripting utility solve application portability across various flavors of Unix. By Bob Friesenhahn

Autoconf Makes for Portable Software

ince the birth of Unix in 1969, there have been at least 70 distinct versions of Unix and Unix-like systems. With thousands of programmers enhancing Unix over the years for various system vendors and educational facilities, Unix's genealogy looks as tangled as a royal family tree.

Due to the many versions of Unix that exist, popular opinion is that portability among them is poor. To avoid a Tower of Babel situation, many vendors, users groups, and standards organizations have made efforts to define common components and APIs for Unix. The end result is that while all versions differ to some degree, in modern-day Unix systems the variance between the APIs for any two versions is small.

Still, if porting software is so difficult, why is there so much free software available for so many versions of Unix? During the first 20 years of Unix's history, software porting was something that often required overnight stints or even weeks of effort. Today, a utility called Autoconf neatly eliminates this work.

To understand how Autoconf does this magic, we must first understand the changes that have occurred to Unix over the years. In the early 1990s, two events made porting much easier: the use of feature-based portability and the invention of the configure script.


Feature-Based Portability

Back when there were only a few Unix variants to contend with, it was common to base portability on preprocessor define statements that specified a particular version of Unix. Such statements as XENIX, BSD, SUN, USG, and SYSV were common. This is known as OS-based portability.

Unfortunately, as Unix continued to evolve, define statements that had previously made sense became incorrect. For example, when Sun went from using a

BSD-based kernel to using an SVR4 kernel, software that made decisions based on the vendor's being Sun did not compile or work correctly on SVR4 implementations. By the mid-1980s, these problems became critical due to the ever-

MADVISE is a feature-based definition rather than an OS-based one, since it identifies a capability found in any OS. Porting existing code to a new version of Unix entails identifying the features that the OS provides, providing equivalent defi-



Autoconf lets programmers build scripts that tailor an application for a specific version of Unix.

expanding pool of Unix variants and the growing amount of software that had to be maintained.

Feature-based portability then stepped in to the rescue. Rather than presuming certain characteristics based on an OS vendor, feature-based portability identifies the OS features (i.e., the APIs) that the software uses and compiles code conditionally based on those features. For example, the define statement HAVE

nitions to the build system, and providing replacement code for features missing from the OS. After the code is ported to many systems, the various ways of solving a problem have been dealt with, and porting comes down to a simple configuration step and a build step.

The Configure Script

Configure scripts (usually written in the Bourne shell, /bin/sh) are designed to root

around in the OS and look for clues that tell it what features it has. The end result is a tailored make file, and possibly an include file or two.

The first significant configure script that I know of was written by Larry Wall and designed to configure Perl. This script was named Configure and became part of the Metaconfig package. Metaconfig Configure scripts are interactive and typically require the user to affirm guesses that it makes about the OS. The initial thrill of watching this script run is soon lost after the process continues for half an hour or longer.

However, David MacKenzie of the Free Software Foundation (FSF) wanted more: He wanted a configure script that didn't require any attention at all. This way it could be run simultaneously on many kinds of machines to aid in the FSF's porting and testing efforts. There was also the desire to automate the end user's software-installation process.

MacKenzie wrote the original versions of his configure script by hand, which made it difficult to reuse. He learned of similar efforts elsewhere at the FSF and at a company named Cygnus Support. Experience had shown that it was valuable to be able to build a configure script based on the needs of a specific program, rather than a monolithic one that supports all programs. The Autoconf package grew from a combination of all these ideas, and it became a common ground for configure-script efforts.

How Autoconf Works

Autoconf is based on a shell script wrapper around a macro language known as m4. This obscure macro language is similar in operation to the C preprocessor (cpp) but is much more powerful. Autoconf provides m4 macros that an application (or package) developer can use to

- determine installation paths
- locate tools and utilities
- determine compiler flags
- determine header-file availability
- determine available libraries
- test compilation of code fragments
- execute arbitrary shell-script fragments
- write make files
- write configuration-header files

The package developer informs Autoconf about features that the package requires by providing a file named configure.in as input. This file is an m4 script that invokes m4 macros provided by the Autoconf package. This creates a configure shell script that tests for OS features. When the generated configure script is executed, it takes template versions of files with the extension .in (e.g., Makefile.in) and edits them to gener-

configure commands:

'configure--prefix=/opt/tools'
'make install'

This supports options that allow tailoring where files are installed. It also determines which features should be in-

Sample Autoconf Configure.in File

dnl Ensure that configure is run in correct directory. $\label{eq:action} \mbox{AC_INIT}(\mbox{dos} 2\mbox{u.c})$

dnl Add code to deal with a configuration header file
AC_CONFIG_HEADER(config.h)

dnl Locate C compiler, 'install' and symbolic link utilities AC_PROG_CC

AC_PROG_INSTALL

AC_PROG_LN_S dnl Are the header files ANSI C compliant?

AC_HEADER_STDC

dnl Look for header files we know how to use.

AC_CHECK_HEADERS(fcntl.h string.h sys/types.h unistd.h)

dnl Checks for typedefs, structures, and compiler characteristics.

AC_C_CONST

AC_TYPE_OFF_T

dnl Checks for library functions.

AC_FUNC_MMAP

AC_CHECK_FUNCS(madvise mktemp)

dnl Create 'Makefile' from 'Makefile.in' template

AC_OUTPUT(Makefile)

ate a version tailored to the environment. (See the figure on page 45 for more on the files the developer makes and how they are deployed by an end user.)

The power of Autoconf is its ability to take advantage of the collective knowledge and experience of hundreds of software developers porting to the many variants of Unix. Each Autoconf m4 macro encapsulates this knowledge in a shell-script fragment that knows how to test for a particular feature. As Autoconf matures, developers using it automatically pick up portability improvements by simply upgrading to a newer version.

What You See

When you obtain a package that uses Autoconf, it will include (at a minimum) files named configure, Makefile.in, and, often, config.h.in. The configure script processes Makefile.in and config.h.in into Makefile and config.h, respectively. To configure and install the package in the /opt/tools directory tree, the end user executes these simple

cluded in the package and where specialpurpose libraries and files reside. See the listing above for a script example of this capability. If you ever happen to forget what these options are, just type configure--help.

Autoconf's Future

Most public-domain software packages now use Autoconf. With its ground swell of support, the future of Autoconf looks bright. Commercial software developers should note that Autoconf decreases the cost of, and increases the reliability of, supporting more OS versions. Software vendors can increase their profit margins and market share by using Autoconf.

As Autoconf continues to be refined, the winners will the users of Autoconf; the losers will be those who don't realize the value of this free software.

Bob Friesenhahn (Dallas, TX) specializes in Unix- and TCP/IP-networking-related topics. You can contact him by sending e-mail to bfriesen@simple.dallas.tx.us.

Core

A standard for database objects lets disparate data-manipulation tools exchange information. By Stephen R. Gardner

The Quest to Standardize Metadata

etadata is popularly defined as "data about data." For the IT manager, this is more concisely stated as "information about the enterprise." In the context of data warehousing, the term refers to anything that defines a data-warehouse object, such as a table, query, report, business rule, or transformation algorithm. Metadata management gives users greater control of corporate data by providing a map of the locations where that data is stored. It also supplies a blueprint that shows how one type of information is derived from another.

The current crop of data manipulation and management tools has resulted in IT products that all process metadata differently, with little consideration for sharing the information. This situation highlights the need for a metadata standard.

Efforts are under way by a consortium of companies to standardize metadata interchange among products from diverse vendors. Six companies—Arbor Software, Business Objects, Cognos, Evolutionary Technologies International, Platinum Technology, and Texas Instruments Software—formed the Metadata Council in July 1995.

The Council launched the Metadata Interchange Specification (MDIS) to address issues relating to the exchange, sharing, and management of metadata. The Council released version 1.0 of MDIS in June 1996. The standards document can be downloaded from http://www.he.net/~metadata/standards/toc.html.


Initial Steps

MDIS consists of components that represent the minimum common set of metadata elements and the minimum integration points that must be incorporated into database tools for compliance. MDIS also provides standards for optional and extension components that are relevant

only to a particular class of tool.

A common language must be developed before a standard can be constructed. This involves setting up well-understood and well-communicated processes

reflect information common to one or more classes of tools, such as database servers and data-discovery and data-extraction tools. For MDIS to succeed, the metadata metamodel must be indepen-



Profile information, an API, and a standard set of objects allow diverse metadata tools to interoperate.

for naming metadata elements, standardizing data types and lengths, and maintaining descriptive glossaries.

This development of a common definition and terminology involves two entirely different information models. First, there's the *application metamodel*. This model is application-specific and describes the tables and objects that contain the metadata for schemata particular to a given application. Second is the *metadata metamodel*, which is the set of objects that MDIS describes. These objects

dent of any application metamodel. It must have a unique definition for each object, and it should be character-based so that it's platform independent.

Since metadata is stored in different types of storage or data formats—such as relational tables, ASCII files, and customized repositories—the MDIS access methodology must be very flexible. This requires a framework that translates a tool's metamodel access request to match the MDIS syntax and format, as shown in the figure above. continued

To establish a bidirectional data flow. the standard uses three types of information. First, the metadata files include a header with version information. Second, a Tool Profile file contains character-based information that describes the type of metadata elements that the tool manipulates. Finally, a character-based Configuration Profile file describes the mapping of data to specific metadata objects. It also describes what flows of the metadata are legitimate: A tool might be prohibited from using a later version of a metadata object because of major changes to source-to-target mappings of the metadata.

MDIS uses a text-based tag language that resembles HTML. The mechanism that implements extensibility to the MDIS is similar to Lisp's properties object, a character field of arbitrary length that's composed of identifiers and a value. The tool's import function uses the identifier to recognize the metadata type and to locate the data within in the field. The value is the metadata itself.


In Search of a Standard

The Metadata Council examined several ways to implement the standardized MDIS model, as shown in the figure at right. The ASCII batch approach relies on an ASCII file format. The file contains descriptions of the common metadata components and standardized access requirements that make up the MDIS model. The file loads whenever a tool accesses metadata via the common API.

This approach does not require updating the tool when the metadata model changes; modifications to the standard are made to the file instead. However, since using an object requires loading the entire MDIS framework, this approach is processor intensive.

The procedural approach requires that the intelligence to communicate with the MDIS standard be built into the tool. This approach needs only a modification to the API to accommodate changes and additions to the metamodel schema and/or access parameters. But it also requires a great deal of up-front effort on the part of tool vendors to retrofit this logic to achieve MDIS compliance.

The hybrid approach combines the ASCII-batch and procedural approaches. It follows a data-driven model. A tool loads a set of tables that define the MDIS API. The tool interacts with the API through



The Metadata Council chose the ASCII batch approach because it's easy to implement and offers a shorter time to market.

the MDIS framework and retrieves just the needed object. This eliminates the need for reading the entire schema.

Changes to the standard are reflected in the table data so that the tools don't have to be modified to maintain compliance with the MDIS specification. But loading the tables can be time consuming, which is unacceptable in information-intensive applications.

A fourth approach is to develop the MDIS standard within the Electronics Industries Association's CASE (Computer Aided Software and Systems Engineering) Data Interchange Format (CDIF). The CDIF standards support multiple semantic layers and transfer formats for CASE tools. Adopting this approach carries two obligations: the Metadata Coalition must appoint people to track the CDIF standards, and every vendor supporting the MDIS must subscribe to the CDIF publications to avoid violating the EIA's copyright on the standard.

For version 1.0 of the MDIS, the Council recommends the ASCII batch approach because vendors can implement support for the specification with minimum overhead and a shorter time to market.


Into the Future

There will continue to be a lack of integration among metadata tools for the next several years. Integrated metadata won't be readily available until at least the 1998/1999 time frame, when repository-based solutions should begin to emerge.

Furthermore, integrating new objects that consist of video, audio, and spatial data types will offer some additional challenges to the Metadata Council—as well as anyone who's looking for integration of metadata tools.

Stephen R. Gardner (Seattle, WA) is the director of advanced technology research at NCR Corp. You can reach him by sending e-mail to stephen.gardner@sanfranciscoca.ncr.co.

"My business can't stop when the power does...



"I've got Back-UPS" Office" from American Power

Conversion. Back-UPS Office combines world class surge protection, a \$25,000 equipment protection guarantee* and instant, uninterruptible battery back-up power.

So when the power goes out, and it will.... I have plenty of time to save what I am working on and shut down safely.

Plus, I am protected from surge damage, keyboard

and power problems transmitted to my workstation over data and power lines."

So, if you just bought your first computer, or run a company that needs hundreds, you can depend on the reliability and peace of mind

> that comes with APC products. Why? It's simple. APC protects more computers for more companies in more countries than anyone in the world.

Now, that's a reason to smile.


Visit us at COMDEX/Fall Booth #L2453

YES! I'd like to receive NO, I'm not interested	e my FREE catalog. at this time but please arterly newsletter mailing
Name: Title:	
Company:	All the second s
Address:	
City/Town:	
State: Zip:	
Phone:	
Brand of UPS used?	
Brand of PCs used?	
Brand of Servers used?	
A	PCC x8251

lock-ups, data loss APC's Back-UPS Office is available at:



Look for APC power protection
















@1997 APC, All Trademarks are the property of their owners, * See policy for details, BF20EF



E-mail: apcinfo@apcc.com

132 Fairgrounds Road, West Kingston, RI 02892 USA
















The UltraDaytona RAIDarray Storage that gives you peace of mind

The new UltraDaytona RAIDarray™ is welcome news if storage problems have been weighing on your mind. That's because the UltraDaytona takes just thirty minutes to install and is so reliable, once you're up and running, you can forget it's there.

With the UltraDaytona, you can swap drives, power supplies, or fans without taking the subsystem off-line, so you can perform maintenance during "normal" hours

without interrupting data availability.

FASTER lew UltraDaytona RAIDarray up to seven additional disks.

Plus, the new UltraDaytona RAIDarray is twice as fast as previous versions, and supports up to 128 MB of SIMM-based data cache for even higher performance. It's available in several configurations, and features an optional expansion chassis for

Each UltraDaytona includes CMD StorageView™ Lite, an easy-to-use GUI for setting up and monitoring the subsystem, as well as alarms that tell you when something needs attention. That way, you can address problems before data goes off-line, which makes the UltraDaytona a surprisingly stress-free storage solution.

With that it mind, it should come as no surprise that CMD technical support is available 24 hours a day, seven days a week, 365 days a year. Just one more way owning an UltraDaytona will put your mind at ease.

For more information, and a free white paper on RAID solutions. visit our web site at www.cmd.com or call us at 800-426-3832 or 714-454-0800.





CMD Technology, Inc. I Vanderbilt, Irvine, California 92618 Tel. (800) 426-3832 or (714) 454-0800 Fax (714) 455-1656

§ 1997 CMD Technology, Inc. UltraDaytona RAlDarray and StorageView are trademarks of CMD Technology, Inc. All brand names and trademarks are properties of their respective holders. B0897



A software emulator shows that the PowerPC can emulate another computer, down to its very hardware. By Eric Traut

Building the Virtual PC

evelopment of Virtual PC— Connectix Corporation's Macintosh application that emulates a PC and its peripherals-began almost two years ago, in October 1995. The goal from the beginning was to create a fully Intel-compatible PC in software. The effort centered around a core Pentium instruction-set emulator, complete with MMX instructions. True PC emulation also required the reverse-engineering and development of a dozen other PC motherboard devices, including modern peripherals such as an accelerated SVGA card, an Ethernet controller, a Sound Blaster Pro sound card, IDE/ATAPI controller, and PCI bridge interface. This strategy of hardware-level emulation resulted in an application that allows Macintosh users to run not only Windows programs and DOS games but several x86-based OSes, including Windows 95, NT, and NeXT OpenStep.


Pentium Emulation

The heart of Virtual PC is the Pentium recompiling emulator, a sophisticated piece of software written entirely in hand-coded PowerPC assembly language. Its job is to translate Pentium instruction sequences into a set of optimized PowerPC instructions that perform the same operation. Translation occurs on a "basicblock" basis, where a basic block consists of a sequence of decoded x86 instructions. Basic blocks end on an instruction that abruptly changes the flow of execution (typically a jump, call, or returnfrom-subroutine instruction). As the recompiler decodes x86 instructions, it analyzes them for "condition code" usage. Finally, it generates a block of PowerPC code that accomplishes the same task. For more details on this process, see "Virtual PC Operation" at right.

For purposes of speeding things up, the

emulator employs the following tricks. **Translation cache:** Even though written in PowerPC assembly language, the translator still requires substantial time to gen-

code flags that tell programs whether the addition produced a zero or negative result. Such codes are used, for example, to determine if a program performs



erate optimized instruction translations. To reduce this overhead, the emulator caches blocks of translated code.

Interinstruction optimization: Because the Pentium is a CISC processor, most instructions perform more than one operation. For example, the ADD instruction not only adds two values together, it also produces a number of conditiona conditional jump. Most of the time these codes are ignored. The translator analyzes blocks of x86 instructions to determine which flags the program uses (if any). It then generates PowerPC code for those flags actually used. The first two listings in "Translated Code" (next page) show how one Pentium instruction translates into three PowerPC instructions,

while three Pentium instructions can be optimized from nine into five PowerPC instructions.

Address translation: One of the most difficult Pentium features to emulate is its built-in memory management unit (MMU). This hardware translates linear (or logical) addresses into physical memory addresses. Operating systems use the MMU to implement virtual memory and memory protection. Because of the Pentium's small register file, about three in four Pentium instructions reference memory in one way or another. Each memory address potentially needs to be translated before the emulator loads from, or stores to, the referenced address. An MMU implemented in software would impose a high overhead, which would degrade performance. Luckily, this overhead can be avoided: The Connectix engineers were able to program the PowerPC's MMU to mimic the Pentium MMU's behavior, thus managing the address translations in hardware. The Pentium's memory page attributes can also be mirrored in the PowerPC's MMU. For example, if Virtual PC's emulated OS marks a memory page as writeprotected, the page mappings are modified so the corresponding PowerPC page is write-protected.

Segment bounds checking: The Pentium architecture includes the archaic notion of memory segments. Every memory reference, such as instruction fetches, stack operations, loads, and stores, has an associated memory segment. When a segment's bounds are exceeded, the Pentium's MMU generates a general protection fault (GPF). The OS uses GPFs for more than detecting bugs in applications: They enable a program to "thunk" down into privileged driver-level code not accessible at the application level. Therefore, the Pentium emulator must detect segment bound faults where appropriate. Although the PowerPC does not contain segmentation hardware akin to the Pentium, Connectix used Power-PC trap instructions to perform segment bounds checks with little or no overhead.

Hardware Emulation

Besides the Pentium processor, a typical PC motherboard contains a dozen or so chips that work together concurrently. All these chips need to be emulated faithfully for compatibility. The Intel architecture provides an I/O address space that's used to access hardware outside

Industration of Single Pe				
Translation of Single Pentium Instruction Pentium Instruction PowerPC instructions				
ADD EAX,20	li addco. mr	rTemp1,20 PF,rTemp1,rEAX rEAX,rPF		
Translation of Pentium I	nstruction Block			
Pentium instructions	PowerPC in	structions		
ADD EAX,20 ADD EBX,30 ADD ECX,40	add add li addco. mr	rEBX,rEBX,30 rTemp1,40 rPF,rTemp1,rECX rECX,rPF		
Code Translation for Per Pentium instructions	PowerPC in			
MOV AL,8 MOV DX,0×1F0 OUT DX,AL ADD DX,7 IN AL,DX RET	li li bl addi bl	rAL,8 rDX,0x1F0 HandleIDEPortWrite rDX,rDX,7		

of the CPU. You work with this "I/O space" through two instructions—I N and 0UT. When using these instructions, software must specify an I/O port (or address). Virtual PC routes I/O accesses to code modules that emulate each chip. For example, if Virtual PC encounters an I N instruction referencing port 0x21, it calls a routine in the interrupt-controller emulation module that returns the current interrupt mask. Similar module calls occur for every I/O space access, as the third listing in "Translated Code" shows.

Many of the extra chips on a PC motherboard control I/O devices such as the hard drive, CD-ROM, keyboard, and mouse. For compatibility with the Mac OS and all Macintosh hardware, Virtual PC performs all I/O through the standard Mac OS drivers. So, a request sent to the emulated PC's IDE controller to read a sector from the hard drive gets translated into a read operation that's sent to the Mac OS SCSI driver.

The most difficult hardware components to emulate involve precise timing. For example, sound is a real-time operation, and any timing perturbation results in clicks or pops as digitally sampled data fails to arrive on time. Because Virtual PC is hosted on the Mac OS (which gives time to other Mac programs running concurrently, as well as Virtual PC), and it needs to emulate several dozen PC chips in parallel, precise timing isn't always possible.

Virtual PC compensates by placing the highest priority on tasks that directly affect the user, such as sound and video.

Performance

Emulated systems are naturally going to be slower than real hardware. But Connectix engineers concentrated on tuning aspects of the emulated hardware required to run popular PC games and productivity applications at a usable performance level. This was especially challenging given that the PowerPC processor emulates not only the Pentium but all the other chips on a PC motherboard.

Performance of Virtual PC is also greatly affected by the host hardware system. The latest PowerPC processors with high clock rates and large on-chip caches will run it best. The speed and size of the system's L2 cache is also critical because of the code expansion that occurs during the translation process.

While users will take a performance hit because this is an emulator, Virtual PC successfully emulates the entire PC at a very low level. PC programs—applications, device drivers, and operating systems alike—cannot tell they are not running on actual PC hardware.

Eric Traut (traut@connectix.com) is lead engineer for Virtual PC at Connectix. At Apple Computer, he wrote the 680x0 dynamic recompiling emulator for PowerPC-based Macs.



DHTML supports dynamic objects and provides faster browsing through client-side processing. By Rick Dobson

Dynamic HTML Explained, Part 1

ynamic HTML (DHTML) is like HTML on steroids. It uses an object-based model that builds on HTML tags, yet it permits dynamic styles, content, and positioning as well as data binding to a browser. For the site visitor, DHTML Web pages deliver a richer, faster browsing experience through the magic of client-side processing.

This is the first in a three-part series on DHTML. A review of Cascading Style Sheets (CSS), a core DHTML enabling technology, leads into a discussion of HTML tags as objects. This DHTML primer closes with an introduction to the event object and *bubbling*—a new concept for scripting that simplifies and streamlines code.

Not surprisingly, Netscape and Microsoft offer different DHTML implementations. Both companies promise that these versions will converge after the World Wide Web Consortium (W3C) issues final recommendations. This article uses Microsoft's version because it offers more capabilities (for more information, see "Dynamic HTML Comparisons," September BYTE, page 23). It offers more than 90 HTML elements with properties, methods, and events. For detailed documentation, visit http:// www.microsoft.com/msdn/sdk/inetsdk /help/. The site also includes many code samples that can jump-start you on your way to learning this new technology.

Tags and Scripting Objects

DHTML relies on CSS. This technology appeared initially with Microsoft Internet Explorer 3 and is approved by the W3C. CSS allows developers unprecedented control over the appearance and positioning of content on Web pages. It generally helps Web content authors separate style from content. (Look, Ma,

positioning without resorting to tables!)

CSS offers four ways for site builders to incorporate style components into a document. First, you can reference an external style sheet. Second, you can physically import an external style sheet. Third, your code can create and modify style rules with a pair of style tags locat-

document hierarchy—the Body element, which is owned by the HTML BODY tag. The P tag's read/write innerText property lets developers dynamically read and replace the text within a P scripting object.

Two P methods specifically support dynamic content operations. First, the InsertAdjacentHTML method lets you

Code Gallery

A Classy Style Change

<html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><

A Stylistic Style Change

ed inside the current document. Fourth, you can place in-line style attributes within the tags on a document. There are over 60 style attributes for fine-tuning the appearance of your Web pages.

All the traditional HTML tags become DHTML objects. DHTML developers must write short VBScript or JavaScript programs that enable end-user interactivity by manipulating object methods and properties. A rich array of events offers a broad selection of options for triggering code that responds to user and Web actions.

Each DHTML tag has a corresponding scripting element. The P tag, for example, matches a P element (or scripting object). The P tag's read-only parent Element property returns the next object up the

insert new HTML into a P tag. Second, the InsertAdjacentText method helps to update a paragraph's content, but not its HTML code.

Dynamic Styles

Many developers will be attracted to DHTML by its ability to change style in response to user and system events. One easy way to achieve this is with the className property. This property applies to block elements, such as P, and it corresponds to the CLASS attribute. To change styles, simply set the class-Name property to a new style rule.

To revise a property, your code must first reference the underlying object. The all collection often makes this easy. Use the all collection's tag property to

flag all similar elements in a document. Then, use the tag's item method to reference specific instances of an element in a document. Then, you set the instance's className property equal to the new style rule.

The Classy Style Change listing in "Code Gallery" (on the previous page) illustrates these principles. The HTML document contains two style rules and two paragraph blocks. The block con-

onmouseover events capture end-user mouse behavior relative to HTML tags, and the Body's onload event fires immediately after the browser loads a document. You write the handlers that respond to these events. Event handlers can be written in European Computer Manufacturers Association (ECMA) JavaScript or Microsoft VBScript.

DHTML events can bubble up from lower to higher document hierarchy lev-

event bubbling, depending on where in the line a user clicks. Clicks anywhere on the line—except in the B block—permit the event object to bubble up the document hierarchy to the Body level and beyond. Body's event handler, set-BodyStyle, then changes the color of the document's two H1 blocks.

The setBodyStyle function also demonstrates some interesting scripting techniques. First, it uses the innerText

Bubbling Up

```
<HTML><HEAD><SCRIPT LANGUAGE="JavaScript">
function setParaStyle() {
  var el = window.event.srcElement;
  while (el.tagName != "P")
      {el = el.parentElement;}
  el.style.textDecoration = "underline";
  if (event.srcElement.tagName == "B")
      event.cancelBubble = true;}
function setBodyStyle() {
  alert ("Clicked heading is: "
      + event.srcElement.innerText)
```

```
var coll = document.all.tags("H1");
for (i=0; i<coll.length; i++)
    coll.item(i).style.color = "green";}
</SCRIPT></HEAD>
<BODY onclick="setBodyStyle()">
<H1>First Welcome!</H1>
<Ploach Welcome!</H1>
<P onclick="setParaStyle()">Click anywhere,
    <B>but here</B>, to bubble up.
</BODY></HTML>
```

taining Welcome! has its CLASS attribute set to the <code>littlegreen</code> style rule. The other paragraph uses the default style. Clicking anywhere in the document fires the <code>Body</code>'s <code>onclick</code> event. This event launches the <code>JavaScript</code> changeStyle function. It uses the index numbers of <code>0</code> and <code>1</code> to reference the document's first and second paragraphs. The <code>JavaScript</code> sets the <code>className</code> properties of the first and second paragraphs to the <code>bigred</code> and <code>littlegreen</code> style rules, respectively.

The Stylistic Style Change code segment in "Code Gallery" illustrates a more granular technique for achieving the same result. This version of change-Style sets specific properties of the style object for paragraph blocks. When you need finer-grained control than the className property permits, or when you want to make ad hoc changes, consider using style object properties.

Events and Bubbling

DHTML introduces a new event object that tracks the firing of events. Its properties permit identifying the element where the event occurred, the current state of the keyboard keys, the location of the mouse, and the state of the mouse buttons. For example, the onclick and

els. This permits events for lower-level objects to bubble up and trigger event handlers for unrelated upper-level objects. Because of this potential, you must consider whether your code should explicitly turn off bubbling.

The "Bubbling Up" code segment (above) illustrates how to use the event object, and it reinforces basic scripting techniques. The document in this code segment includes a couple of H1 blocks and a P block. Within the P block is a B block. The P block has an event handler, setParaStyle, that captures the onclick event.

Clicking anywhere in the P block launches its onclick event handler. It starts by setting a variable, el, equal to the source element for the event. This will be either P or its embedded B block. If the tag's name is not P, then the code sets el equal to the tag's parent, thereby forcing el to P. Notice that the function uses the tagName property of the src-Element property of the event object to detect where in the paragraph a user clicked. The code uses the textDecoration property of el's style object to underline the whole paragraph, no matter where the user clicks on the line.

The final line in setParaStyle turns off event bubbling if the user clicks in the B block. This line selectively controls

property of the srcElement object to echo back which document object caused the function to run. Second, it uses a for loop to iterate through the item indices for the H1 tag objects.

Hard Choices

DHTML offers Web developers the potential of improved speed and interactivity; it offers Web users a richer browsing experience. The technical challenge of moving to DHTML calls out to HTML and Visual Basic developers because it builds directly on HTML but offers an object-oriented model that is familiar to VB programmers.

The operational challenge of moving to DHTML might be more problematic. Will folks be able to view the effects? The answer is "Yes" only if they have the Internet Explorer 4 browser. There are two solutions to this predicament. First, target DHTML for environments where you can mandate the browser (an intranet or extranet). Second, make your Net applications so compelling that folks voluntarily upgrade to the free Microsoft Internet Explorer browser.

Rick Dobson, Ph.D., is president of CAB, Inc., a database and Internet development consultancy. You can reach him by sending e-mail to Rick_Dobson@msn.com.

Taking Command Just Got Easier



NEW! On Screen Management

The only KVM switch with the power and flexibility to manage the most complex server rooms just got better. Now, not only can you manage hundreds - even thousands - of servers from a single location, but with our new On Screen Management, it's easier than ever. Pop-up menus make it simple to name, configure and select your attached servers on the fly.

Multiple Users

For growing multiuser systems, the AutoBoot Commander 4xP allows up to four users simultaneous access to any attached computer. Add even more users with our expansion options, all with independent access to every computer.

Easy Expansion for your Growing System

Designed for expansion, the 4xP allows you to easily add computers and users as your installation grows. Combine that with our extension capability, and you can locate computers and users as far as 300 feet away from the 4xP unit!



Multiple Platforms

The 4xP is designed from the ground up to support multiple platforms: Mix and match PC, Sun, SGI, HP 9000, Dec Alpha, RS/6000, and Macs -- control them all with a single set of peripherals.

Whether you run a growing data center or the most demanding server room, the 4xP saves you valuable time, space and money. Who would have thought a command performance could be so easy?



Cybex Computer Products Corporation 4912 Research Drive Huntsville, Alabama 35805 USA (800) 93CYBEX (29239) • (205) 430-4030 fax http://www.cybex.com












Cybex, the Cybex Logo, AutoBoot, Commander and 4xP are trademarks or registered trademarks of Cybex Computer Products Corporation.PC, Sun, SGI, HP, Dec Alpha, RS/6000, Microsoft, Windows NT, Novel, Netware, Banyan, LANtastic and Mac are trademarks or registered trademarks of their respective manufacturers.

SEE US AT: COMDEX/Fall '97 November 17-21, Las Vegas, NV, Booth #L4254

AT 500 MHZ, WHIPLASH BECOMESA VERY REAL POSSIBILITY



The breakneck speed of a PC powered by an Alpha processor may take some getting used to. But you'll grow to love running your Windows NT* software on the world's fastest microprocessor. Alpha PCs run your favorite Windows® software too. And they're available, at competitive prices, from a variety of manufacturers right now. So hang on tight—and call (888) ALPHA-45 for details. Or visit www.alphapowered.com.

MICROSOFT WINDOWS NT COMPATIBLE

© 1997 Digital Equipment Corporation. DIGITAL, the DIGITAL logo and AlphaPowered are trademarks of Digital Equipment Corp. Mitsubishi is a registered trademark of Mitsubishi Electric Corp. Samsung is a trademark of Samsung Electronics Co. Windows and Windows NT are registered trademarks of Microsoft Corp.











THE ORBITING INTERNET

Fiber IN THE Sky

Broadband satellite systems stand ready to bring multimegabit data rates worldwide. Sounds great.

What's the catch?

By John Montgomery

omething special is in the air: your data. Or, at least, it's about to be. The technological and regulatory hurdles to create true high-speed satellite networks have fallen. We've seen low- and mid-bandwidth systems such as Motorola's Iridium and Hughes' DirecPC. But those were almost a parlor trick compared to the promise of 2 Mbps, 20 Mbps, and even 155 Mbps streaming down from the sky. And all you need is a small antenna, a satellite-to-computer gateway (a small black box), and the service itself. In all, you'll probably buy satellite service pretty much the way you buy Internet service from an Internet service provider (ISP) today.

So, it's time to ditch your T1 lines and asynchronous transfer mode (ATM) hardware, right? Not quite yet. Just as Iridium's universal telephone didn't kill the cellular phone, broadband satellite systems won't kill terrestrial lines. Every broadband satellite system creator I talked to was clear that broadband satellite systems will complement terrestrial networks. They will provide high-speed service where terrestrial infrastructure does not exist, and they will enable easy multipoint distribution of video. But high-speed, low-cost landlines are here to stay.

So where will these emerging data networks fit in? Better yet, how will they fit in? What makes them different from each other? Simple questions, it seems. The answers are also simple—at least until you start to dig. By examining some of the main systems in development, I was able to determine that these systems, while touting much the same capabilities, are vastly different. Some of the most visible ones may prove the most difficult to implement. Some of the most staid-looking



Medium earth orbit (MEO) Orbit: 6250 to 13,000 miles

Pros: Relatively low latency (0.06–0.14-second round trip); requires a handful of satellites to cover all of the earth.

Cons: Balance between latency and number of satellites considered by some suboptimal; satellites spend time covering empty space (e.g., oceans).

Ku-band Frequency range: 11.7–12.7 GHz downlink, 14–17.8 GHz uplink.

Pros: Medium wavelengths penetrate many obstacles and carry lots of data.

Cons: Mostly allocated.

Low earth orbit (LEO) Orbit: 500–1500 miles

Pros: Very low latency (sub 0.03-second round trip).

Cons: Requires many satellites (dozens or hundreds) to cover all of the earth; satellites spend time covering empty space (e.g., oceans).

Ka-band

Frequency range: 18-31 GHz

Pros: Lots of available spectrum; short wavelengths carry lots of data.

Cons: Requires powerful transmitters; short wavelengths subject to rain fade.

systems may beat every other system to the punch.

Playing with the Bands

Satellite communications is nothing new. For years, you could hook up a very small aperture terminal (VSAT) system and buy time on a satellite. Dennis Conti, vice president of VSAT at Hughes Network Systems, says that a VSAT system can deliver up to 24 Mbps in a point-to-multipoint link (e.g., a multicast) and up to 1.5 Mbps in a point-to-point link. Pretty impressive statistics.

But, according to Tony Trujillo, director of corporate communications at Intelsat, a leading global satellite operator, with VSAT, "customers buy very specific time on a specific satellite." This creates a system that's good for predictable communications (e.g., periodic uplinks by news agencies or satellite offices), but not so good for the ad hoc networking that most of us are used to.

For "anytime, anywhere" networking, you need new technologies. Primary among them are more tightly focused beams and digital signal technology, which together can increase frequency reuse (and thereby increase bandwidth) and reduce dish size from meters to centimeters. According to some, you also need a large and unused chunk of the electromagnetic spectrum.

All these technical requirements began to come together in 1993, when NASA launched its Advanced Communication Technology Satellite, or ACTS (see the text box "NASA Gets into the ACTS" on page 61). ACTS pioneered the testing of an alldigital, Ka-band (20-30 GHz), spot-beam, geosynchronous earth orbit (GEO) satellite system—for definitions of these terms, see the text boxes "The Air Up There," "NASA Gets into the ACTS," and "I'm with the Band"—capable of delivering hundreds of megabits per second of bandwidth. With NASA showing that such a system could work (and offering time on the system to interested institutions), it was not long before others were interested. Very interested.

Earlier this year, the FCC granted orbital locations and Ka-band licenses to 13 companies. Some are names you may recognize: EchoStar, Hughes, Loral, and Motorola. Others may be more obscure: Ka-Star, NetSat 28, PanAmSat, and Teledesic. Regardless of name recognition, they all aim to bring information into your home and office at incredible speeds—up

Physics Is Everything

hen it comes to communications satellites, what chunk of the radio spectrum they can use determines virtually everything—what they can do, how powerful they'll be, and how much they're going to cost. Why? Physics.

Let's start with the basics. You'll hear the terms frequency and wavelength bantered about quite a bit, so you have to know what they are. Remember that radio comes in waves; imagine a sine wave for simplicity's sake. How often a crest of a radio wave passes a point during a given time is called its frequency. Frequency is measured in hertz (Hz)—cycles per second—and its variations: kilohertz (kHz), megahertz (MHz), gigahertz (GHz), and so on. The distance between crests is the wavelength, and it is usually measured in some multiple or fraction of meters.

Radio frequency and wavelength are related—higher frequencies mean shorter wavelengths and vice versa. Why? If you know how many pulses are hitting you in a second and how far apart the crests are, you know the speed, right? Well, the speed is constant: Radio waves travel at the speed of light (i.e., 300,000 kilometers per second, or 187,500 miles per second, which is usually rounded to 186,000 miles per second). Therefore, if wavelength goes up, frequency has to go down and vice versa.

Different wavelengths have different properties. Long wavelengths can easily travel long distances and go through obstacles. Think of AM radio. At around 1 MHz, its waves are about 300 meters long. You can pick up AM stations much farther away than FM stations, which are up around 100 MHz, or 3 meters. These longer waves can pass through or around buildings and mountains. The shorter the wavelength (i.e., the higher the frequency), the more easily the waves can be stopped. When frequencies get high enough (up in the tens of gigahertz), small things such as leaves and even rain can stop them—a problem called "rain fade." It takes a lot of power to get around rain fade. More power means bigger transmitters or more focused antennas, which usually means satellites that are more expensive.

The flip side of this is that higher frequencies (i.e., Ka- and Ku-bands) enable transmitters to transmit more information per second. That's because information is typically encoded at a certain part of the wave—the crest, valley, beginning, or end. (In the film *Crimson Tide*, Denzel Washington's character wanted to verify a signal using the extremely low frequency [ELF] antenna. Unfortunately, ELF transmission was so slow that they couldn't get a complete message before they had to start evading the bad guys.) The trade-off is that higher frequencies mean more information per second, but they require higher power to avoid getting blocked, larger antennas, and more expensive equipment.

to 155 Mbps. These broadband systems are not going on-line before 2000 (although Loral's Cyberstar will start offering 400-Kbps rates next year), and most will not be fully operational until 2002.

What are they going to use it for? According to the FCC, just about everything you would use a terrestrial line for: desk-top-to-desktop videoconferencing, Internet access, electronic messaging, faxing, telemedicine, direct-to-home video, electronic transaction processing, distance learning, and even news gathering.

Is This Trip Necessary?

Who needs this stuff, anyway? Most of the market that needs data services seems to be well served by landlines. "These systems will be important globally. In the U.S.? We're well served, although things are changing quickly," says Erwin Edelman of NASA's Lewis Research Center.

A first guess at an obvious market is in places that have underdeveloped com-

munications infrastructures. In some countries, stringing copper or fiber is out of the question—the empty distances to cover are too great and available money is too little. (There are places where people will rip down any copper wire to resell it.) Still, a wireless, solar-powered telephone has some appeal. Of course, you don't need a broadband satellite to make phone calls, though. Systems such as Iridium will likely serve that market. Marco Caceres, of the Teal Group, says, "For most of the people in the world, the services Ka-band supplies aren't interesting."

So who does need this new class of broadband satellite communications? The first answer I heard from virtually every broadband vendor is the same: multinational corporations. "For some applications, landlines will always be superior. But when your reach is diverse and you have last- and first-mile problems, then satellite will be the better choice," says Edward Fitzpatrick, Hughes Communications'

		Broadband Satellites, Broadly				
	Cyberstar	Celestri	Astrolink	Teledesic	Spaceway	Skybridge
Backers	Loral	Motorola	Lockheed	Bill Gates, Craig McCaw, Boeing	GM-Hughes	Alcatel with Loral
Use	Data, video	Voice, data, video- conferencing	Data, video, rural telephony	Voice, data, video- conferencing	Data, multimedia	Voice, data, videoconferencing
Altitude (miles)	22,300	875 and 22,300	22,300	435	22,300	911
Spectrum	Ku (initial) and Ka	Ka and also 40-50 GHz	Ka	Ka	Ka	Ku
Antenna size (est.)	16 inches (initial Ku)	24 inches	33-47 inches	10 inches	As small as 26 inches	TBD
Data throughput	400 Kbps (initial Ku); up to 30 Mbps (Ka)	Up to 155 Mbps transmit and receive	Up to 9.6 Mbps	16 Kbps- 64 Mbps (up to 2.048 Mbps on symmetrical links)	Up to 6 Mbps	16 Kbps-2 Mbps to satellite; 16 Kbps- 60 Mbps to user; any multiple of this for business users
User terminal cost (est.)	\$800 (initial Ku); \$1000 (Ka)	Starts at \$750	Under \$1000 to \$2500	N/A	Under \$1000	\$500 (consumer)
System cost (billions)	\$1.05	\$13	\$4	\$9	\$3.5	\$3.5
Operation starts	1998	2002	Late 2000	2002	2000	2001
Number of satellites	TBD for Ku; 3 likely for Ka	63 LEOs, 9 GEOs	9	288	8 initially	64
Access method	FDMA, TDMA	FDMA, TDMA	FDMA, TDMA	MF-TDMA, ATDM	FDMA, TDMA	CDMA, TDMA, FDMA, WDMA
Intersatellite communication	Undecided	Yes	Yes	Yes	Yes	No

NASA Gets into the ACTS

The whole Ka-band craze can be traced to NASA. When it launched its Advanced Communication Technology Satellite (ACTS) in September 1993, it began a research-and-testing project to determine what it needed to do to make Ka-band satellite communication work. "All the current Ka-band filings [to the ITU] are a direct tribute to ACTS technology," says Erwin Edelman, demonstrations coordinator at NASA's Lewis Research Center.

ACTS proved that it was possible to create an all-digital Ka-band system that could overcome rain fade, a signal-degradation problem resulting from short wavelengths passing through rain. ACTS is a TDMA-based system that uses many of the things you'll find in commercial Ka-band satellite systems, including spot-beam (or multibeam) technology, on-board storage and processing, and all-digital transmission.

Spot-beam. This technology enables an antenna system to subdivide a single large footprint (area of coverage) into many subfootprints. It can then focus these subfootprints (or spot beams) on particular areas. Subdivision enables a high degree of frequency reuse. Rather than spreading the entire frequency over the entire footprint, it spreads subsets of the frequency over smaller footprints. And, most important, it reuses these subsets in nonadjacent footprints.

On-board storage and processing. Most satellites are "bent pipes"—a signal goes up and then goes back down immediately. On-board storage and processing enables the caching of information until a spot beam is aimed; it also enables intersatellite switching.

All-digital transmission. To overcome rain fade, signals need to be digital so that they can incorporate error codes. According to Edelman, ACTS uses the same TDMA system that you'll find in terrestrial cellular systems.

Together, these technologies enable nearly unheard-of data rates. "The ACTS is theoretically capable of communicating over three 622-Mbps channels," says Edelman. In case you're wondering, that's about 400 T1 lines.

vice president for Spaceway.

Of course, there are even places in the U.S. that won't get broadband data service for a long time. For example, until recently, BYTE's office in Peterborough, New Hampshire, would have had serious problems getting anything more than a T1. But imagine if one of these satellite services had been in place—we could have tapped it no matter where we were. That is the second market that most of the broadband vendors cited—low-population areas.

The main problem satellite systems solve is getting high-bandwidth access to places without a high-bandwidth infrastructure. It's unlikely that a satellite system could compete with Digital Subscriber Line (DSL) to the home or fiber to the office—if you can get those services. Still, if you're in a rural area of the U.S.—or in a low-population area in any country—you may not be able to get such services. Satellites will deliver them, enabling not only high-speed Internet browsing (a technology that some industry pundits focus on relentlessly), but all forms of high-speed networking, including such things

"Best-performing notebook ever..."

-Windows Magazine, Sept. 1997

Apparently, our System Consultants aren't the only ones helping you choose the right computer.

"The NEC Versa 6060 is built like a tank...
[it] excels at everyday mobile computing tasks..."

-Windows Magazine, Sept. 1997

"...Direction is a great value for anyone interested in getting the latest technologies without paying a premium price."

-PC Magazine, September 23, 1997

"The Direction topped all 5 of the Pentium [processor] 233 with MMX [technology] systems in our recent roundup by at least 4 percent."

-c/net, Aug. 5, 1997

"The NEC PowerMate Professional set a new standard in performance."

-PC World, Aug. 1997


"The PowerMate is a powerful business machine with enough horsepower to pinch-hit as a low-end graphics workstation."

-Robert Hummel, BYTE Magazine, Sept. 1997



©1997 NEC Computer Systems Division, Packard Bell NEC, Inc. NEC, Versa, and MultiSync are registered trademarks; VersaBay, ESM and Express5800 are trademarks, and UltraCare is a service mark of NEC Corporation, all used under license. Direction and MagicEye are trademarks and NEC NOW is a service mark of Packard Bell NEC, Inc. Leasing based on typical 36-month lease with purchase option. Other lease options may be available. Leasing arranged by third party leasing company to qualified customers. Prices do not include shipping or applicable sales tax, are valid in the US only and are subject to change without notice. Products and specifications are subject to change without notice. Microsoft, Windows and Windows NT are registered trademarks of Microsoft Corporation. All other trademarks are property of their respective owners. *Maximum download speeds are limited to 53Kbps. Actual speeds may vary. Uploads travel at speeds up to 28.8Kbps. U.S. Robotics x2 modems require x2-compatible analog phone line and x2-capable service provider. See www.usr.com/x2 for details. Integrated modems included in Versa 2700 series notebooks are designed to allow faster downloads only from K56 flex compliant digital sources. See www.uscundx2 for details.





NEC Versa® 6060 High performance desktop replacement.

Versa 6060

- 166MHz Pentium® processor with MMX™ technology
- 12.1" SVGA Active Matrix TFT Color Display
- 32MB EDO DRAM (80MB max.)
- 3.2GB Hard Drive/20X max Variable Speed CD-ROM/1.44MB Floppy Drive
- · PC 97 and DMI 2.0 Compliant
- · NeoMagic 128-bit 3D Graphics Accelerator with Full Motion and Full Screen MPEG-1 Video
- · Integrated 16-bit Stereo Sound
- · Lithium Ion Battery
- Microsoft® Windows® 95
- Upgrade to 80MB RAM, add \$540
- * U.S. Robotics® x2™ XJACK® 56Kbps* Capable Modem, add \$159
- * Versa Docking Station 6000 Plus, add \$869
- Upgrade to UltraCare™ Extended Service, add \$199

\$3499

Business Lease: \$126/mo. Code # V6063

NEC Express5800™ MT2000 Servers that grow with your business.

Express5800 MT2000

- 200MHz Pentium Pro processor, 512KB Integrated L2 Cache (Dual Processor Capable)
- 64MB ECC DIMM Memory (1GB maximum)
- · 8 Expansion Slots, 4PCI, 3 EISA, 1 Shared
- 11 Available Bays, 6 Hot-swappable, 3 x 5.25" & 2 x 3.5" External
- Two Hot-swap 4.3GB Ultra Wide SCSI Disks
- · One Integrated PCI Ultra Wide SCSI Controller and One Integrated PCI Ultra SCSI Controller
- Integrated SVGA Controller with 1MB VRAM (2MB Maximum)
- 12X avg CD-ROM/3.5" Floppy Drive
- NEC ESMPRO Server Management Suite
- MS® Windows NT® Server 4.0 and NetWare® 4.11 Certified
- 3-Year On-Site Service Limited Warranty
- * Hot Swappable Redundant Power Supply, add \$599
- * Second 200MHz/512KB Pentium Pro processor, add \$1499
- * Upgrade to 64MB of ECC Memory, add \$449
- * PCI Ultra Wide SCSI RAID Controller, add \$1349
- * 2/4/9GB Ultra Wide SCSI Disk Drives for up to 54GB of Storage Space, add \$599/\$899/\$1499
- * PCI 10/100 Ethernet Controller, add \$79
- * Windows NT Server 4.0, add \$799



NEC Direction™ SPT233 A new direction in cutting-edge technology.

Direction SPT233

- · 233MHz Pentium processor with MMX technology
- 512KB L2 Cache
- · ATX Motherboard with 430TX PCIset
- 32MB SDRAM
- · 4.3GB Ultra DMA Hard Drive
- 3.5" Floppy Drive
- · 24X max Variable Speed CD-ROM
- · Number Nine Reality 334 PCI, 4MB SGRAM
- Altec® Lansing ACS-45 Speakers
- · Integrated Yamaha Sound
- · 2 USB Ports
- NEC C550 15" Monitor (14" viewable)
- · Microsoft Windows 95 and MS Office 97 Small Business Edition
- · 3-Year Limited Warranty with 1-Year On-Site Service
- * Upgrade to Altec Lansing ACS-410 Speakers with ACS-251 Subwoofer, add \$69
- * U.S. Robotics x2 56Kbps* Capable Modem, add \$119
- * DirecPC Satellite, add \$299

\$1879

Business Lease: \$68/mo. Code # D5022

Call now for immediate delivery from

now for immediate delivery from 1-888-8-NEC-NOW our factory or for a free catalog.



as videoconferencing, collaborative work sharing, and telemedicine.

Is the telephone dead? Says Teledesic president Russell Daggatt, "It's not going to replace the current phone network—the capacity isn't there." Put simply, terrestrial networks and satellite networks will complement each other. "Nobody's going to put up a satellite dish and take out their telephone," agrees Ron Maehl, president of Cyberstar. "We don't believe satellite should compete with fiber or Asymmetric Digital Subscriber Line (ADSL)—it should complement them, especially for bursty service. Use the technologies for what they're best suited."

LEO vs. GEO

But bandwidth is only half the story. The other half is latency—the amount of time for your data to get from point A to point B. Here is where the rubber starts to meet the road. It's all well and good to talk about high-bandwidth satellite systems—that technology has existed in VSATs for years. But to deliver on the promise of highly interactive satellite networks is a different matter altogether. "There are some applications not suitable to satellite," says Karl

Savatiel, president of Astrolink and vice president for broadband systems at Lockheed. "Bond transactions, for example, are too latency-sensitive."

That is true—at least for a GEO system such as Astrolink. GEO satellites park some 22,300 miles above the equator: 0.24 second—an eon to computers—of round trip away. With that kind of latency built into the system (not counting whatever latency is added by the various gateways and translations the data must go through), a telephone conversation is an annoying, awkward mess. And any kind of interactive application has to be nonlatency-sensitive. So Bank of America can probably forget putting its on-line transaction processing (OLTP) system through a geostationary satellite. Such systems include not only Astrolink, but Loral's Cyberstar and Hughes' Spaceway projects.


So here's a simple solution: Move the satellites closer to earth. That's just what systems such as Teledesic, Alcatel's Skybridge, and Motorola's Celestri will do. With low earth orbits (LEOs) under 1000 miles, these systems offer latency that's barely apparent: hundredths of a second.


Of course, it's not that simple. While

GEOs are a well-known technology (TV broadcasts, for example, have been using them for decades), LEOs are new and face new challenges. Perhaps the biggest one is that you need a lot of them to get total global coverage. At one point, Teledesic planned a constellation of more than 800 satellites, for example (that number recently dropped to 288 when it signed an agreement to work with Boeing). Until recently, the concept of launching dozens or hundreds of multimillion-dollar satellites was a pipe dream.

Each of Teledesic's 288 satellites will cost in the realm of \$20 million, according to Daggatt. That's \$5.76 billion just in satellites. That does not include launch fees or insurance—which, in the case of some satellite systems, is the price of the satellite again.

Price is only one issue. Who is going to launch all these satellites? Teledesic has set an 18-month to two-year launch window to get its 288 satellites airborne. All told, the LEO system creators are talking about putting more satellites into orbit in the next five years than the world has put into orbit since the Soviets launched Sputnik 40 years ago. To make it happen, a huge





Tomorrow's display, today.

ViewSonic VP140

- 14" Viewable
- Active matrix color LCD
- 1,024 x 768 max. resolution at 75Hz
- TCO Compliance
- Plug & Play

The ViewSonic VP140 ViewPanel® is equally at home as a desktop space saver or a slim line wall display. This ergonomically designed 14" Active Matrix LCD color display offers a full 14" viewable area-more than most traditional 15" displays. With a depth of only 2.5" and weighing a mere 12.1 pounds, the VP140 uses 90% less desktop space than a standard CRT

display. But for all it's compactness, it's a big performer thanks to ViewSonic's LuCid™ technology which enables sharp, clear images and extraordinary brilliance (1,024 x 768 at 75Hz maximum resolution).

Be a leader, don't follow one.

Corporate America is jumping on the VP140 bandwagon. You can get a bead start by calling (800) 888-8583, and asking for agent 4007 for the ViewSonic dealer nearest you.



Some Satellite Personal Communications Systems Ellipso Odyssey GlobalStar **OrbComm** Iridium Backers Westinghouse. TRW. Inmarsat, Loral. Orbital Sciences, Motorola. Harris, Israeli TeleGlobe Hughes Qualcomm, Teleglobe, and Raytheon Aircraft Space Alcatel, France. many others Industries Telecom and many others Use Voice, fax, Voice, fax, Voice and Voice, data, Messaging Voice, paging, messaging messaging messaging and fax and tracking data, fax Altitude Elliptical: 325-6471 6459 884 484 483 (miles) 4904; 5025 Spectrum UHF L, S, S and C L, S, and C VHF L and Ka request and Ka Data 0.3 - 9.69.6 Kbps 2.4 Kbps 7.2 Kbps 56.7 Kbps 2.4 Kbps throughput Kbps **User terminal** \$1000 \$300 Several \$750 Starting at \$500 \$2500cost (est.) hundred \$3000 System cost \$0.75 \$1.8 \$2.6 \$2 \$0.33 \$3.7 (billions) **Operations start** 1998 2000 2000 1998 1995 1998 Number of satellites 17 15 56 36 72

jump in launch capacity is necessary.

Once the LEO satellites are in orbit, there's an entirely new set of problems. First, there's the matter of space junk: left-overs from past space missions of all sizes, speeds, and lethality. "With all these satellites in orbit, it's possible that debris will start running into them," says the Teal Group's Caceres. "They aren't that far from manned systems." Great—just what Mir needs.

More Problems for LEO

If the satellites don't get aced by space junk, they still will fall into the atmosphere eventually. Unlike GEOs that, when their operational life is over, move into a parking orbit a few miles higher than normal, LEO systems will burn up in the atmosphere, like SkyLab. Although satellite life may be 10 or 12 years, "with LEOs, you must have a plan for satellite replacement," says Myron Wagner, vice president and director of engineering for Motorola's Celestri system (a hybrid LEO/GEO system). It's possible, however, and Wagner cites Iridium as a pioneer in this field.

Let's say you solve these challenges. There are more. For example, there's the matter of acquiring and tracking these fast-moving satellites. A LEO satellite may be visible for only 20–30 minutes before it passes over the horizon. This poses no small feat for aiming the antenna and keeping the link active.

A technology called a phased-array antenna solves the antenna problem. Unlike a satellite dish, which mechanically tracks satellite locations, phased-array antennas are self-aiming boxes consisting of many smaller antennas. They can track several satellites using the slightly different signals received by the array of antennas—without physically moving, reducing wear and tear among other advantages.

The problem of keeping a link active when your satellite disappears every half hour is solved by keeping at least two satellites in view at all times (many LEOs will keep three or more in view). The antenna array is aware of all the satellites' positions and starts a new link before it severs the one to the setting satellite. This is "make before break" in satellite parlance.

All LEOs have to solve these challenges. Some of them have others, too. For example, there is the matter of whether a LEO constellation uses intersatellite routing. The problem is, how do you get a signal from the footprint of one satellite into the footprint of another? In other words, if a LEO user in New York wants to communicate with one in Moscow, the LEO system needs to figure out how to route the signal.

If the system is a bent pipe, such as Alcatel's Skybridge, the satellites don't have to be very smart. The LEO satellite over New York will beam the signal down to a ground station, which will route the signal over landlines to a ground station near Moscow.

That station will feed the signal up to the LEO satellite over Moscow, which will in turn bounce it down to the user there.

According to Motorola's Wagner, however, "Bent pipes are not good. There are too many hops from sky to earth." And that means dreaded latency—defeating the whole reason LEOs are supposed to be better than GEOs. Instead, some systems, including Teledesic and Celestri, use satellite-to-satellite routing. The Teledesic constellation communicates in the 40–50-GHz band. Celestri uses lasers for its links.

The downside is, of course, that each satellite has to have more communications and tracking hardware—more intelligence—and therefore a higher price than a bent-pipe system. Also, the performance gain over a bent pipe is not tremendous—a few hundredths of a second.

Alcatel's Skybridge faces yet another set of challenges, because it selected the Kuband instead of the Ka-band. According to Mark MacGann, director of public affairs for Skybridge, this lower frequency lets Skybridge be "the cheapest system in low earth orbit." That's because Skybridge can use less powerful transmitters. The Kuband is pretty crowded, though, with many GEOs working there, and that spells interference when Skybridge satellites are over the equator. "We took the GEO arc," says MacGann, "and defined a nonoperating zone of a minimum of plus or minus 10 degrees. Once a Skybridge satellite comes

YOU WOULDN'T LET : YOUR BEETS GET MIXED UP

WITH YOUR POTATOES



SO WHY
LET YOUR data
SLOP INTO THE

operating systems

ON YOUR HARD DISK?

NOW YOU CAN **organize**AND **protect** EVERYTHING
ON YOUR HARD DISK
WITH **PartitionMagic® 3.0!**

By dividing your hard disk into physically separate partitions, PartitionMagic lets you organize your hard disk to protect valuable data files from mixing with potentially sticky applications and operating systems. PartitionMagic also simplifies backups, especially to devices like ZIP™ drives, because you can just backup the partition containing the data you need. And with the move feature of PowerQuest MagicMover,™ you can move applications from one partition to another without losing a single setting, preference, or file. For more information, visit our Web site at www.powerquest.com.

"PowerQuest's PartitionMagic is our choice for repartitioning a large hard disk." Brian Nadel, *PC Magazine*

"In less than five minutes, I not only divvied up my hard drive, but changed my mind and divvied it up again ... it's easy to use." Steve Bass, *PC World*















Buy PartitionMagic 3.0 and get \$15 back from PowerQuest[®] Visit your local software reseller or call 1-800-720-0399 for details.

Babbagge's • Best Buy • CompUSA • Computer City • Egghead Electronics Boutique • Fry's • J&R • Micro Center • Office Depot • Software Etc.

© 1997 PowerQuest Corporation. All rights reserved. PowerQuest and PartitionMagic are registered trademarks of PowerQuest Corporation. Parents pending



within that arc, it shuts off its offending beams, and the ground terminal switches to another satellite." A simple solution.

Niches in the GEO Sphere

In spite of the concerns of latency, GEOs and LEOs will likely coexist. Guy Christensen, of Leslie Taylor and Associates, sums up the markets based on whether the system is a GEO, with its inherent 0.24-second delay, or a low-latency LEO. LEOs will be good for high-speed networking, teleconferencing, and telemedicine—interactive applications. GEOs will be better for information downloading and video distribution—broadcasting and multicasting.

Some GEO vendors disagree. Hughes' Conti says, "Today, we're able to use GEO satellites to transport at least 24 Mbps of broadcast IP data and over 2 Mbps of point-to-point TCP/IP data. The latter uses technologies such as TCP spoofing. HNS has been using this technique for over three years to deliver Internet/intranet content at high speed to both consumers and enterprises." If necessary, ground terminals using the Spaceway system will use similar TCP spoofing technologies.

But there's still the 0.24-second delay that you just can't get around. Daggatt says that any lossless protocol is going to have problems with this latency. Even if TCP spoofing works (and he is skeptical about that, given TCP's 64-Kb buffer), there's the matter of other protocols. "It's reasonable to think that future network protocols will be designed for terrestrial networks," he says. "You need systems that offer low error rates and low delay. People talk about voice and data as though there were two types of data. They aren't. And if the network doesn't work for voice, it won't work for other applications."

LEO Meets GEO

One of the systems I looked at is considering offering the best of both worlds: a hybrid solution. Motorola's Celestri plans a LEO constellation of 63 satellites (initially) coupled with one GEO satellite over the U.S. Motorola has the rights to eight more GEO orbital slots if it needs them. The LEO constellation and the GEO satellites will be able to communicate directly through a satellite-to-satellite network.

"We want users to be unaware of the kind of system they're using. The only way we know to do that is with a LEO configuration," says Wagner. The hybrid con-

The Air Up There

ne easy way to distinguish among the many new satellite systems is by how high up they are. This is also one key factor in determining how many satellites a system needs for worldwide coverage and how powerful those satellites must be. If an antenna can cover 15 degrees, for example, that same arc covers a much smaller area if the satellite is 200 miles away than if it's 20,000 miles away. However, it will require much less power to deliver a signal from 200 miles away than from 20,000 miles away. Satellite people have four basic terms to describe different altitudes.

GEO: Short for geosynchronous earth orbit, GEO satellites orbit at 22,238 miles above the earth's equator. At this altitude, the period of rotation of the satellite around the earth is exactly 24 hours. The satellite seems to stay above exactly the same point on the earth's surface. (As a footnote, this orbit is called a Clarke orbit, named for the author Arthur C. Clarke, who first posited in 1945 that it should be possible. According to BYTE senior contributing editor Jerry Pournelle, Clarke never got the patent he sought for figuring it out.) Most of today's satellites are GEOs, as are planned broadband systems such as Hughes' Spaceway and Loral's Cyberstar.

GEOs require few satellites to cover the entire earth's surface. However, they're saddled with a 0.24-second latency for a signal to travel from earth to satellite and back to earth again. GEOs also need to obtain specific orbital slots around the equator to keep far enough apart, each separated by 2 degrees, or about 1000 miles, according to Erwin Edelman, demonstrations coordinator at NASA's Lewis Research Center. The ITU and, in the U.S., the FCC mete out these slots.

MEO: According to Marco Caceres of the Teal Group, medium earth orbit satellites orbit at altitudes between 6250 and 12,500 miles. Unlike GEOs, their position changes relative to the earth's surface. At their lower altitudes, you need more of them to achieve complete coverage of the earth's surface, but the latency reduces substantially. Right now, according to Caceres, there aren't many MEOs, and the ones in orbit are used for positioning.

LEO: Low earth orbits promise extremely high bandwidth and low latency. Plans exist for huge constellations of hundreds of satellites that will cover the entire globe. LEOs generally orbit below 3125 miles. Most of them are much lower: only 400–1000 miles. At these altitudes, latency reduces to nearly negligible times—hundredths of a second.

Three kinds of LEOs handle different amounts of bandwidth. Little LEOs are low-bandwidth applications (tens to hundreds of Kbps) such as paging and include systems such as OrbComm. Big LEOs can handle paging, cellular services, and some data transmission (hundreds to thousands of Kbps). Examples include GlobalStar and Iridium. Broadband LEOs (sometimes called mega-LEOs) operate in the Mbps range and include Teledesic, Celestri, and Skybridge.

HALE: High-altitude, long-endurance platforms are basically a solar-powered, lightweight airplane or lighter-than-air craft that hover over an unmoving spot some 70,000 feet above the earth's surface. Not often talked about, and right now primarily a research venture. An example of a HALE that uses blimps is Skystation.


figuration will enable Celestri to take advantage of LEO's shorter delays for interactive uses and GEO's power in the broadcast arena.

Alcatel and Lockheed have had similar thoughts. They are looking at a partnership that will enable Skybridge and Cyberstar to work together through land-based gateways. It's not going to be quite as transparent as Celestri's system, because it will need to route traffic through terrestrial gateways, but it does hint at the power of a hybrid configuration.

Space Security Unit

Once you get beyond the latency and bandwidth issues (which is what the satellite creators spend a lot of time arguing over), there is another challenge: security. If your data is being packaged up and broadcast into space, can't anybody with a scanner just tune in? In theory, the answer is yes. But the access technologies that these systems use—combinations of code division multiple access (CDMA), time division multiple access (TDMA), frequency division multiple access (FDMA), and a bunch of other xDMA protocols—make that at least as difficult as it will be to intercept a digital cellular signal. On top of that, many of the networks will offer some kind of internal security systems. But exactly what kind? Well, that gets a bit murky.

All the vendors I spoke with told me that they were aware of the potential security



Surf Cordless.

Panasonic introduces the Cordless Data Link. A cord-free connection for your modem.

You can go anywhere in the world on the Internet. As long as you're in front of your computer. Connected to a modem. Connected to a phone cord. That's connected to the wall. Well, now you can disconnect and go up to 100 feet away, with the Cordless Data Link from Panasonic. The portable unit connects to your laptop and transmits a 900 MHz signal to the base unit plugged into your phone jack. Up to v.34 (28.8 kbps). So, now Internet users will finally go someplace they never go. Outside.

For more info, call for fax on demand at 1-888-329-4872. www.panasonic.com Circle 127 on Inquiry Card. Panasonic

concerns that customers would have. Few, however, had concrete solutions. Sig Dekany of Astrolink, for example, says, "I can say only that it does involve encryption. Additionally, second-tier security at the user level will come by way of publickey encryption." Representatives at Spaceway and Cyberstar were even less forthcoming, saying only that they were working on the problem and had not yet decided on a solution. Teledesic said that there is encryption within its network. and, if users want, they can add more. That seems to be the general consensus: If you want security, you're going to have to add it yourself.

But is that so different from running private business over any public network? Would you, for example, engage in trusted transactions over the Internet? Of course not. You would purchase some kind of encryption software, a virtual private network (VPN) system, for example. And because all the satellite systems claim that they will be completely transparent to your network, it's likely that the VPN system you purchase for the Internet will work just as well—and just as transparently—over a satellite system.

Down-to-Earth Price Tags

What will be the price for this magical universal service? Surprisingly, on a perbit basis, every company I talked to said it will be probably not much more than what you're paying for your landline ser-

Whatt	he Band Names Mean
Band Name	Frequency Range
HF-band	1.8–30 MHz
VHF-band	50-146 MHz
P-band	0.230-1.000 GHz
UHF-band	0.430-1.300 GHz
L-band	1.530-2.700 GHz
FCC's digital radio	2.310-2.360 GHz
S-band	2.700-3.500 GHz
C-band	Downlink: 3.700–4.200 GHz Uplink: 5.925–6.425 GHz
X-band	Downlink: 7.250–7.745 GHz Uplink: 7.900–8.395 GHz
Ku-band (Europe)	Downlink: FSS: 10.700–11.700 GHz DBS: 11.700–12.500 GHz Telecom: 12.500–12.750 GHz Uplink: FSS and Telecom: 14.000–14.800 GHz; DBS: 17.300–18.100 GHz
Ku-band (America)	Downlink: FSS: 11.700–12.200 GHz DBS: 12.200–12.700 GHz Uplink: FSS: 14.000–14.500 GHz DBS: 17.300–17.800 GHz
Ka-band	Roughly 18-31 GHz

vices. That may seem like a pretty amazing statement, considering the investment required to get some of these systems running—Teledesic, for example, is forecasting a \$9 billion start-up charge (which some critics say is low); Motorola's Celestri is at \$13 billion. But Teledesic president Daggatt thinks it's reasonable. "It's a very high-capacity system. And

unlike a wire-line network, where all the capacity of the infrastructure is rigidly dedicated to locations and users regardless of whether they are actually using it at any particular moment, Teledesic offers 'bandwidth on demand,' where the system capacity used is limited to that required by a particular user and a particular application at a particular

I'm with the Band

The electromagnetic spectrum is an ongoing problem for everybody. To start off with, the common names for certain frequency ranges—or bands—date back to World War II. But worse, inconsistencies and anachronisms in the regulatory process may make it more difficult than necessary to get the bandwidth that a new system needs.

According to Ed Elizondo, systems engineering consultant at Lockheed, the IEEE has been pushing for a standard naming convention that would be easier to understand. Still, most people refer to segments of the radio spectrum by letter-band classifications that are often vague. In

World War II, U.S. and British radar developers named parts of the spectrum with letters, such as L-band, C-band, Ku-band, and Ka-band (see the table "What the Band Names Mean"). The letters were chosen at random, so that the enemy wouldn't know what they were talking about. Over the years, some discrepancies crept into the labels, making some of the designations imprecise.

Many of the satellite system vendors cited the regulatory process as a problem. Skybridge's Mark MacGann puts it this way, "Spectrum is a scarce resource. The ITU has always allocated frequency on a first-come, first-served basis. But that cannot continue."

Indeed, the whole regulatory process could drive a neophyte nuts. According to Lockheed's Karl Savatiel, the process in the U.S. is highly iterative. You file with the FCC for authority to construct radio beacons at a particular frequency (and a position in the case of GEOs). If someone asks for the same frequency, the FCC makes its decision based on the greater public good. If there's a conflict, there may be an auction (which is what happened with the Ka-band when it opened up).

Then the FCC takes all the U.S. filers to the ITU—the international coordinating body. However, because the ITU allocates bandwidth on a first-come, first-served basis.

while the FCC is resolving U.S. conflicts, other countries that can resolve conflicts quicker may be getting orbital slots and frequencies that U.S. companies were counting on.

Then it goes back to the FCC's drawing board. "The FCC has teeth in its process," says Savatiel. "If you don't deliver in five years, you lose your slot; the ITU has fewer teeth—you won't lose it for at least nine years."

Until recently, this arrangement hasn't been a problem. However, if future spectrum allocations are as heated as the Ka-band's, the ITU may need to reconsider its process to add more teeth—perhaps a "greater public good" system.

STATISTICA (automatically configures itself for Windows 95/NT [long file names, etc.] or 3.1) • A complete data analysis system with thousands of on-screen customizable, presentation-quality graphs fully integrated with all proce-

dures Comprehensive Windows support, OLE (client and server), DDE, customizable AutoTask toolbars, pop-up menus Multiple data-, results-, and graphwindows with data-graph links The largest selection of statistics and graphs in a single system; comprehensive implementations of: Exploratory techniques with advanced brushing; multi-way tables with banners (presentation-quality reports); nonparametrics; distribution fitting; multiple regression; general nonlinear estima-tion; stepwise logit/probit; general ANCOVA/MANCOVA; stepwise discriminant analysis; log-linear analysis; confirmatory/exploratory factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; correspondence analysis; survival analysis; a large selection of time series modeling/forecasting techniques; structural equation modeling with Monte Carlo simulations; and much more On-line Electronic Manual with comprehensive introductions to each procedure and examples Hypertext-based Stats Advisor expert system Workbooks with multiple AutoOpen documents (e.g., graphs, reports) - Extensive data management facilities (fast spreadsheet of unlimited capacity with long formulas, Drag-and-Drop, AutoFill, Auto-Recalculate, split-screen/variable-speed scrolling, advanced Clipboard support, DDE links, hot links to graphs, relational merge, data verification/cleaning) Powerful STATISTICA BASIC language (professional development environment) with matrix operations, full graphics support, and interface to external programs (DLLs) Batch command language and editable macros, flexible "turn-key" and automation options, custom-designed procedures can be added to floating Auto Task toolbars • All output displayed in Scrollsheets' (dynamic, customizable, presentation-quality tables with instant 2D, 3D, and multiple graphs) or word processor-style report editor (of unlimited capacity) that combines text and graphs Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000, virtually unlimited ANOVA designs) Megafile Manager with up to 32.000 variables (8 Mb) per record Unlimited size of files; extended ("quadruple") precision; unmatched speed Exchanges data and graphs with other applications via DDE, OLE, or an extensive selection of file import/export facilities (incl. ODBC access to virtually all data bases and mainframe files) - Hundreds of types of graphs, incl. categorized multiple 2D and 3D graphs, ternary 2D/3D graphs, matrix plots, icons, and unique multivariate (e.g., 4D) graphs ■ Facilities to custom-design new graph types and add them permanently to menus or toolbars On-screen graph customization with advanced drawing tools (e.g., scrolling and editing of complex objects in 32x real zoom mode), compound (nested) OLE documents, Multiple-Graph AutoLayout Wizard, templates, special effects, icons, page layout control for slides and printouts; unmatched speed of graph redraw ■ Interactive rotation, perspective and cross-sections of 3D displays ■ Large selection of tools for graphical exploration of data: extensive brushing tools with animation, fitting, smoothing, overlaying, spectral planes, projections, layered compressions, marked subsets Price \$995.

Quick STATISTICA (for Windows) A subset of STATISTICA; comprehensive selection of basic statistics and the full analytic and presentation-quality graphics capabilities of STATISTICA - Price \$495.

STATISTICA Industrial System (requires STATISTICA or Quick STATISTICA) The largest selection of industrial statistics in a single package; quality control charts (real-time data acquisition options), process capability analysis, R&R, sampling plans, and an extremely comprehensive selection of experimental design (DOE) methods Flexible tools to customize and automate all analyses and reports (incl. "turn-key" system options, and tools to add custom procedures) Price \$995.

STATISTICA/Mac (for Macintosh) Price \$695 (Quick - \$395).


Domestic sh/h \$12 per product; 30-day money back guarantee


STATISTICA has received the highest rating in **EVERY comparative review of statistics software** in which it was featured, since its first release.





2300 F. 14th St. • Tulsa, OK 74104 • (918) 749-1119 Fax: (918) 749-2217 · WEB: http://www.statsoft.com e-mail: info@statsoft.com


- StatSoft Ltd. (London, UK), ph: +44 1234 341226, fax: +44 1234 341622
- StatSoft GmbH (Hamburg, Germany), ph: +49 40/468866-0, fax: +49 40/468866-77 StatSoft France (Paris, France), ph: +33 01-45-185-999, fax: +33 01-45-185-285
- StatSoft Polska Sp. z o.o. (Krakow, Poland), ph: +48 12-391120, fax: +48 12-391121
- StatSoft Italia (Padova, Italy), ph: +39 49-893-4654, fax: +39 49-893-2897
- StatSoft Pacific Pty Ltd. (Australia), ph: +613 9521 4833, fax: +613 9521 4288
- StatSoft Japan (Tokyo, Japan), ph: +813 3667 1110, fax: +813 3668 3100
- StatSoft Taiwan (Taipei, Taiwan, R.O.C.), ph: +886 2 5786587, fax: +886 2 5793179
























System type	Frequency bands	Applications	Terminal type/size	Examples
Fixed satellite service	C and Ku	Video delivery, VSAT, news gathering, telephony	1-meter and larger fixed earth station	Hughes Galaxy, GE American, Loral Skynet, Intelsat
Direct broadcast satellite	Ku	Direct-to-home video/audio	0.3-0.6-meter fixed earth station	DirecTV, Echostar, USSB, Astra
Mobile satellite (GEO)	L and S	Voice and low-speed data to mobile terminals	Laptop computer/ antenna-mounted but mobile	Inmarsat, AMSC/TMI, ACES
Big LEO	L and S	Cellular telephony, data, paging	Cellular phone and pagers; fixed phone booth	Iridium, GlobalStar, ICC
Little LEO	P and below	Position location, tracking, messaging	"As small as a packet of cigarettes" and omnidirectional	OrbComm, E-SAT
Broadband GEO	Ka and Ku	Internet access, voice, video, data	20-cm, fixed	Hughes Spaceway, Loral Cyberstar, Lockheed Astrolink
Broadband LEO	Ka and Ku	Internet access, voice, video, data, videoconferencing	Dual 20-cm tracking antennas, fixed	Teledesic, Skybridge, Celestri, Cyberstar

moment. That allows the high system capacity of the Teledesic network to extend to a very large user base."

Other system operators agree. Savatiel says, "The price can compete with underutilized T1s, like 25 percent utilized T1s." Astrolink will be in the range of 20 to 25 cents per minute for 64 Kbps, but remember that you will pay only for time that you use. "If you provide a good value to end users, you'll be rewarded," says Savatiel. Astrolink will word reseller agreements to try to avoid price gouging—a practice more common in countries where telecommunications is a monopoly. Cyberstar's Maehl puts it a different way: "We're

trying to wait to see what the market wants." He sees Cyberstar's service coming in at about \$20 per month for basic service on its Ku-band system (which has a lower bandwidth than the planned Kaband system) and a similar price on its eventual Ka-band system.

The price you see as a customer, however, is likely to be set by your service provider. Satellite system creators are wholesale service providers. None of the satellite systems will be selling bandwidth to end users. They'll sell to gateway providers such as telephone companies, who will probably resell the satellite bandwidth to service providers (like ISPs), who will sell to customers.

The goal is to make the satellite systems transparent to end users—you buy the service, and somebody else worries about the plumbing. This transparency is incredibly important. Cyberstar, for example, is working on deals with router vendors to facilitate intelligent routing of hybrid networks. "Satellite guys can't just do satellites—we have to know about the network architecture as well," says Maehl.

Shooting for the Stars

According to analysts conducting research for Motorola, the total telecommunications market is about \$650 billion, and that's going to double in 10 years, chiefly

due to data communications. In other words, there are a whole lot of people out there needing a whole lot of bandwidth. And we'll need every hose we have to put out that fire: fiber, ATM, Synchronous Optical Network (SONET), xDSL, Gigabit Ethernet, cable modems, satellites, and probably a few that haven't even been thought of yet.

"I don't think the fact that it's a satellite system is going to make a difference," says Guy Christensen. He sees all telecommunications systems competing on their availability, price, and speed. That means there are going to be two big winners: whoever gets its broadband service to consumers first, and whoever can offer the most bandwidth with at least not-unreasonable latency.

At this point, the race could fall to any of the companies putting together a broadband satellite system. Or even to someone we've never heard of. The profile of the broadband satellite race has changed a great deal since last spring. AT&T has dropped out. Teledesic changed its configuration. And Motorola is collapsing two of its systems (M-Star and Millennium) into Celestri.

Gentleman, to your launch pads. B

Alcatel Paris, France +33 1 4058 5858 http://www.alcatel .com/our_bus/telecom/ products/space/ whatsnew.htm

Hughes Communications, Inc. Long Beach, CA 310-525-5000 http://www.spaceway .com

Lockheed Sunnyvale, CA 888-278-7565 408-543-3103 http://www.astrolink

Loral Palo Alto, CA 650-852-5736 http://www.cyberstar

Motorola Chandler, AZ 602-732-4018 http://www.mot.com/

Teledesic Kirkland, WA 425-602-0000 http://www.teledesic

John Montgomery is BYTE's West Coast bureau chief. You can reach him at jmontgomery@dev5.byte.com.

Socket to Me

The Pentium II's proprietary slots could extend Intel's control over the PC architecture. That's bad for Intel's competitors. But what does it mean for users?

By Tom R. Halfhill

ou can't fit a square peg in a round hole. And lately, Intel has much of the PC industry feeling like a square peg. The round holes are the new CPU interfaces Intel has been introducing for its P6-class processors. They

are making it more difficult for rival chipmakers to compete with Intel, and they're dividing the industry into camps that are fighting over the future of the PC system architecture. Caught in the

crossfire are users. Will the PC standard they've always thought was open soon become proprietary?

It all started in 1995 when Intel introduced the first P6class microprocessor, the Pentium Pro. At the same time, Intel rolled out a new interface-called Socket 8-that connects the Pentium Pro CPU to the motherboard. The 387pin Socket 8 was incompatible with Socket 7, which is the standard 296-pin ZIF socket used by all P5-class processors, including Intel's own Pentiums, Advanced Micro Devices' K5 and K6, Cyrix's 6x86 and 6x86MX, and Centaur Technology's new IDT-C6.

Last May, Intel introduced another P6-class processor, the Pentium II, and another new CPU interface, Slot 1. Electrically, Slot 1 is identical to Socket 8. But physically, the Pentium II and Slot 1 represent major departures from past standards.

Instead of selling the CPU in

a small ceramic or plastic package studded with pins—the flat, black square commonly referred to as a chip—Intel encloses the Pentium II in a much larger carrier known as a Single Edge Contact (SEC) cartridge. It's really a daughtercard sealed inside a protective housing, and it's the only way anyone can buy a Pentium II. The SEC cartridge requires a 242-contact Slot 1 on the motherboard.

Intel isn't stopping there. In mid-1998, the company will introduce another Pentium II processor (code-named Deschutes) and another interface for desktop systems, Slot 2. For notebook computers, Intel will introduce a miniaturized version of the SEC car-

tridge and a miniaturized version of Slot 1, which will also work with Deschutes-series processors.

It's the biggest barrage of CPU interfaces in industry history, but that's not the problem. The problem—from the viewpoint of Intel's competitors—is that all these new sockets and slots are Intel's proprietary technology. And Intel doesn't want to share them with just anybody. The chip giant is guarding the

new interfaces with strong patents that make reverse-engineering a much greater legal challenge than a technical challenge. Although Intel allows motherboard manufacturers to use the new interfaces, it won't license them to rivals who produce x86-compatible processors. And that puts many companies in a difficult position.

AMD, Cyrix, and Centaur can't make processors that fit motherboards with SEC slots. Vendors of corelogic system chip sets can support the slots, but only if they can license proprietary technology from Intel. Motherboard companies can't make motherboards that accept P6-class processors from any x86 vendor, as they can today with Socket 7 and P5-class processors. They also can't make Socket 7 motherboards with Intel's latest system chip sets (because the chip sets aren't

sors from any x86 vendor, as they can today with Socket 7 and P5-class processors. They also can't make Socket 7 motherboards with Intel's latest system chip sets (because the chip sets aren't compatible with Socket 7), and they face a more limited choice of chip-set suppliers for SEC motherboards because some would-be suppliers don't have an Intel license.

These are unexpected obstacles for an industry that has been comfortably making PC clones for more than a decade. Motherboard makers have to choose sides because it costs too much to build motherboards with both a Socket 7 and an SEC slot. Users will have to make a choice, too.

One solution, of course, is to stick with Intel, whose processors offer the best all-around x86 performance (integer, FP, MMX). But Intel CPUs cost about 25 percent more than CPUs



from other x86 vendors, and SEC motherboards cost \$30 to \$100 more than Socket 7 motherboards.

The PC market has always thrived on competition. But now it's almost as if PCs are following the lead of the Macintosh—a historically proprietary architecture that's going proprietary again after a brief fling with cloning.

What's Open?

It's easy to portray Intel as the bad guy. "Intel is trying to do exactly what IBM tried to do in 1987 by driving the industry toward a proprietary bus, in that case Micro Channel," says Glenn Henry, president of Centaur Technology and a former IBM Fellow. "In fact, that's one reason why I left IBM. I thought they were being stupid."

Henry is referring to IBM's Micro Channel architecture, an internal peripheral bus that IBM pushed as the successor to ISA. Micro Channel was a proprietary bus that other companies had to license from IBM. If successful, Micro Channel might have forced some clone companies out of business and restored IBM's control over the PC architecture it invented in 1981. But the bus failed to catch on. "Customers voted Micro Channel out of existence," says Henry. "Now it's in the Computer Hall of Shame."

Without question, Intel is gradually establishing control over the PC architecture. The critical components of a PC are the CPU, the system chip set, the graphics controller, the memory chips, and the motherboard. Intel makes about 90 percent of the CPUs and 80 to 85 percent of the system chip sets. Intel is also the leading motherboard manufacturer.

Intel recently announced its intention to acquire Chips & Technologies, which makes key components for notebook computers and is working with Intel and Hughes to develop a 3-D graphics controller chip (code-named Auburn); this controller is a threat to companies such as S3. Intel also owns part of Rambus, which stands a good chance of setting the future standard for memory chips. Intel and Rambus are promoting Rambus DRAM (RDRAM) as the successor to synchronous DRAM (SDRAM), which would mark the first time since 1974 that a single company controls the DRAM standard.

Not since IBM's heyday in the early 1980s has a company enjoyed so much dominance over the PC architecture. And

Intel has done it without selling a single PC under its own name. It seems the only thing beyond Intel's reach is the OS, which is still firmly in the grip of Microsoft.

Does that make Intel the Evil Empire? Before indulging too deeply in conspiracy theories, keep four points in mind:

- Like any company, Intel has a right to invent technologies and protect them with patents. "As an Intel stockholder, I would get very upset if Intel gave away its most valuable secrets without getting anything for them," says Manny Vara, Intel's public relations manager for desktop CPUs.
- Intel had solid technical reasons for inventing a new CPU interface. Socket 7 doesn't have enough bus bandwidth for high-end systems and servers, especially multiprocessor (MP) configurations. All

bus traffic on Socket 7 moves across a single 64-bit-wide bus. At the typical bus frequency of 66.6 MHz, that's about 533 MBps of peak bandwidth. Even when the bus frequency increases to 100 MHz next year, it still won't be enough for highend systems. (See the figure "Comparing Peak Bus Bandwidth," page 75.) So Intel added a second 64-bit-wide bus to the Pentium Pro and Pentium II. This backside bus talks independently to the Level 2 (L2) cache and runs faster than the frontside bus. It needs at least 72 more pins than were available on Socket 7.

• Not everyone is frozen out; Intel does share some of its P6 technology with others. For example, it helps companies such as Corollary, NCR, and Hyundai develop P6-compatible chip sets for MP systems with more than four CPUs. Intel says those

Sorting Out the Slots

All of Intel's P6-class processors use a similar electrical interface—only the physical interfaces are markedly different. Is this a ploy to make the interfaces more difficult to clone? No, because the physical connectors are available from independent suppliers, and anyone can use them. Intel's patents protect the bus protocols, not the sockets and slots themselves.

Instead, Intel is trying to match each interface to the processor package and to different markets. Here's how they break down:

Socket 8 is a 387-pin ZIF socket for the Pentium Pro. It requires a multichip module—a special chip package that includes a CPU die and one or two SRAM die for the Level 2 cache (256 KB to 1 MB). The L2 cache can run at the full core frequency of the CPU (currently up to 200 MHz). The Pentium Pro supports an L2 cacheable address space of 64 GB and is found in high-performance desktops and servers.

Slot 1 is a 242-contact daughtercard slot that accepts a Pentium II processor

packaged as a Single Edge Contact (SEC) cartridge. Inside the cartridge are the CPU die and enough SRAM chips for an L2 cache of up to 512 KB. The current Pentium Il supports 512 MB of cacheable address space, much less than a Pentium Pro. Motherboards can have one or two of these slots. The frontside bus usually runs at 66.6 MHz and will increase to 100 MHz when Intel introduces the 440BX system chip set in the first half of 1998. The L2 cache can run at a 1:1, 1:2, or 1:3 ratio of the core frequency. However, it typically runs at 1:2 because higher frequencies would require expensive SRAMs, and Intel aims Slot 1 at mainstream desktops and servers.

Slot 2 is a new daughtercard slot that will accept Pentium II processors packaged in a slightly larger SEC cartridge. Slot 2 will not replace Slot 1. Instead, Intel will aim Slot 2 at higher-end desktops and servers. Motherboards can have up to four of these slots for glueless multiprocessing, and even more by using custom chip sets. There's room inside the larger cartridge for more SRAM chips—enough for L2 caches well beyond 512 KB. Slot 2 processors will support much more cacheable memory than Slot 1 processors (probably 64 GB). By using expensive burst SRAMs, the L2 cache can run at the full core frequency. The frontside bus won't run slower than 100 MHz.

Intel's **mobile slot** (as yet unnamed) is a physically smaller version of Slot 1 for notebook computers. Otherwise, it's the same as Slot 1. Intel also sells mobile processors on a small card known as a mobile module.

Contrary to some reports, future P6 chips aren't necessarily tied to specific slots. For example, the Deschutes processor-slated for mid-1998-is simply a Pentium II fabricated on a 0.25-micron process. (Current Pentium II chips are 0.35-micron.) Deschutes will arrive at clock speeds of 333 MHz and higher, and it will gradually replace today's Pentium II. There will be versions for Slot 1, Slot 2, the mobile slot, and the mobile module.

companies "advance the PC architecture," while rivals such as AMD and Cyrix merely undercut Intel's market share.


• Intel can't make the PC architecture proprietary because it was never truly open to begin with. This runs contrary to common wisdom, which holds that PCs are more popular than Macs because they're an open standard that anyone can clone. But in fact both the IBM PC and the Mac were proprietary from the start. The PC was cloned only because it was easier to clone. By inventing a bus protocol that's difficult to duplicate, Intel is proving that PCs aren't as open as many people think.

Preserving Socket 7

All this might seem to doom Socket 7 and Intel's competitors to the endangered species list. Not necessarily. Although Socket 7 lacks the bandwidth needed by high-end systems, it's still good enough for low- to mid-range systems—the kind most people buy. That also happens to be the mainstream market coveted by AMD, Cyrix, and Centaur.

"We are not limited by Socket 7. That's the clear message I want to get across," says Lance Smith, AMD's technical marketing director. "We're limited by time, more than anything else—the time we need to get new products out the door."

Early next year, new CPUs, system chip sets, motherboards, and SDRAMs will boost Socket 7's bus frequency to 100 MHz. That will boost the bandwidth to



Intel's CPU slots offer more peak bus bandwidth than Socket 7 because they drive a backside bus at higher frequencies.

800 MBps—50 percent more than today's 533 MBps at 66.6 MHz.

Meanwhile, engineers are striving to reduce bus traffic. Enlarging the Level 1 (L1) cache increases the possibility that a CPU will find the instructions and data it needs without venturing out on the bus. All CPUs have bigger L1 caches these days; AMD, Cyrix, and Centaur include 64 KB in their latest chips. That's twice as much cache as Intel's Pentium, Pen-

tium Pro, and Pentium II chips.

It's likely that AMD will add even more cache when the K6 moves from its current 0.35-micron fabrication process to 0.25-micron in the next few months. The smaller process will shrink the die from its current size of 162 square millimeters to a miniscule 68mm². That leaves plenty of room to add cache while still holding down the cost.


Centaur is taking a similar approach.

	PROS	CONS	LIKELY PLAYERS
1. Speed up the CPU bus	Faster overall performance for L2 cache and main memory	More expensive motherboards; probably fewer motherboard suppliers	Everyone
2. Enlarge the L1 cache	Higher rate of cache hits	Consumes more silicon area on the microprocessor	AMD
3. Enlarge the L2 cache	Higher rate of cache hits	Requires more SRAM chips	Unknown
4. Add an L2 backside bus	Separates cache traffic from frontside bus traffic	Adds expense to microprocessor and requires a daughtercard that plugs into Socket 7	Unknown
5. Integrate the L2 cache	Greatly speeds up access to L2 cache; eliminates need for external L2 cache or allows optional L3 cache	Consumes more silicon area on the microprocessor	Centaur, AMD
6. Use an in-line L2 cache	Speeds up access to L2 cache; doesn't consume any silicon area on microprocessor	Complicated design with multiple bus speeds; requires a daughtercard that plugs into Socket 7	System chip-set suppliers
7. Integrate the L2 cache in a multichip module (MCM)	Speeds up access to L2 cache over dedicated backside bus; doesn't require a daughtercard	Prohibitively expensive unless manufactured with IBM's C4 process technology	AMD, Cyrix



The right price. The right advice.

offer you



UMAX Astra 600S

Single-pass Resolution:
300 x 600 dpi optical, 4800 dpi
interpolated Scan speed:
3ms/line grayscale, 9ms/line
color Maximum scan area:
8.5" x 14" Scanning modes:
30-bit color, 10-bit grayscale
Software: Prestol,
PageManager with OCR, UMAX
Copy Utility, VistaScan

Astra 600S

\$169.74 CDW 85639

Astra 1200S Software: Presto!, PageManager with OCR, UMAX Copy Utility, VistaScan and Adobe PhotoDeluxe SYMANTEC PCANYWHERE32 V8.0

DCANYWHERE 2 For Windows V3.x, 95 and NT

Symantec pcANYWHERE32 V8.0 gives you optimal 32-bit support for both Windows 95 and Windows NT. It also includes versions of pcANYWHERE for Windows V3.1 and DOS so you can run pcANYWHERE on all the platforms you use. pcANYWHERE supports the latest, fastest hardware to optimize your connection time.

\$86.67 CDW 93322

*After \$70 mail-in manufacturer upgrade rebate. Restrictions apply–please call for details.

Prices!

Hardware, Software & Peripherals at

NETWORKING PRODUCTS Windows NT Server V4.0 Upg + 5-client license CD Upg + 10-client license CD Comp upg + 5-client license CD Comp upg + 5-client license CD Server + 10-client license CD Server + 5-client license CD Single-client license CD Single-client license Upg Single-client license Upg Windows NT Workstation V4.0 Version upg CD

Novell	
IntranetWare	
5-user CD	739.47
10-user CD	1394.10
25-user CD	2328.46
50-user CD	3305.47
Call for Novell IntranetW	lare upgrades.
IntranetWare for Small Busin	ess
1-user additional license	45.08
5-user additional license	218.23
Server with 5 licenses	598.63
Call for additional Novel	I IntranetWare
multi-ueor configu	vations



CILLIE	
ARCserve V6.1 for NetWare vorkgroup edition 25-user license408.03 ARCserve V6.1 for NetWare enterprise	
edition unlimited-user license1058.39	
CISCO SYSTEMS	

CHEVENIE

FastHub 104T 4-port 100BTX hub467.68
FastHub 108T 8-port 100BTX hub768.64
FastHub 216T 100BTX Fast Ethernet hub1839.45
2501 Ethernet dual serial router1737.25
766 ISDN access router609.89
COMPAQ.
Netelligent 10BT PCI controller81.48
Netelligent 10/100BTX PCI controller 98.57

Netelligent 5226 24-port Ethernet switch	
PACKARD	
HP JetDirect 150X print server	167.98
HP JetDirect 10/100BT print server	
card internal	.389.49
HP JetDirect Ethernet 10BT	.307.04
HP JetDirect EXPlus print server external	.289.40
HP JetDirect EXPlus3 print server external	.389.78

IBM Business	
IBM PC Server 310	
5/200 32MB no hdd 8X CD	2098.89
5/200 32MB 2.1GB 8X CD	2465.91
IBM PC Server 315	
6/200 32MB no hdd 8X CD	2399.63
6/200 32MB 2.1GB 8X CD	2799.96
IBM PC Server 330	
6/200 32MB ECC optional hdd 8X CD.	
6/200 32MB ECC 2x2.25GB 8X CD	7668.88

INPUT DEVICES
UMAX Astra 1200S scanner .377.18 w/PhotoDeluxe .377.18 Visioneer PaperPort mx scanner .149.26 Visioneer PaperPort ix scanner .149.26 Visioneer PaperPort Strobe scanner .249.99
MONITORS
MAG Innovision 410V2 14* 0.28mm
PC CARDS
PC CARDS
MODEMS
ACCURA 33.6K faxmodem internal 95.61
PRACTICAL PERIPPERALS 56K data/fay modern internal 129.97

MODEMS	and the		
Hayes			
ACCURA 33.6K faxmodem internal ACCURA 33.6K faxmodem external OPTIMA 336 Business Modem internal	119.41		
OPTIMA 336 Business Modem external ACCURA 56K internal	.179.91 .139.29		
ACCURA 56K externalACCURA 56K speakerphone internal ACCURA 56K speakerphone external	.177.98		
OPTIMA 56K internal OPTIMA 56K external	267.21 289.59		
ACCURA ISDN	.259.39		
(M) MOTOROLA			
ModemSURFR 56K internal	.145.22		
ModemSURFR 56K external	.158.12		
VoiceSURFR 56K internal			
VoiceSURFR 56K external	169.40		
BitSURFR Pro EZ ISDN	259.86		
PRACTICAL			
56K data/fax modem internal	129.97		
56K data/fax modem external	.159.91		

MODEMS	
WODEMS Sportser Series Sportser Series Sportser Series V34 33.6 internal w/fax	114. 139. 139. 159. 159. 217. 217. 237. 226. 215. 226.
56K x2 external	264
I-modem ISDN V.34 faxmodem external DataBurst ISDN U interface external DataBurst ISDN S/T interface external	279.6
33.6 voice/SVD internal V.34! Plus 33.6 faxmodem internal V.34X Plus 33.6 faxmodem external M.34X flus 33.6 faxmodem external M.34X flus 33.6 faxmodem external M.34X flus 33.6 faxmodem external	79.8 99.2 139.2
PRINTERS	

TIL 700 10001	
MFC-4550 5-in-1	699.99
MFC-4550 5-in-1 MFC-6550mc 6-in-1	929.66
Canon	S. S
BJ-30 monochrome	267.22
BJC-80	299.00
BJC-250	149.00
BJC-620	200.00
BJC-4304 Photo	220.00
DJC-4304 F11010	239.00
BJC-4550	499.00
EPSON	9
EPOUN	
FX870	289.18
LQ670	349.85
LQ2070	384.00
LX300	160 17
Stylus Color 400	100.00
Stylus Color 600	199.00
Stylus Color 600	299.00
Stylus Color 800	399.00

brother.

HL-720 laser

PACKARD PACKARD	
HP DeskJet 340 portable inkjet printer	.299.84
HP DeskJet 672C color printer	.199.00
HP DeskJet 694C color printer	.269.00
HP DeskJet 820Cse color printer	249.00
HP DeskJet 1000Cse color printer	.499.00
HP LaserJet 5se printer	1049.00
HP LaserJet 6Lse printer	399.00
HP LaserJet 6MP printer	.879.85
HP LaserJet 6Pse printer	799.00
HP OfficeJet 570 multi-function	549.00
LEXMARK.	

Color Jetprinter 1000	139,99
Color Jetprinter 2030	185.24
Color Jetprinter 3000	239.50
Color Jetprinter 7000	399.61
Optra E+	399.76
Optra S 1250	1014.82
Optra S 1650	1259.32
Optra S 2450	2189.10
Optra SC 1275	3916.00
OKIDATA'	

ML320 Turbo	318.59
ML390 Turbo	338.10
Okipage 4w	199.00
Okipage 6e	299.00
Okipage 16n	867.65
OL600e	299.00

800-959-4239

features FedEx shipping at low UPS air rates!

a rare sales tool. it's called Objectivity.



Adobe Illustrator V7.0

Adobe



Intelligent Disaster Recovery!

Backup Exec for Windows NT V7.0



Microsoft FrontPage 98 For Windows 95 and NT

New leading-edge features like WYSIWYG frames creation and editing as well as WYSIWYG table drawing support make FrontPage 98 a must-have for new users, while sophisticated users will find support for the latest HTML tags supported by FrontPage 98 next-generation browsers.

New features include: ■ Microsoft Image Composer V1.5 with Microsoft GIF Animator) ■ Microsoft Internet Explorer V3.0 ■ Microsoft Personal Web Server ■ Microsoft Web Publishing Wizard V1.5

Version upgrade CD ...

....\$48.26 CDW 96190

\$134.91 CDW 96254

IBM Business Partner

For Windows 95 and NT

■ Identical feature set on Windows and Macintosh systems for easy sharing of files across platforms ■ Professional typographical ActionPack!* controls, including rows and columns, vertical text, search and replace and built-in spelling checker URL embedding for creating web graphics with built-in links

\$116.30 CDW 86042 Upgrade CD

Competitive upgrade CD......\$269.70 CDW 86043 \$365.52 CDW 93091

*With purchase of full-version product while supplies last.

Seagate Backup Exec^{*} for Windows NT is the system of choice for high-performance, reliable Windows NT data protection—and the most comprehensive solution for 100% BackOffice compatibility. As the first backup solution designed for Windows NT, Backup Exec incorporates the Windows NT APIs for superior 32-bit performance and ease-of-use. \$858.91 CDW 94890 Enterprise edition .

\$429.88 CDW 94889 Single-server edition...... *Must register to receive free IDR. Registration details inside box. Offer valid through 12/31/97.

CDW® carries more than 20,000 products! vou don't see it. call

COMPUTERS	COMPUTERS
TOSHIBA	AST.
Libretto mini-notebooks 50CT 5/75 16MB 772MB 6.1° active	Bravo MS-T Series mini-towers
50CT 5/75 16MB 772MB 6.1" active1929.45	Bravo MS-T Series mini-towers 5/200 MMX 32MB 3GB 16X CD
Satellite & Satellite Pro notebooks	5/233 MMX 32MB 3GB 16X CD1899.03
220CDS 5/133 16MB 1.34GB	COMPAQ.
12.1 dual 10X CD	
12 1" dual 10X CD 1989.69	Armada notebooks 1530DM 5/133 MMX 16MB 1.4GB
440CDT 5/133 MMX 16MB 1.34GB	12.1" dual 10X CD2399.79
12.1" active 10X CD	1550DMT 5/133 16MB 1.4GB
12.1" active 10X CD3659.16	1550DMT 5/133 16MB 1.4GB 12.1" active 10X CD2899.39
Portege notebooks	1580DMT 5/150 MMX 16MB 2 1GB
Portege notebooks 300CT 5/133 MMX 32MB 1.5GB 10.4" active	12.1" active 10X CD
10.4" active	41301 5/133 16MB 1.06GB 11.0 active2453.45
660CDT 5/150 16MB 1.2GB 11.3" active 10X CD3189.63	4150 5/150 MMX 16MB 1.6GB 12.1" dual 2899.34
	4160T 5/166 MMX 16MB 2GB 12.1" active3999.00
500CDT 5/120 16MB 1.26GB	4131 5/133 16MB 1.4UB 12.1 active 2899.34 4150 5/150 MMX 16MB 1.6GB 12.1 dual 2899.34 4160T 5/166 MMX 16MB 2GB 12.1 active 3999.00 4160T SL 5/166 MMX 16MB 2GB
12.1" active 6X CD	12.1" active slimline
510CD1 5/133 16MB 2.1GB	7350MT 5/166 MMX 32MB 2.1GB
12.1" active 10X CD	12.1" active
12.1" active 10X CD4159.45 530CDT 5/166 MMX 32MB 2GB	7710MT 5/150 MMX 16MB 1 6GB
530CDT 5/166 MMX 32MB 2GB	12.1" active3699.00
530CDT 5/166 MMX 16MB 3GB 13.3" active 10X CD	7730MT 5/166 MMX 32MB 2.1GB
12.1" active 10X CD3499.77	12.1" active4399.00 7750MT 5/166 MMX 32MB 2.1GB
740CDT 5/166 MMX 16MB 3GB	12.1" active
13.3" active 10X CD	7770DMT 5/233 MMX 32MB 3GB
13.3" active 10X CD4849.62	12.1" active 20X CDCALL!
750CDT 5/233 MMX 32MB 4.7GB	
13.3" active 10X CD	5/133 16MB 1.2GB
	5/166 MMY 16MB 2 1GB 1169.00
7161 5/166 MMX 32MB 2.38GB 12X CD1649.89 7201 5/200 MMX 32MB 3GB 12X CD1989.24	5/166 MMX 16MB 3.2GB
Equium desktops	5/200 MMX 16MB 2.1GB1319.00
5230D 5/233 MMX 32MB 3GB 24X CD1798.36	5/200 MMX 32MB 3.2GB1489.00
Equium desktops 5230D 5/233 MMX 32MB 3GB 24X CD1798.36 6200D 6/200 32MB 3GB 12X CD2118.60 6230D 6/233 32MB 3GB 24X CD2199.43	Deskpro 2000 desklops 979.00 5/133 16MB 1.2GB
Faulum mini-towers	233MHz Pentium II 32MB 3 2GB 24Y CD CALL
Equium mini-towers 6200M 6/200 32MB 4.3GB 12X CD2479.47 6260M 266MHz Pentium II 32MB	266MHz Pentium II 32MB 3.2GB 24X CD CALL!
6260M 266MHz Pentium II 32MB	Deskpro 2000 mini-towers
3.7GB 16X CD2569.07	5/166 MMX 16MB 3.2GB 16X CD1529.00 5/200 MMX 32MB 3.2GB 16X CD1679.00 266MHz Pentium II 32MB 3.2GB 24X CDCALL!
ACER TEXAS INSTRUMENTS	5/200 MMX 32MB 3.2GB 16X CD16/9.00
INSTRUMENTS	300MHz Pentium II 32MB 3.2GB 24X CDCALL!
Extensa notebooks	
610CD 5/150 16MB 1.4GB 11.3" dual 10X CD	Deskpr 4000 desktops 1389.00 5/166 MMX 16MB 2.4GE 1599.00 5/166 MMX 32MB 3.2GE 1599.00 5/200 MMX 32MB 3.2GE 1689.00 5/200 MMX 32MB 3.2GE 1759.00 5/233 MMX 32MB 3.2GB 16X CD 2129.00 233MHz Pentium II 32MB 2.4GB CALLI 233MHz Pentium II 32MB 3.2GB 24X CD CALLI 266MHz Pentium II 26MB 3.2GB 24X CD CALLI 266MHz Pentium II 26MB 3.2GB 24X CD CALLI 266MHz Pentium II 26MB 3.2GB 24X CD CALLI 266MHz
610CD1 5/150 16MB 1.4GB	5/166 MMX 32MB 3.2GB1599.00
11.3° active 10X CD	5/200 MMX 32MB 2.4GB
660CD 5/166 MMX 16MB 1.35GB	5/233 MMX 32MB 3.2GB 16X CD. 2129.00
12.1" dual 10X CD2699.55	233MHz Pentium II 32MB 2.4GBCALL!
660CDT 5/166 MMX 16MB 2.1GB 11.3" active 10X CD3179.04	233MHz Pentium II 32MB 3.2GB 24X CDCALL!
TravelMate notebooks	266MHz Pentium II 32MB 3.2GB 24X CD CALL!
TM7060 5/166 MMX 32MB 2GB	Deskpro 4000 mini-towers
12.1" active 10X CD	233MHz Pentium II 32MR 3 2GR 24X CD CALL!
12.1" active 10X CD4949.69	5/166 MMX 32MB 3.2GB 16X CD1799.00 233MHz Pentium II 32MB 3.2GB 24X CDCALL! 266MHz Pentium II 32MB 3.2GB 24X CDCALL!
AST.	233MHz Pentium II 32MB 2.1GB 24X CDCALL! 266MHz Pentium II 32MB 2.1GB 24X CDCALL! 266MHz Pentium II 32MB 4.3GB 24X CD3199.81
Ascentia notebooks	266MHz Pentium II 32MB 2.1GB 24X CDCALL!
A60+ 5/150 16MB 1.44GB 12.1" active 10X CD2369.15	300MHz Pentium II 64MB 4.3GB 24X CD3879.89
A60+ 5/150 16MB 2 1GB	Deskpro 6000 mini-towers
A60+ 5/150 16MB 2.1GB 12.1" active 10X CD	266MHz Pentium II 64MB 4.3GB 24X CD CALL!
A70+ 5/150 MMX 16MB 1.44GB	300MHz Pentium II 32MB 4.3GB 24X CDCALL!
12.1" active 10X CD2469.64	Presario desktops 2200 5/180 16MB 1.6GB 8X CD799.00
12.1" active 10X CD3299.67	Presario mini-towers
P70 5/150 MMX 32MB 2.1GB	4504 5/20016MB 2.1GB 16X CD999.00
12.1" active 10X CD3148.94	4504 5/20016MB 2.1GB 16X CD999.00 4814 5/233 MMX 32MB 6.5GB 24X CD1999.00
12.1 active 10 X DJ	4824 5/233 MMX 32MB 6.5GB 24X
Bravo LC Series desktops	CD lomega Zip drive2399.00
5/166 MMX 16MB 2GB	PACKARD
5/200 MMX 32MB 2GB	HP OmniBook 800 Series notebooks
233MHz Pentium II 32MB 2GB Win952099.23	800CT 5/166 MMX 16MB 2GB
	10.4" active
5/166 MMX 16MB 2GB 16X CD	HP OmniBook 5700 Series notebooks 5/150 MMX 16MB 1.86GB 12.11 active3597.52 5/166 MMX 16MB 1.86GB 12.11 active4039.53 5/166 MMX 16MB 1.86GB 12.11 active4098.82 5/166 MMX 32MB 2.79GB 12.11 active4619.09
5/166 MMX 32MB 2GB 16X CD1619.87	5/166 MMX 16MB 1.86GB 12.1" active4039.53
5/200 MMX 32MB 3GB 16X CD	5/166 MMX 16MB 1.86GB 12.1" active4098.82
5/233 MMX 32MB 3GB 16X CD1849.48	5/100 MINIX 32MB 2./9GB 12.1" active 4619.09

COMPUTERS	
PACKARD	
HEWLETT* PACKARD HP Vectra VL Series 5 PC desktops	
HP Vectra VL Series 5 PC desktops 5/166 16MB 1.6GB. 1166.30 5/166 MMX 16MB 2.5GB 8X CD. 1377.09 5/106 MMX 2MB 2.5GB 8X CD. 1598.63 5/203 MMX 2MB 2.5GB 8X CD. 1598.12 HP Vectra VL Series 5 PC mini-towers 5/133 16MB 1.6GB. 129.45 6/166 16MB 2.5GB 8X CD. 1439.22 5/233 MMX 2MB 4GB. 1899.76 HP Vectra VE Series 3 PC desktops 5/166 16MB 1.6GB. 1038.97	
5/166 MMX 16MB 2.5GB 8X CD	
5/233 MMX 16MB 2.5GB	
HP Vectra VL Series 5 PC mini-towers	
5/133 16MB 1.6GB1219.44	
5/166 16MB 2.5GB	
5/233 MMY 32MR 4GR 1889.76	
HP Vectra VE Series 3 PC desktops	
5/166 16MB 1.6GB	
5/200 16MB 1.6GB	
520MCv 5/166 16MB 1 6GB 16X CD 1327.64	
HP Vectra 500 Series mini-towers	
525CD 5/166 16MB 1.6GB 16X CD1234.78	
525MCx 5/166 MMX 24MB	
2.5GB 16X CD	
525MCx 5/200 MMX 32MB 2.5GB 16X CD1936.70	
HP Brio Series mini-towers	
5/166 MMX 16MB 2.1GB999.53	
HP Brio Series Inini-towers 5/166 MMX 16MB 2.1GB	
5/166 MMX 16MB 2 1GB 16X CD	
5/200 MMX 32MB 2.1GB 16X CD1419.35	
5/233 MMX 32MB 3.2GB 24X CD1649.54	
HP Brio Series towers	
5/166 MMX 16MB 2.1GB 16X CD	
5/200 MMX 32MB 2.1GB 24X CD1749.63	
67 PRIO Series towers 5/166 MMX 16MB 2.1GB 16X CD	
5/233 MMX 32MB 6GB 24X CD2117.37	
HP NetServer E40 Series towers	
6/180 16MB no hdd 8X CD 10/100 Ethernet	
6/180 16MB 2.1GB 8X CD	
10/100 Ethernet	
10/100 Ethernet2265.63	
THE PARTY OF THE P	
IBM patters	
IBM Business	
ThinkPad notebooks	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1" dual1669.46	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1" dual1669.46	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1" dual1669.46	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1" dual1669.46 380D 5/150 MMX 16MB 2.1GB 12.1" active 8X CD	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 12.1° dual 2099.36 380E D 5/166 MMX 16MB 2.1GB 2587.51	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 12.1° dual 2099.36 380E D 5/166 MMX 16MB 2.1GB 2587.51	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 12.1° dual 2099.36 380E D 5/166 MMX 16MB 2.1GB 2587.51	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 12.1° dual 2099.36 380E D 5/166 MMX 16MB 2.1GB 2587.51	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 12.1° dual 2099.36 380E D 5/166 MMX 16MB 2.1GB 2587.51	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 12.1° dual 2099.36 380E D 5/166 MMX 16MB 2.1GB 2587.51	
ThinkPad notebooks 380 5/150 16MB 1.080G 12.1° dual	
ThinkPad notebooks 380 6/150 16MB 1.08GB 12.1° dual 1669.46 3800 6/150 16MB 1.08GB 12.1° dual 1669.46 3800 6/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 12.1° dual 2099.36 380ED 5/156 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 3GB 2587.51 380ED 5/166 MMX 16MB 3GB 3599.44 550 5/133 8MB 2.1GB 11.3° dual 1699.89 550 5/133 8MB 2.1GB 11.3° dual 1699.89 550 5/133 8MB 2.1GB 11.3° dual 2599.86 550E 5/166 MMX 16MB 2.1GB 11.3° dual 2599.86 550E 5/166 MMX 16MB 2.1GB 11.3° dual 2599.86 50E 5/166 MMX 16MB 2.1GB 14.3° dual 2599.86 520E 5/166 MMX 16MB 2.1GB 14.3° dual 2599.86	
ThinkPad notebooks 380 6/150 16MB 1.08GB 12.1° dual 1669.46 3800 6/150 16MB 1.08GB 12.1° dual 1669.46 3800 6/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 12.1° dual 2099.36 380ED 5/156 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 3GB 2587.51 380ED 5/166 MMX 16MB 3GB 3599.44 550 5/133 8MB 2.1GB 11.3° dual 1699.89 550 5/133 8MB 2.1GB 11.3° dual 1699.89 550 5/133 8MB 2.1GB 11.3° dual 2599.86 550E 5/166 MMX 16MB 2.1GB 11.3° dual 2599.86 550E 5/166 MMX 16MB 2.1GB 11.3° dual 2599.86 50E 5/166 MMX 16MB 2.1GB 14.3° dual 2599.86 520E 5/166 MMX 16MB 2.1GB 14.3° dual 2599.86	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.36 380E 5/150 MMX 16MB 2.1GB 12.1° dual 2099.36 380ED 5/166 MMX 16MB 2.0G 2587.51 380ED 5/166 MMX 16MB 3.0G 3599.44 580E 5/166 MMX 16MB 3.0G 1699.89 580 5/133 8MB 2.1GB 11.3° dual 1699.89 580 5/133 8MB 2.1GB 12.1° active 2849.32 580E 5/166 MMX 16MB 2.1GB 13.0° dual 2599.86 580E 5/166 MMX 16MB 2.1GB 4186.26 780ED 5/133 16MB 2.1GB 12.1° active 3739.72 780E 5/150 16MB 2.1GB 12.1° active 3739.72 780E 5/150 16MB 2.1GB 12.1° active 3578.40 780XL 5/166 MMX 16MB 2.1GB	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 12.1° dual 2099.36 380ED 5/166 MMX 16MB 2.1GB 12.1° dual 2099.36 12.1° dual 20X CD 380ED 5/166 MMX 16MB 3GB 3599.44 560 5/138 MB 2.1GB 11.3° dual 1699.89 560 5/138 MB 2.1GB 11.3° dual 1699.89 560 5/138 MB 2.1GB 11.3° dual 2599.86 560E 5/166 MMX 16MB 2.1GB 13° dual 2599.86 12.1° active 4186.26 12.1° active 3759.40 760 E 5/150 16MB 2.1GB 12.1° active 3758.40 760 KL 5/166 MMX 16MB 2.1GB 12.1° active 3758.40	
ThinkPad notebooks 380 6/150 16MB 1.08GB 12.1" dual 1669.46 3800 6/150 16MB 1.08GB 12.1" dual 1669.46 3800 6/150 MMX 16MB 2.1GB 2.299.00 380E5/150 MMX 16MB 2.1GB 12.1" dual 2099.36 380ED 5/156 MMX 16MB 2.1GB 12.1" dual 2099.36 1380ED 5/166 MMX 16MB 3GB 2587.51 1380ED 5/166 MMX 16MB 3GB 3599.44 550 5/133 8MB 2.1GB 11.3" dual 1699.89 550 5/133 8MB 2.1GB 11.3" dual 1699.89 550 5/133 8MB 2.1GB 11.3" dual 2599.86 550E 5/166 MMX 16MB 2.1GB 11.3" dual 2599.86 12.1" active 4186.26 12.1" active 6.X CD 3739.72 760E 5/153 16MB 2.1GB 12.1" active 3778.40 760XL 5/166 MMX 16MB 2.1GB 3769.88	
ThinkPad notebooks 380 6/150 16MB 1.08GB 12.1" dual 1669.46 3800 6/150 16MB 1.08GB 12.1" dual 1669.46 3800 6/150 MMX 16MB 2.1GB 2.299.00 380E5/150 MMX 16MB 2.1GB 12.1" dual 2099.36 380ED 5/156 MMX 16MB 2.1GB 12.1" dual 2099.36 1380ED 5/166 MMX 16MB 3GB 2587.51 1380ED 5/166 MMX 16MB 3GB 3599.44 550 5/133 8MB 2.1GB 11.3" dual 1699.89 550 5/133 8MB 2.1GB 11.3" dual 1699.89 550 5/133 8MB 2.1GB 11.3" dual 2599.86 550E 5/166 MMX 16MB 2.1GB 11.3" dual 2599.86 12.1" active 4186.26 12.1" active 6.X CD 3739.72 760E 5/153 16MB 2.1GB 12.1" active 3778.40 760XL 5/166 MMX 16MB 2.1GB 3769.88	
ThinkPad notebooks 380 6/150 16MB 1.08GB 12.1" dual 1669.46 3800 6/150 16MB 1.08GB 12.1" dual 1669.46 3800 6/150 MMX 16MB 2.1GB 2.299.00 380E5/150 MMX 16MB 2.1GB 12.1" dual 2099.36 380ED 5/156 MMX 16MB 2.1GB 12.1" dual 2099.36 1380ED 5/166 MMX 16MB 3GB 2587.51 1380ED 5/166 MMX 16MB 3GB 3599.44 550 5/133 8MB 2.1GB 11.3" dual 1699.89 550 5/133 8MB 2.1GB 11.3" dual 1699.89 550 5/133 8MB 2.1GB 11.3" dual 2599.86 550E 5/166 MMX 16MB 2.1GB 11.3" dual 2599.86 12.1" active 4186.26 12.1" active 6.X CD 3739.72 760E 5/153 16MB 2.1GB 12.1" active 3778.40 760XL 5/166 MMX 16MB 2.1GB 3769.88	
ThinkPad notebooks 380 6/150 16MB 1.08GB 12.1" dual 1669.46 3800 6/150 16MB 1.08GB 12.1" dual 1669.46 3800 6/150 MMX 16MB 2.1GB 2.299.00 380E5/150 MMX 16MB 2.1GB 12.1" dual 2099.36 380ED 5/156 MMX 16MB 2.1GB 12.1" dual 2099.36 1380ED 5/166 MMX 16MB 3GB 2587.51 1380ED 5/166 MMX 16MB 3GB 3599.44 550 5/133 8MB 2.1GB 11.3" dual 1699.89 550 5/133 8MB 2.1GB 11.3" dual 1699.89 550 5/133 8MB 2.1GB 11.3" dual 2599.86 550E 5/166 MMX 16MB 2.1GB 11.3" dual 2599.86 12.1" active 4186.26 12.1" active 6.X CD 3739.72 760E 5/153 16MB 2.1GB 12.1" active 3778.40 760XL 5/166 MMX 16MB 2.1GB 3769.88	
ThinkPad notebooks 380 6/150 16MB 1.08GB 12.1" dual 1669.46 3800 6/150 16MB 1.08GB 12.1" dual 1669.46 3800 6/150 MMX 16MB 2.1GB 2.299.00 380E5/150 MMX 16MB 2.1GB 12.1" dual 2099.36 380ED 5/156 MMX 16MB 2.1GB 12.1" dual 2099.36 1380ED 5/166 MMX 16MB 3GB 2587.51 1380ED 5/166 MMX 16MB 3GB 3599.44 550 5/133 8MB 2.1GB 11.3" dual 1699.89 550 5/133 8MB 2.1GB 11.3" dual 1699.89 550 5/133 8MB 2.1GB 11.3" dual 2599.86 550E 5/166 MMX 16MB 2.1GB 11.3" dual 2599.86 12.1" active 4186.26 12.1" active 6.X CD 3739.72 760E 5/153 16MB 2.1GB 12.1" active 3778.40 760XL 5/166 MMX 16MB 2.1GB 3769.88	
ThinkPad notebooks 380 6/150 16MB 1.08GB 12.1" dual 1669.46 3800 6/150 16MB 1.08GB 12.1" dual 1669.46 3800 6/150 16MB 1.08GB 2.1GB 2999.00 380E 5/150 16MX 16MB 2.1GB 12.1" dual 2999.36 380ED 5/166 16MMX 16MB 2.1GB 12.1" dual 2099.36 380ED 5/166 16MMX 16MB 3GB 2587.51 380ED 5/166 16MMX 16MB 3GB 3599.44 560 5/133 8MB 2.1GB 11.3" dual 1699.89 560 5/133 8MB 2.1GB 11.3" dual 1699.89 560 5/133 8MB 2.1GB 11.3" dual 2599.86 560E 5/166 6MMX 16MB 2.1GB 11.3" dual 2599.86 560E 5/166 6MMX 16MB 2.1GB 11.3" dual 2599.86 12.1" active 3758.40 760E 5/150 16MB 2.1GB 12.1" active 3758.40 760EX 5/150 16MB 2.1GB 12.1" active 3758.40 760X 5/166 6MMX 16MB 2.1GB 3769.88 760X 5/166 6MMX 32MB 3GB 3769.89 765D 5/166 6MMX 32MB 3GB 3800.89 765D 5/166 6MMX 32MB 3GB 3800.89 765D 5/166 6MMX 32MB 3GB 3800.89 770 5/230 MMX 32MB 3GB 13.3" active 5499.91 770 5/200 MMX 32MB 3GB 13.3" active 5499.91 770 5/200 MMX 32MB 3GB 13.3" active 5499.91	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 12.1° dual 2099.36 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 3GB 2587.51 380ED 5/168 MMX 16MB 3GB 3599.44 580 6/133 8MB 2.1GB 11.3° dual 1699.89 580 5/133 8MB 2.1GB 11.3° dual 1699.89 580 5/133 8MB 2.1GB 11.3° dual 2599.86 580E 5/166 MMX 16MB 2.1GB 12.1° active 2849.32 580E 5/150 MMX 16MB 2.1GB 12.1° active 3769.86 12.1° active 6X CD 3739.74 760E 5/150 16MB 2.1GB 12.1° active 3769.88 760XD 5/166 MMX 16MB 2.1GB 3769.89 760XD 5/166 MMX 32MB 3GB 3769.40 765XE 5/166 MMX 32MB 3GB 3769.40 12.1° active 8X CD 4679.37 765L 5/166 MMX 32MB 3GB 3.3° active 5999.39 13.3° active 8X CD 5499.91 17.0° 5/203 MMX 32MB 3GB 13.3° active 5899.36	
ThinkPad notebooks 380 6/150 16MB 1.08GB 12.1° dual 1669.46 3800 6/150 16MB 1.08GB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 12.1° dual 2099.36 380ED 5/166 MMX 16MB 2.1GB 12.1° dual 2099.36 132.1° dual 20X CD 2587.51 1380ED 5/166 MMX 16MB 3GB 3599.44 560 5/133 8MB 2.1GB 11.3° dual 1699.89 560 5/133 8MB 2.1GB 11.3° dual 1699.89 560 5/133 8MB 2.1GB 11.3° dual 2599.86 560E 5/166 MMX 16MB 2.1GB 11.3° dual 2599.86 560E 5/166 MMX 16MB 2.1GB 12.1° active 3768.40 760XL 5/166 MMX 16MB 2.1GB 3768.40 760XL 5/166 MMX 16MB 2.1GB 3769.88 760XD 5/166 MMX 32MB 3GB 3769.88 760XD 5/166 MMX 32MB 3GB 3769.89 12.1° active 3769.88 760XD 5/166 MMX 32MB 3GB 3769.89 13.3° active 3769.88 770 5/233 MMX 32MB 3GB 13.3° active 5999.36 770 5/233 MMX 32MB 3GB 13.3° active 5429.15 770 5/233 MMX 32MB 3GB 13.3° active 5429.15 770 5/233 MMX 32MB 3GB 13.3° active 5429.15 770 5/233 MMX 32MB 4GB	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2099.36 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 3.0B 1389.44 580 5/133 8MB 2.1GB 11.3° dual 1599.89 580 5/133 8MB 2.1GB 11.3° dual 2599.86 580E 5/166 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 4186.26 780ED 5/133 15MB 2.1GB 12.1° active 2849.32 12.1° active 2849.32 780E 5/150 16MB 2.1GB 4186.26 780ED 5/150 16MB 2.1GB 3739.72 780E 5/150 16MB 2.1GB 4599.86 12.1° active 3789.72 780E 5/150 16MB 2.1GB 4599.87 580 5/166 MMX 16MB 2.1GB 4599.87 580 5/166 MMX 28MB 3GB 4599.87 7850 5/166 MMX 32MB 3GB 4599.91 770 5/230 MMX 32MB 3GB 13.3° active 5499.91 770 5/230 MMX 32MB 3GB 13.3° active 5499.36 13.3° active 340 MMX 32MB 3GB 5499.91 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.31 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.31 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.37 780 5/35 3MMX 32MB 4GB 13.3° active 5499.31	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2099.36 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 3.0B 1389.44 580 5/133 8MB 2.1GB 11.3° dual 1599.89 580 5/133 8MB 2.1GB 11.3° dual 2599.86 580E 5/166 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 4186.26 780ED 5/133 15MB 2.1GB 12.1° active 2849.32 12.1° active 2849.32 780E 5/150 16MB 2.1GB 4186.26 780ED 5/150 16MB 2.1GB 3739.72 780E 5/150 16MB 2.1GB 4599.86 12.1° active 3789.72 780E 5/150 16MB 2.1GB 4599.87 580 5/166 MMX 16MB 2.1GB 4599.87 580 5/166 MMX 28MB 3GB 4599.87 7850 5/166 MMX 32MB 3GB 4599.91 770 5/230 MMX 32MB 3GB 13.3° active 5499.91 770 5/230 MMX 32MB 3GB 13.3° active 5499.36 13.3° active 340 MMX 32MB 3GB 5499.91 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.31 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.31 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.37 780 5/35 3MMX 32MB 4GB 13.3° active 5499.31	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2099.36 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 3.0B 1389.44 580 5/133 8MB 2.1GB 11.3° dual 1599.89 580 5/133 8MB 2.1GB 11.3° dual 2599.86 580E 5/166 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 4186.26 780ED 5/133 15MB 2.1GB 12.1° active 2849.32 12.1° active 2849.32 780E 5/150 16MB 2.1GB 4186.26 780ED 5/150 16MB 2.1GB 3739.72 780E 5/150 16MB 2.1GB 4599.86 12.1° active 3789.72 780E 5/150 16MB 2.1GB 4599.87 580 5/166 MMX 16MB 2.1GB 4599.87 580 5/166 MMX 28MB 3GB 4599.87 7850 5/166 MMX 32MB 3GB 4599.91 770 5/230 MMX 32MB 3GB 13.3° active 5499.91 770 5/230 MMX 32MB 3GB 13.3° active 5499.36 13.3° active 340 MMX 32MB 3GB 5499.91 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.31 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.31 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.37 780 5/35 3MMX 32MB 4GB 13.3° active 5499.31	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2099.36 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 3.0B 1389.44 580 5/133 8MB 2.1GB 11.3° dual 1599.89 580 5/133 8MB 2.1GB 11.3° dual 2599.86 580E 5/166 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 4186.26 780ED 5/133 15MB 2.1GB 12.1° active 2849.32 12.1° active 2849.32 780E 5/150 16MB 2.1GB 4186.26 780ED 5/150 16MB 2.1GB 3739.72 780E 5/150 16MB 2.1GB 4599.86 12.1° active 3789.72 780E 5/150 16MB 2.1GB 4599.87 580 5/166 MMX 16MB 2.1GB 4599.87 580 5/166 MMX 28MB 3GB 4599.87 7850 5/166 MMX 32MB 3GB 4599.91 770 5/230 MMX 32MB 3GB 13.3° active 5499.91 770 5/230 MMX 32MB 3GB 13.3° active 5499.36 13.3° active 340 MMX 32MB 3GB 5499.91 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.31 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.31 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.37 780 5/35 3MMX 32MB 4GB 13.3° active 5499.31	
ThinkPad notebooks 380 5/150 foMB 1.080B 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2099.36 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 9.1GB 1699.89 580 5/133 8MB 2.1GB 11.3° dual 1699.89 580 5/133 8MB 2.1GB 11.3° dual 2599.86 580E 5/166 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 4186.26 780ED 5/133 16MB 2.1GB 12.1° active 2879.86 580E 5/166 MMX 16MB 2.1GB 4789.87 780E 5/150 16MB 2.1GB 4789.87 780E 5/156 MMX 16MB 2.1GB 4789.87 780E 5/156 MMX 16MB 2.1GB 4879.37 780E 5/156 MMX 32MB 3GB 4879.37 785E 5/156 MMX 32MB 3GB 4879.37 785E 5/156 MMX 32MB 3GB 4879.37 785E 5/156 MMX 32MB 3GB 5499.91 770 5/233 MMX 32MB 46B 5499.91 770 5/233 MMX 32MB 4GB 5499.91 770 5/233 MMX 32MB 4GB 5499.91 770 5/233 MMX 32MB 4GB 5899.36 770 5/233 MMX 32MB 4GB 5899.36 770 5/233 MMX 32MB 4CBB XCD 1899.57 5825 S/233 MMX 32MB 4.2GB RX CD 1899.57 5825 S/233 MMX 32MB 4.2GB RX CD 1899.97	
ThinkPad notebooks 380 5/150 foMB 1.080B 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2099.36 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 9.1GB 1699.89 580 5/133 8MB 2.1GB 11.3° dual 1699.89 580 5/133 8MB 2.1GB 11.3° dual 2599.86 580E 5/166 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 4186.26 780ED 5/133 16MB 2.1GB 12.1° active 2879.86 580E 5/166 MMX 16MB 2.1GB 4789.87 780E 5/150 16MB 2.1GB 4789.87 780E 5/156 MMX 16MB 2.1GB 4789.87 780E 5/156 MMX 16MB 2.1GB 4879.37 780E 5/156 MMX 32MB 3GB 4879.37 785E 5/156 MMX 32MB 3GB 4879.37 785E 5/156 MMX 32MB 3GB 4879.37 785E 5/156 MMX 32MB 3GB 5499.91 770 5/233 MMX 32MB 46B 5499.91 770 5/233 MMX 32MB 4GB 5499.91 770 5/233 MMX 32MB 4GB 5499.91 770 5/233 MMX 32MB 4GB 5899.36 770 5/233 MMX 32MB 4GB 5899.36 770 5/233 MMX 32MB 4CBB XCD 1899.57 5825 S/233 MMX 32MB 4.2GB RX CD 1899.57 5825 S/233 MMX 32MB 4.2GB RX CD 1899.97	
ThinkPad notebooks 380 5/150 foMB 1.080B 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2099.36 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 9.1GB 1699.89 580 5/133 8MB 2.1GB 11.3° dual 1699.89 580 5/133 8MB 2.1GB 11.3° dual 2599.86 580E 5/166 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 4186.26 780ED 5/133 16MB 2.1GB 12.1° active 2879.86 580E 5/166 MMX 16MB 2.1GB 4789.87 780E 5/150 16MB 2.1GB 4789.87 780E 5/156 MMX 16MB 2.1GB 4789.87 780E 5/156 MMX 16MB 2.1GB 4879.37 780E 5/156 MMX 32MB 3GB 4879.37 785E 5/156 MMX 32MB 3GB 4879.37 785E 5/156 MMX 32MB 3GB 4879.37 785E 5/156 MMX 32MB 3GB 5499.91 770 5/233 MMX 32MB 46B 5499.91 770 5/233 MMX 32MB 4GB 5499.91 770 5/233 MMX 32MB 4GB 5499.91 770 5/233 MMX 32MB 4GB 5899.36 770 5/233 MMX 32MB 4GB 5899.36 770 5/233 MMX 32MB 4CBB XCD 1899.57 5825 S/233 MMX 32MB 4.2GB RX CD 1899.57 5825 S/233 MMX 32MB 4.2GB RX CD 1899.97	
ThinkPad notebooks 380 5/150 foMB 1.080B 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2099.36 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 9.1GB 1699.89 580 5/133 8MB 2.1GB 11.3° dual 1699.89 580 5/133 8MB 2.1GB 11.3° dual 2599.86 580E 5/166 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 4186.26 780ED 5/133 16MB 2.1GB 12.1° active 2879.86 580E 5/166 MMX 16MB 2.1GB 4789.87 780E 5/150 16MB 2.1GB 4789.87 780E 5/156 MMX 16MB 2.1GB 4789.87 780E 5/156 MMX 16MB 2.1GB 4879.37 780E 5/156 MMX 32MB 3GB 4879.37 785E 5/156 MMX 32MB 3GB 4879.37 785E 5/156 MMX 32MB 3GB 4879.37 785E 5/156 MMX 32MB 3GB 5499.91 770 5/233 MMX 32MB 46B 5499.91 770 5/233 MMX 32MB 4GB 5499.91 770 5/233 MMX 32MB 4GB 5499.91 770 5/233 MMX 32MB 4GB 5899.36 770 5/233 MMX 32MB 4GB 5899.36 770 5/233 MMX 32MB 4CBB XCD 1899.57 5825 S/233 MMX 32MB 4.2GB RX CD 1899.57 5825 S/233 MMX 32MB 4.2GB RX CD 1899.97	
ThinkPad notebooks 380 5/150 16MB 1.08GB 12.1° dual 1669.46 3800 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2999.00 380E 5/150 MMX 16MB 2.1GB 2099.36 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 2.1GB 2587.51 380ED 5/166 MMX 16MB 3.0B 1389.44 580 5/133 8MB 2.1GB 11.3° dual 1599.89 580 5/133 8MB 2.1GB 11.3° dual 2599.86 580E 5/166 MMX 16MB 2.1GB 2489.25 580E 5/150 MMX 16MB 2.1GB 4186.26 780ED 5/133 15MB 2.1GB 12.1° active 2849.32 12.1° active 2849.32 780E 5/150 16MB 2.1GB 4186.26 780ED 5/150 16MB 2.1GB 3739.72 780E 5/150 16MB 2.1GB 4599.86 12.1° active 3789.72 780E 5/150 16MB 2.1GB 4599.87 580 5/166 MMX 16MB 2.1GB 4599.87 580 5/166 MMX 28MB 3GB 4599.87 7850 5/166 MMX 32MB 3GB 4599.91 770 5/230 MMX 32MB 3GB 13.3° active 5499.91 770 5/230 MMX 32MB 3GB 13.3° active 5499.36 13.3° active 340 MMX 32MB 3GB 5499.91 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.31 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.31 770 5/230 MMX 32MB 4GB 13.3° active 5899.36 13.3° active 340 MMX 32MB 3GB 5499.37 780 5/35 3MMX 32MB 4GB 13.3° active 5499.31	

Pariner		
PC300PL Series desktops 5/200 MMX 32MB 4_5GB		
FUJITSU		
LifeBook 500 Series notebooks 555TX 5150 MMX 16MB 2GB 12.1" active 10X CD 3499.00 565TX 5166 MMX 32MB 2GB 12.1" active 20X CD 4299.00 LifeBook 600 Series notebooks 636T 5133 16MB 1,3GB 12.1" active 2799.00 655TX 5165 MMX 16MB 1,3GB 12.1" active 2799.00		
12.1" active		
VisionBook Plus Series notebooks 4140 5/133 16MB 144B 12.1" dual 10X CD 1799.00 4150X 67150 MMX 16MB 1.4GB 12.1" dual 10X CD 2299.00 4360X 57166 MMX 16MB 1.4GB 12.1" active 10X CD 2999.00 VisionBook Pro Series notebooks 7360 57150 MMX 16MB 2.1GB 4299.00 7560 57166 MMX 16MB 3GB 4299.00 7560 57166 MMX 16MB 3GB 4799.00 VisionBook Elite Series notebooks 8560 57166 MMX 16MB 2.1GB 8560 57166 MMX 16MB 2.1GB 4399.00 43.3" active 10X CD 4599.00 4599.00 4599.00		
HANDHELD PCs		
Casio Cassiopeia A-11 4MB		

CDW® TELEPHONE HOURS

Sales
Monday-Firday 7 a.m.-9 p.m. CT - Saturday 9 a.m.-5 p.m. CT
Tech Support for Customers
Monday-Firday 7 a.m.-9 p.m. CT - Saturday 9 a.m.-5 p.m. CT

BUY WITH CONFIDENCE CDW® IS A NASDAQ TRADED COMPANY TICKER SYMBOL CDWC D & B rated 5A1 Duns 10-762-7952









Credit card charges are not submitted until time of shipment. For your protection, we ship only to your credit card's verified billing address. Freight is calculated as the carrier's actual freight charge bits insurance and packaging metalerial. The cost of insurance is 0.35% (0.005) of the order total. Packaging materials will not 0.35% (0.005) of the order total. Packaging materials will not be compared to the compared of the order total packages and total packages. The compared total packages is shipments. Before returns are subject to a restocking feet as eshipments. Got order total packages and the reference components are not returnable. Allow 10 business days for shipping when paying by personal check. All pricing subject to change, For all prices, products and offers, CDW reserves the right to make adjustments due to changing market conditions, product discontinuation, manufacturer price changes, errors in advertisements or other extensiting circumstances. All trademarks and registered trademarks are the sole property of their respective owners.

Visit CDW on the Internet for secure

800-959-4239

Late next year, the company plans to ship an improved version of the IDT-C6 processor that integrates the L2 cache with the CPU—already a feature in some RISC chips but a first for the x86.

Glenn Henry estimates that an eightway set-associative 256-KBL2 cache in the CPU could yield the same hit rate as the direct-mapped 512-KBL2 cache found in most of today's PCs. Yet the integrated cache would be significantly faster than an external cache because it's synchronized to the CPU's core frequency, not to the slower bus frequency. And the integrated cache would reduce bus traffic.


"Even if you didn't know anything about the PC industry, an economist from Mars could look at it and recognize there's plenty of room for many companies to compete," says Henry.

Future Alternatives


Bigger on-chip caches aren't the only options available to the Socket 7 preservation society. There are some more short-term solutions as well as some new alternatives beyond Socket 7.

One option is to design new CPUs with a backside bus for the L2 cache, just as Intel has done. But instead of inventing a new socket to accommodate the extra pins, the dual-bus CPU and L2 cache would sit on a daughtercard that plugs into Socket 7. The backside bus could run as fast as the CPU core, or at some fractional speed—probably half the core frequency, to reduce SRAM costs. The front-side bus would still run at 66.6 or 100 MHz for backward compatibility. (See "Adding a Backside Bus to Socket 7," at right.)

The same thing could be done even better by integrating both the CPU die and the L2 cache in a single package called a multichip module (MCM), much like the Pentium Pro. The core and the cache would communicate over a fast backside bus, and the MCM would fit Socket 7. (See the figure "Multichip Modules for Socket 7," page 80.) MCMs are costly to manufacture, but AMD uses an IBM fabrication technology called C4 that would make it more economical. This technology distributes the pads (the contacts to which the pins are wired) all over the chip's surface instead of only around the edges of the die, which is the more common pad-bonding technique. Among other benefits, C4 makes it less expensive to bond another die on the same substrate. NexGen, which was acquired by AMD,



CPU designers could make a Socket 7-compatible backside bus by segregating the L2 cache on a daughtercard.



An in-line L2 cache doesn't require a backside bus, so it would work with existing processors.


did something similar two years ago: One version of the Nx586 processor had a separate FPU in an MCM. This option is also possible (but less likely) for Cyrix, whose manufacturing partner is IBM.

Another option is to add an in-line or look-through L2 cache to a daughter-card that plugs into Socket 7. In this scheme, the CPU wouldn't need a back-side bus. Instead, an external oscillator overclocks the CPU bus to drive it at a higher-than-normal frequency. The CPU talks to the L2 cache at this higher speed, but the cache controller steps down to

66.6 or 100 MHz when communicating over the daughtercard's interface to Socket 7. This option saves the trouble of designing new CPUs. Some of the latest Macs and Mac clones are using in-line caches to overcome their slow 40- and 50-MHz buses. (See the figure "Adding an In-Line Cache to Socket 7," above.)

"Any one of those alternatives could extend the life of Socket 7 and match the performance of Slot 1," says Mark Bluhm, vice president of strategic planning at Cyrix. "This socket has at least another year or two of life ahead of it."

continued



here is no limit to DTK's commitment to providing your business with the latest innovations in PC technology. Like our new APRI Series. These power-packed workstations feature a 300 MHz Pentium® II processor with Intel 440FX PCIset, or the 440LX PCIset. They deliver uncompromising speed and performance. Manage Windows® NT with ease and handle every power-demanding task on your agenda. From big-time number crunching financial applications to desktop publishing to Auto CAD jobs. To get your business up to speed, contact your reseller.



pentium®

DTK Computer

www.dtkcomputer.com

See us at Booth #3633 COMDEX Fall '97

Boston 617/932-3800 Indianapolis 317/546-8805

New York 732/562-8800 Milwaukee 414/679-7870

Or call 1-800-BUY-A-DTK (1-800/289-2385).

Washington, D.C.

Minneapolis 612/557-1973

Atlanta 770/279-1385 Kansas City 913/492-3800

Miami 305/597-8888 Dallas 972/484-8535

"Long known for its low-cost PCs and system BIOSes, DTK wins our Pentium® II overall choice, with its superfast APRI-74M/K266, a 266-MHz PC."—BYTE Best/September 1997

APRI–74M/K300 with 440FX PGIset

- 300/266/233 MHz Pentium® II processor
- 512KB L2 Cache
- Up to 512MB EDO RAM (ECC supported)
- · Matrox Millennium II 3D graphic card with up to 16MB WRAM
- Seagate 6.4GB IDE or 9GB Wide SCSI Hard Drive

APRI–76M/K300 with 440LX PGIset

- 300/266/233 MHz Pentium® II processor
- 512KB L2 Cache
- Up to 512MB SDRAM
- · Matrox Millennium II AGP graphic card to support high performance 3D graphics
- Ultra DMA supported

Pittsburgh 412/373-6750 Houston

281/568-6688

Cleveland 216/349-1995 Scottsdale 602/451-6774

Chicago 847/593-3080 Los Angeles 626/810-0098

The Intel Inside Logo and Pentium are registered trademarks and MMX is a trademark of Intel Corp. Windows NT is a trademark of Microsoft Corp. © 1997 DTK Computer, Inc. Circle 123 on Inquiry Card (RESELLERS: 124).

Beyond that, however, even the Socket 7 advocates admit they'll need a longerterm solution. If they can't get around Intel's patents by then, they've got two more alternatives: Agree on a universal motherboard slot that accepts daughtercards with any kind of CPU, or invent a new socket or slot that competes directly with Intel's slots.

The first alternative already exists, though it's not universal. At the Computex show in Taipei last June, Asus won a BYTE Best of Computex award for a motherboard (the P/I-P65UP8) with a special slot for CPU daughtercards. The daughtercards may contain a Socket 7, Socket 8, or Slot 1 processor, along with the appropriate system chip set. In this way, Asus needs to make only one motherboard that works with anyone's CPU. The daughtercard slot is proprietary for now, but if enough companies agreed on a standard, any company could build universal motherboards.

One drawback is that this design needs an additional edge connector (the universal daughtercard slot) between the CPU and the motherboard. If the CPU is a Pentium II, there are two edge connectors between the CPU and the motherboard—Intel's slot and the universal daughtercard slot. Edge connectors can be troublesome sources of noise and signal delays at higher bus frequencies.

The second alternative is for the rebel faction of the industry to agree on a new CPU interface to supersede Socket 7 without stepping on Intel's patents. "We believe the industry wants that to be an open socket," says Stan Swearingen, product management director at Cyrix. "We're already talking to chip-set vendors, AMD, and other companies to define a new interface."

None of those companies wants to reveal much about their negotiations at this point. But even if they can agree on a new socket, they still face a formidable obstacle: Intel.

WHERE TO FIND

Advanced Micro Devices Sunnyvale, CA 408-732-2400 http://www.amd.com/


Asus Taipei, Taiwan +886-2-8943447 http://www.asus.com/

Centaur Technology (division of IDT) Santa Clara, CA

408-727-6116 http://www.centtech

Cyrix Richardson, TX 972-968-8388 http://www.cyrix.com/

Intel Santa Clara, CA 408-765-8080 http://www.intel.com/



Packaging the L2 cache in an MCM would deliver the benefits of a backside bus without the drawbacks of a daughtercard.

Whatever new interface the contras come up with, it won't be supported by the industry's leading CPU maker (Intel), the industry's leading motherboard maker (Intel), and the industry's leading system chip-set maker (Intel). The fallout could be two PC architectures: one controlled by Intel and the other supported by a majority of the industry that nevertheless controls only a minority of the market share.

Users Will Choose

Users could tip the scales either way. Will they be comfortable with a PC architecture largely controlled by Intel, or will they rebel? When BYTE put this question to users in our on-line conferences (http://www.byte.com), the answers were interesting. Some people denounced what they perceived as Intel's attempt to hijack the PC standard. But when they considered the alternatives-basically either boycott Intel or buy a Mac-they weren't so adamant. It's not easy to go cold turkey on Intel. The Pentium is popular because it's a good product, not because it has the best TV commercials.

For users who prefer to buy Intel-based PCs anyway, it's not a dilemma. Nor is it likely to matter to the growing number of users who don't know a motherboard from a surfboard. Performance-minded users who buy MP systems and high-end servers will have to choose Intel in any case because AMD, Cyrix, and Centaur say they're not competing in that space.

Comparisons to the Micro Channel architecture go only so far. Micro Channel was a peripheral bus, so it affected users more directly than a CPU bus does. And IBM had to persuade other companies to make compatible cards, while the whole point of Intel's new slots is that nobody else can make compatible cards.

Motherboard makers' support is seen as a determining factor to the continued success of Socket 7. A sampling of Taiwan motherboard makers said they were going both ways, designing boards to accommodate standard Socket 7 processors as well as Intel's new vertical-insert design.

Motherboard makers also say that Intel's actions could encourage them to use more non-Intel processors. An official at one company (who asked BYTE to withhold his firm's name) said the industry wants alternatives to Intel because nobody wants their future to be determined by a single vendor. When there are CPU shortages, it's common for smaller companies to suffer from short allocations.

Intel is taking the PC into unexplored territory. Chances are, most PC users will follow. B

Tom R. Halfhill is a BYTE senior editor based in San Mateo, California. You can reach him at thalfhill@bix.com.

ILLUSTRAILUN:

Déjà Vu All Over Again

Windows NT security is under fire. It's not just that there are holes, but that they are holes that other OSes patched years ago.

By Peter Mudge and Yobie Benjamin

o you have a strange feeling? The feeling that you've been somewhere or done something before? It's déjà vu, and we're developing a serious case of it as we hunt down bugs in Windows NT. It's not strange that there are bugs in it. We certainly have not come across any OS or piece of software that is bug-free.

The peculiar feeling comes from the fact that the bugs we're

seeing are the same security holes that were fixed many years ago in older OSes.

Why hasn't anybody noticed until recently? The Internet is largely a network of Unix computers, so hackers aimed their sights on the thousands of Sun, Hewlett-Packard, and IBM servers on it. NT was largely ignored. Microsoft's marketing juggernaut changed that. The hacker community targeted NT security starting in the fall of 1996, and the rash of security breaches has been relentless ever since.

The shame of it is that none of these threats are new to the security world. Why does an OS only five years old (compared to Unix's 25-year history) have these problems? NT may be another example of the veracity of Santayana's statement that "those who cannot remember the past are condemned to repeat it."

Let's look at NT's security by highlighting some of the breaches, how they work, and what you can do about them.

Denial of Service Attacks

Denial of Service attacks, commonly referred to as DoS, make a machine unusable. They range from shutting services off to blue screen of death (BSOD) attacks to devoting resources to one process and thus depriving other tasks of any sort of sizable time

slice. In general, DoS attacks do not require user names or passwords. Instead, they work by combining the inherent weaknesses of TCP/IP and the OS. Let's take a look at four examples: WinNuke, Domain Name System (DNS), Internet Information Server (IIS) 1.0, and Microsoft remote procedure call (RPC).

WinNuke is particularly troublesome. Most of the NT boxes out on the Internet are still vulnerable to this attack. We don't

know just who came up with the first example of Win-Nuke or found the initial problem. Our apologies for not being able to give credit where it is due. The scenario goes something like this.

A cracker makes a TCP connection to a machine running Windows 95 or NT. As soon as the connection is made, and before any regular data is sent, the cracker transfers a message over the connection with the Out of Band (OOB) flag set. This flag normally signals an application that some information needs to get through right away and cannot wait in the regular data stream to be processed. The paradox here is that there is no data in the regular stream.

In an unpatched or underpatched NT machine, your screen turns a nice shade of blue. You must reboot to clear this problem.

The moral of this example? TCP stacks are not the

easiest things in the world to write. Users continue to find bugs in most vendors' implementations. The one stack that is probably closest to being bulletproof is BSD Unix. What's more, the source code for this more robust and quicker stack is free. The only catch is that the license states you must mention that parts of your product were derived from Berkeley code if you use it.

NT also had problems with DNS. DNS is responsible for mapping numbers such as 10.23.143.12 to names such as foo.bar.com.



www.byte.com


It is in much need of an overhaul, but it's entrenched in how the Internet works.

The Canadian company Secure Networks found a problem in Microsoft's implementation of DNS. The standard operation for a DNS server is to field queries and send responses or send queries and field their associated responses. What happens when you send a response to a nonexistent query? The DNS server dies, most likely as a result of trying to reference a fictitious ID number in the DNS packet.

IIS 1.0 had a similar problem. All someone with malicious intent or sloppy fingers had to do was request a URL in the form of http://www.someiismachine.com/../../.., and the Web server would stop running. An easier way of doing this was simply to telnet to port 80 of the target machine and type "GET../.." Why did the server die? Probably, this is a case of requesting a file handle, getting a NULL pointer in response, and trying to dereference the NULL pointer.

Finally, and not because we are running out of DoS attacks on NT, but because we don't want to write exclusively on ways to make your NT network unusable, we have the problem of how a program should respond to unexpected or erroneous input. There are three possible responses to this question: Ignore the input, report the error and terminate gracefully, or act in an undefined manner (the program dies from a segmentation fault or a bus error, munges its stack frame, or sits there spinning its wheels in an endless loop).

We believe most people would prefer either of the first two responses to the third. Unfortunately, however, the last one is what happened to most Microsoft



services that listened on the network.

Windows NT 4.0 Service Pack 3 fixed the port 80 OOB attack, but crackers struck again. By connecting to port 135 of an NT machine and letting your 2-year-old bang away at the keyboard for a second, you would leave the program previously listening on that port spinning its wheels and pegging the CPU use at 99 percent. Microsoft plugged the port 135 hole in one of the 14 patches to Service Pack 3, but there

are probably more TCP/IP bugs remaining than we'd care to think about.

Noncaptive Environments

In many situations, it is necessary to give someone or something limited access to your system. It is not necessary for everyone who connects to your FTP or Web server to have access to your main C or D drives. In the case of HTTP servers, all that people will usually need is the document root.

For example, if your Web tree lives in c:\users\web\html and your main page is c:\users\web\html\index.htm, users should be able to request http://your.site.com/index.htm. Thus, \users\web\html looks like\to the foreign entity. The same holds true for FTP servers, file sharing, and the like.

In the Unix world, administrators found that you had to double-check to be sure that restricted environments were really restricted. Administrators found this out the hard way and fixed it over time. Now it's Microsoft's turn to learn for itself. It's also possible that Unix vendors had an easier time of it, because the

NT Watchdogs for Hire

No add-on or accessory can close Windows NT's holes, but they all claim to help you tackle the job of guarding NT servers in more systematic ways. Internet Security Systems (http://www.iss.net) recently released RealSecure 1.0 for NT 4.0, featuring an automated, real-time attack recognition and response system, and a significantly enhanced management console, including predefined engine configuration templates. It also features built-in reporting capability, an ODBC-compliant database, and the ability to recognize attacks in a Windows networking environment. Network Information Technology (http://www.nit.com) offers UniShield APD for Windows NT. UniShield's publishers say it transparently enforces security policies and audits all administrative activity, irrespective of whether such activity originates from the native NT programs such as User Manager or Server Manager, Net Commands, or third-party software developed using Net API functions. Axent Technologies (http://www.axent.com) claims to guard against NTCrack, insecure registry, and the anonymous log-on loopholes, with OmniGuard/Enterprise Security Manager 4.4.





MORE

HASP PROTECTS MORE.

All over the world, more developers are choosing to protect their software against piracy. They're protecting more products, on more platforms, with better protection – and selling more as a result. And more of these developers are protecting with HASP. Why? Because HASP offers more security, more reliability and more features than any other product on the market. HASP supports the most advanced platforms, including Win NT, Win95, Win32s, Win 3.x, OS/2, DOS, Mac OS, NEC, UNIX and LANs. To learn more about how you can protect better - and sell more - call now to order your HASP Developer's Kit.











1-800-223-4277 www.aks.com

The Professional's Choice

North America Int'l Office Germany UK Japan Benelux France

HASP Packs More Into Less.

Based on a full-custom ASIC, HASP packs the most advanced

protection into the smallest key in the world.

Aladdin Knowledge Systems Inc. Tel: 800 223-4277, 212 564-5678, Fax: 212 564-3377, Email: hasp.sales@us.aks.com Aladdin Knowledge Systems Ltd. Tel: +972 3 636-2222, Fax: +972 3 537-5796, Email: hasp.sales@aks.com FAST Software Security GmbH Tel: +49 89 89-42-21-37, Fax: +49 89 89-42-21-40, Email: info@fast-ag.de **Aladdin Knowledge Systems UK Ltd.** Tel: +44 1753 622-266, Fax: +44 1753 622-262, Email: sales@aldn.co.uk Aladdin Japan Co., Ltd. Tel: +81 426 60-7191, Fax: +81 426 60-7194, Email: sales@aladdin.co.jp Aladdin Software Security Benelux B.V. Tel: +31 24 648-8444, Fax: +31 24 645-1981, Email: aladdin@worldaccess.nl Aladdin France SA Tel: +33 1 41-37-70-30, Fax: +33 1 41-37-70-39, Email: 100622.1522@compuserve.com

Call your local distributor now!

Aladdin Russia 1095 9230588 ## Australia Conlab 03 98985685 ## China Feitlan 010 62567389 ## Czech Allas 02 766085 ## Denmark Berendsen 039 577316 ## Egypt Zelneldein 02 3604632 ## Finland ID-Systems 09 8703520 ## Greece
Unibrain 01 6756320 ## Hong Kong Hastings 02 5484629 ## India Solution 011 2148254 ## Italy Partner Data 02 26147380 ## Korea Dae-A 02 8484481 ## Mexico Siscit 091 80055283 ## Poland Systherm 061 480273 ## Portugal Futurmatica 01 4116269## Romania Ro Interactive 064 140383
Singapore ITR 065 5666788 ## South Africa D Le Roux 011 8864704 ## Spain PC Hardware 03 4493193 ## Sweden Kordab 455 307 300 ## Switzerland Opag 061 7169222 ## Taiwan Teco 02 5559676 ## Turkey Mikrobeta 0312 4670635 ## Yugoslavia Asys 021 623928

Unix source code they released actually helped hackers find and plug security holes.

In some versions of Microsoft's Web server, FTP server, and file sharing, it was possible to believe you were sitting at \, attempt to go up a level anyway, and magically find yourself outside your restricted environment. Although Microsoft has since patched the flaw, the idea that it could introduce the flaw years after the Unix community identified the problem is troubling.

Privilege Escalation Attacks

ActiveX and Java have provided a wellspring of privilege escalation attack opportunities. Some of the most interesting attacks involve the construction of hostile Java, ActiveX, or plain old C++ Trojan horses.

In theory, Authenticode gives a level of protection against Trojan horses. ActiveX controls are signed by certificate authorities and must identify their creators before they run. You get to decide if the creator should be trusted. Regardless of Microsoft's threats of litigation, however, unscrupulous crackers will still

find people to sign their ActiveX controls.

In the ActiveX/Authenticode security model, once a source is trusted, it is always trusted. For example, users who go to Microsoft's Web site are sent a flood of ActiveX controls without warning, because the controls came from a trusted source-Microsoft. What if a rogue Microsoft employee decided to modify registry settings, plant backdoors for later use, or deposit logic bombs? An example of a rogue ActiveX control, called Internet_Exposure, can be found at http:// www.network-security.com/nt/internetexposure.

In addition to the Trojan horse examples, a slick program entitled getadmin was recently released by Konstantin Sobolev, who wrote it in Russia, according to one security expert. This program found functions the NT kernel was providing that would let nonprivileged processes attach to memory areas that they should not be allowed to touch and modify the contents.

The result? A tool that would let an ordinary account convince the system it was just debugging something and place the account in the Administrator group

of an NT domain. The next time you logged in, you had full rights to the system. This avenue seems ripe for exploration as Microsoft pulls more and more of the services that used to live in user space into kernel space. Any bug or lack of validity checking in userland gets much worse if it continues to exist in kernel space. As expected, getadmin has been ported into an ActiveX control and an application that a Trojan horse can deliver.

At press time, Microsoft has issued two patches for getadmin, the second of which was headed for NT 4.0 Service Pack 4. but each works only in certain cases. Neither will work if you have any software developers on your system, because they need to be given permission to attach to processes for debugging purposes.

Weak Passwords/ **Authentication**

A while back, a white paper on insecurities and potential flaws in Microsoft's CIFS specification (its replacement for NFS and how all systems will share files across networks in the future) was posted on the Internet. The paper, which was by

Password Protection at a Price

n July 14, 1997, Microsoft quietly admitted a major security problem with all versions of Windows NT. Simply put, the encryption implementation in NT 4:0 makes it possible to extract all the LAN Manager and NT user names and passwords in any NT workstation, server, or domain. After this, you can then bruteforce the plain text passwords.

Microsoft Knowledge Base *Document: Q147706* (it can be found at ftp://ftp:microsoft.com/ bussys/winnt/winnt-public/fixes/ usa/NT40/hotfixes-postSP3/lmfix/Q147706.txt) is a disturbing mea culpa. The essence of the document is that security has a price—a very high price. Microsoft will guarantee security for your network only if all clients and servers are 100 percent NT. If your network has clients that require the LAN Manager protocol, such as Windows 95, Windows for Workgroups, or regular

right tools can intercept the obfuscated user names and pass: words, and extract their plain-text equivalent.

Awhite paper by the researcher known on the Internet as hobbit started it all, analyzing bit by bit the CIFS protocol used by NT. Dominique Brezinski of Cybersafe then released a paper that concentrated on the man in the middle problem in the process. From down under an anonymous Australian programmer released the source that allowed the programmatic deobfuscation of LAN Manager and NT hashes from the NT registry.

Cygnus programmer Jeremy Allison quickly cleaned it up and released PWDump, which was meant to be a password audit tool for NT. PWDump unleashed a storm of controversy after it was incorporated in a Trojan horse by a Bay Area-based programmer.

Windows 3.1, anyone with the Later, the hacker group that's known as the LOpht built a sophisticated brute force password cracker that extracted plain-text passwords from the PWDump

> NT's security is based on two cryptographic methods: the IBMsired LAN Manager security protocol and the NT security protocol. While each has strengths and weaknesses together they prove to be disastrous, because the weaker LAN Manager protocol emasculates the stronger NT protocol. Unfortunately, because of backward-compatibility requirements. Microsoft continues to use the weak LAN Manager protocol.

> Why is the LAN Manager protocol weak? It's the implementation. In a nutshell, LAN Manager hashes the passwords in a predictable way and does not use salting (the process of inserting several random bits into the hash)

From our research, we have

found that you have to go through only seven characters to retrieve passwords (upito 14 characters in length) in the LAN Manager hash. Also, because no salting is being done, constants show up alliover the place, giving away too much information and speeding up attacks tremendously.


The first 8 bytes are derived from the first seven characters of the password, and the second 8 bytes are derived from the eighth through fourteenth characters of the password. If the password is less than seven characters, the secondihalf is always the same Let's assume for this example that the user's password has an LM hash of -0xC23413A8A1E 7665fAAD3B435B51404EE(I will save everyone the nanosecand it would have taken for them to plugithis into LOphterack and have it tell them the password is "WELCOME").

The following is what happens

hobbit@avian.org and available at http:// www.avian.org, pointed out many areas for concern and gave readers enough information and source examples to create their own "probing kit" to check things out for themselves.

One interesting note in the paper was that logging of attempts to connect to file shares was done via the NetBIOS name, not the IP address. Thus, it was trivial to explicitly tell the machine what to log by handing in the NetBIOS information. Walking into work and seeing your logs filled with connection attempts from "HAHAHAHAH" might tell you that you were under attack, but it gives you little information to work with other than a taunting ramble.

In addition to logging, NT provides account lockout "slowdown" solutions to programmatic dictionary or sequential password attacks over the network. In account lockout, the administrator specifies how many invalid attempts it takes before an account is locked out and how long the lockout period lasts. Great, except you can't lock out the Administrator account. If someone renames the Administrator account to try to hide it and leaves



a dummy account in its place, you can tell as soon as your automated attack scripts start failing in rapid succession as opposed to slowly and programmatically. The slowdown solution makes NT introduce a delay between each attempt to authenticate. Ostensibly, this would make it unfeasible for an attacker to launch an

to this hash on the network:

System B sends an 8-byte challenge to system A. (Assume 0x0001020304050607.)

Machine A takes the hash of 0xC23413A8A1E7665fAAD3B 435B51404EE and adds five nulls, thus becoming 0xC23413-A8A1E7665fAAD3B435B5140 4EE00000000000. This string is broken into three groups of seven.

The 7-byte strings are str_ to_key'd (if you will) into three 8byte odd-parity DES keys.

The three 8-byte values are

concatenated (dumb), and the 24-byte response of 0xAAAA-AAAABBBBBBBBCCCCC-CC is returned to the server. The server does the same thing to the hash on its end and compares the result to the 24-byte response. If they match, it was the correct original hash.

 half of the LAN Manager hash.

Note that we're not worried about optimizing the way this is done, and that there are much more effective ways to do this that reduce the amount of time required even further. Even so, this shows that even a simplistic attack works against this implementation, and it's no different than how a tool such as LOphtcrack attacks the hashes in the registry.

password is eight characters or greater.

It takes us, in a worst-case scenario, 65,535 checks to figure out that the 2 bytes that are used in the last third are 0xCCD6.

You can go through your seven-digit combinations of characters for the first third the same way you would the LAN Manager hash from the registry. This will yield not only the first third of the response, but also the first byte of the second third. Keep in mind that you already have the last 2 bytes that made up the final third. You can approach the middle third in the same fashion.

Together, these problems enable utilities such as LOphtcrack to get and decrypt passwords quickly using brute-force methods.

Because opting out of the LAN Manager security model precludes continued use of Windows 95 machines as clients to NT machines, it is still a moot point as to how tough or well done the NT hash might or might not be.

entire dictionary at an account over the net—it would take too long. If you have 1000 words you want to try and the slowdown period lets you try only one word every 2 seconds, it will take 33 minutes to go through them. The problem here is that the slowdown solution works only per connection. To bypass it, simply open 10 connections with different words from the list. Now it will take you only 3 minutes (these numbers are used just as an example).

For more information on this, see http://www.avian.org, http://www.secnet

.com, and http://www.L0pht.com for the vulnerability-in-CIFS white paper, the NAT10 auditing tool, and L0phtcrack, respectively.

The encryption implementation in NT 4.0 has left passwords vulnerable to attack (see the text box "Password Protection at a Price"). Microsoft recommends abandoning LAN Manager-style passwords. NT-style passwords can be up to 128 characters in length. These passwords are case-sensitive. NT converts them to Unicode and then runs them through Rivest-Shamir-Adleman's (RSA)

MD4 message digest function. The resulting 16-byte value is the NT hash. The only time hackers should be able to retrieve a LAN Manager password and not the NT MD4 version is if the MD4 version is originally longer than 14 characters. But ironically enough, NT's UserManager application won't let you type in a password greater than 14 characters.

Caught Unaware?

Microsoft officials we spoke to downplay these problems and characterize NT as "a very solid and secure OS." According to Enzo Schiano, group product manager for NT Server, "if you compare NT to Unix, we probably have a very, very comprehensive security infrastructure."

But much of Microsoft's advice on its Web site smacks of the obvious: Precautions include reminding users not to pick easily guessable passwords. The Syskey patch to NT 4.0 prevents anyone from reading hash values out of the NT registry. The hacker community is now calling Microsoft's bluff by exposing more holes every day.

Unfortunately, the cracker community is exploiting the revealed vulnerabilities for criminal purposes, and patches such as Syskey hamper administrators, not the crackers. To help administrators test the strength of their encryption, a future version of L0phtcrack will include an NTbased sniffer kit, for reading hash values over the NT server's network.

You can't just blame users who don't adopt or enforce security policies rigorously. DoS attacks, noncaptive environment attacks, and privilege escalation attacks will continue, even through the implementation of Kerberos security in NT 5.0. Eventually, users will complain enough that Microsoft will turn its full attention to the problem. The seriousness of the situation may even cause Microsoft to turn to Unix methods and technologies developed over the years to patch the holes. NT is a robust OS, but only compared to other Microsoft OSes. It can prosper only if it becomes something more. B

Peter Mudge is the chief security architect of LHI Technologies, and Yobie Benjamin is the chief knowledge officer of Cambridge Management Labs, a division of Cambridge Technology Partners, Inc. They spend much research time in the areas of Java, ActiveX, Unix, Windows NT, security, cryptography, and the Internet. You can reach them c/o editors@bix.com.

Don't Get Caught with Your Power Down...


When it comes to choosing something as important as a UPS, it's foolish to fly by the seat of your pants.

That's why network administrators are safeguarding their critical data with

Industrial Strength Power Protection from Deltec, the largest supplier of OEMs in the industry. Fortune 100 companies choose **Deltec** UPSs for their array of exlusive features, such as Advanced Battery Managemet (ABM™)

-which doubles battery service life, optimizes recharge time, and provides advanced warning of pending battery failure. Combined with Deltec's proprietary LanSafe III and FailSafe III power management software — offering automatic, orderly shutdown of all network devices during extended blackouts

- Deltec UPSs ensure a fault-tolerant environment, designed to keep your system up and running even when the power goes down.



Call Now: 1-800-DELTEC-1



Win Prizes at our Web site http://www.deltecpower.com or e-mail: info@deltecpower.com



























Components Battling Components

Everybody's doing components on the desktop these days, but what are the components doing to the desktop?

By Robert Richardson

hen it comes to software components, simplicity is everything. It's not that these items—such as DLLs for Windows and extensions in the Mac world—can't do fiendishly complex things. These mix-andmatch software plug-ins can range from simple buttons on Web pages to full-blown chart packages that you can toss into your enterprise database. However, the environment that these parts and pieces inhabit has to be homey if a thriving market-

place for them is to emerge: It should be obvious how to add these components to an existing system. After all, what's the point of having components if it takes an advanced degree and as much as a year of coding to get a few of them to communicate with each other?

The computer industry came to realize the value of no-frills practicality after the hothouse growth in thirdparty controls (known as VBXes) for Microsoft's Visual Basic. Since then, Microsoft has jettisoned righteous abstractions, such as inheritance and polymorphism, which are sacred to the serious object-oriented-programming crowd. The result has been a shower of derision from the gallery-and a ground swell of support from the vendors and users in the trenches.


DLLs Aren't Dull

Today, the locus of Windows component development is the shared DLL. This isn't surprising; developers want to be able to share functions without having to share code. This basic functionality is something that DLLs have provided within Windows since the get-go.

There is a problem, though: The wide variance in the structure and syntax of procedure calls within DLLs inhibits the broad use of disparate DLLs. So, increasingly, the Component Object

Model (COM)—Microsoft's framework for encapsulating the variations within components behind rigidly defined binary interface entry points—has become a popular way of packaging the components stored within DLLs. COM makes component use easier through two technologies: OLE provides the standard approach to binary interfaces, and the COM "bus" hides the complexity of finding and loading components (even when those components are to be loaded on remote machines).

Much of the success of components on Windows desktops has been due to the success of DLLs. At the same time that DLL use has grown swiftly, however, a troubling pathology of system instability has emerged. In the pursuit of simplicity, Microsoft has overlooked management mechanisms needed to prevent component chaos. The flood of DLLs in a Windows system directory (several hundred on an average Windows installation) is impossible to manage properly. Microsoft seems to be only barely aware of what action it will take to keep components safe for enduser consumption.



Extension Tension

Most component screwups today are on Windows desktops, but that's not because other systems are any cleaner. Rather, the popularity of Windows and the frenzy of

shared DLL development have combined to make Windows the de facto test-bed for the desktop componentware concept.

Apple's Mac OS has a limited concept of shared components: Mac OS extensions. These extensions load extra functions into the general OS environment rather than loading and unloading them on a per-application basis. But they do not lend themselves to easy reuse by other applications and, as a result, have not been an active development area. As John Landwehr, product mar-

keting manager for Apple's forthcoming Rhapsody OS, puts it: "There aren't many components in the Mac OS, and I would not say that they're the easiest to use."


Landwehr adds that extensions are mostly for situations requiring devicedriver software, and that applications generally use only the extensions in the application package. Yet Mac extensions often conflict with each other. This has spawned a market for third-party extension managers, such as Conflict Catcher (Casady & Greene, Salinas, CA), and the Extension Manager in more recent versions of the Mac OS. These utilities give users much finer control over when and in what order extensions load. If Mac applications shared extensions more often, as Windows applications do, Mac users would encounter the same array of disasters that Windows users face daily.

Jeff Foster, president of Mac software developer Vicious Fishes Software (Brea, CA; http:// www.viciousfishes.com), says that, as a way to add functionality to serial ports and other hardware, the extension mechanism is "worth the aggravation of most of the conflicts." But there are conflicts aplenty. "Since we're a development shop here, we are continually having conflicts of one sort or another," he adds. "You either find a workaround or let the machine keep crashing."

The original Apple strategy was to leave extensions as just that—extensions to the low-level OS—and then embrace Open-Doc, a multivendor component-software initiative, as a way to deliver component-ware on the Mac. But OpenDoc never gained widespread user support, and Apple abandoned it earlier this year.

For now, extensions are the only mainstream component mechanism that the Mac OS has to offer. Since most vendors don't use extensions from third parties, relying on some other developer's extension—the Achilles' heel of DLLs—is not the problem. However, extensions share a common memory space, and one extension's bug is often another extension's corrupted data.

Apple's Technical Information Library is full of helpful tidbits like this: "You can attempt to remedy a conflict by changing the loading order of a given extension or Control Panel by locating the file in the System Folder and adding a space or spaces to the front of the file's name." In other words, you can use the alphabetical ordering of the extension filenames to



NT 5.0 can lock down a user's System directory, install assigned applications, and allow published applications—but that's all.

shuffle around the order in which extensions load. The goal is to mix things up enough so that whatever memory sins being committed are happening in some location where no one gets hurt.

Aspirations for a higher level of rocket science have spawned a market for the aforementioned third-party extension managers. They give users much finer control over when and in what order extensions load, generally by copying extensions in and out of the folder from which the Mac OS loads them.

This system might be OK for genuine OS extensions. But as a basis for components similar to DLLs (which is what Mac extensions have gradually become), it's a ludicrous approach, and Apple has done next to nothing to make the arrangement better. As of the 7.6 version of the Mac OS, you don't have to load all your extensions at the same time, but you do have to reboot every time you want to change extension sets. This is *not* one of those situations where Mac loyalists can gloat over how long it took the Windows camp to figure out how to do it right.

Apple's use of components will change radically with the introduction of its new Rhapsody OS, a heavily object-oriented, high-end, "next-generation" product scheduled to be in a developer release by the time this article sees print. Rhapsody, built from the foundations of the Next-Step OS, has a highly developed object framework and at least the beginnings of

a system for managing it (see the screen on page 94). It remains to be seen whether Rhapsody will have the same component confusion that Windows now has, but it seems possible. Since the simpler Mac OS has extension-conflict problems, Rhapsody may well have even more.

DLL Dilemmas

DLL discomfort has several causes. For example:

Older DLL versions copy over the "correct" versions. This "back-revving" happens because vendors never know whether a customer's system is going to have the necessary shared DLLs. So, DOESGOOD. DLL version 2 goes into the Windows system directory, obliterating version 3 of the same name. To be sure, vendors distribute the DLLs they've tested during development. However, newer drivers may already have superseded these by the time users load them.

In theory, a vendor's installation routine should double-check to see if a newer version of a shared DLL is already on the target system. Yet vendors have been sloppy or cautious about this, depending on how you look at it. On the sloppy side of the equation, some installation routines simply don't check for existing DLLs. In the interest of caution, though, some vendors intend to copy the specific DLL that they've tested, which gives them some cause for confidence (in particular because they're worried about the next DLL

Another HiProf User.



hen you use HiProf 2.0 to analyze your program, you'll find that you can identify bottlenecks and problem spots in your code more quickly and easily than ever before, leaving you time to do, well, whatever.

HiProf provides clear insight into the structure and performance characteristics of your app, and lets you:

• see time spent in parent functions and their children as well as all the calls taking place between them

• analyze your finished binary files in just minutes (no OBJ files or source code required)


- selectively exclude dlls or portions of your exe from analysis
- identify and view your app's critical performance path
- watch the stack in real time to sort out resource conflicts

So try out HiProf today. See you on the slopes or wherever - tomorrow.

From Tracepoint, of course. Performance tools for software developers.

For more information or a FREE trial version, visit our web site at www.tracepoint.com or call us at 888-688-2504

HiProf 2.0 for Visual C++ - \$249 (estimated street price) HiProf 2.0 for Visual Basic - \$199 (estimated street price)



HiProf 2.0 for C++ works on Win32 applications developed using Microsoft Visual C++ 2.X, 4.X, and 5.0. HiProf 2.0 for Visual Basic works on apps created with Visual Basic 5.0.

TracePoint



TracePoint: A DIGITAL Company

Visual C++ and

for Visual Basic



discomfort I'll discuss). Copying older DLL versions means the newly installed application will work, but applications that rely on later versions of the DLL are now more likely to encounter problems.

Users can also get in on the fun by, for example, restoring files from backup tapes without regard for newer versions installed in the meantime.

Newer DLL versions copy over older versions. The heartening, if perverse, optimism of the software industry makes us believe that an updated version of a component will be better than older versions. But new versions introduce new bugs or don't speak the same interface language as older versions. So when a vendor follows the rules and does not load an older DLL, it can get into trouble for adhering to Microsoft guidelines.


If you load a new copy of Microsoft's Publisher 97, for instance, the installed program may fail immediately after it starts. The Microsoft Technical Support KnowledgeBase boldly states that "this error occurs if a newer version of the MSVCRT40.DLL file is already installed on your computer when you run Publisher Setup." This is your reward for keeping up with Redmond's product line.

The system deletes shared DLLs during uninstalls. When an application installs itself according to Microsoft guidelines, it increments registry-based usage counters for all the shared DLLs it calls. When Microsoft's uninstall feature removes programs, it consults the counters to see how many other programs expect the shared DLL to be there.

If no other applications need the DLL, the system will assume it's OK to remove the DLL. But nothing forces applications to increment the counters. If one program shirks its duties, the counter is off, the DLL may well vanish prematurely, and thereafter any programs that need the DLL are bound to fail.

Windows keeps hidden copies of special DLLs that you cannot delete. Windows keeps copies of some particularly sensitive DLLs in the SysBckup directory within the Windows directory. At startup, it compares the copies to the originals in the System directory and, if they don't match, the backups copy over whatever's in the System directory. Copying a new version of WINSOCK.DLL into the System directory, for example, will be magically undone at the next system start-up.

DLLs can conflict with each other.



A report generated by Microsoft Windows 98's System File Checker, indicating that a system-level file has changed somehow.

Some DLLs are just plain badly coded, a simple fact of programming life. While we're all resigned to a certain amount of buggy code, it would be desirable to be able to separate contentious DLLs so that they never load at the same time.

This is an instance where the Mac has created advantage from adversity. Unlike DLLs, which load as needed, Mac extensions load into memory and stay there throughout a session. In earlier versions of the Mac OS, all the needed extensions had to load, meaning that they all used memory all the time. When conflicts occurred, the only remedy was to juggle the order in which the extensions loaded. Version 7.6's Extension Manager could create different groups of extensions so that some would load together while others would not.

The DLL namespace readily allows collisions. Vendors currently tend to throw all their DLLs into the System directory, although Microsoft suggests that only shared DLLs belong there. Further, even though Microsoft's 32-bit OSes allow DLLs to have long filenames, most vendors stick to the 8.3 convention; they must if their DLLs are also for 16-bit environments. Plus, their files may someday reside on a shared network drive that supports only short names.

There are only so many eight-charac-

ter names—fewer when you use meaningful abbreviations and short words. When two developers use a name like DISPLAY.DLL, somebody's going to get hurt.

DLLs may not load the way Microsoft says they do. Dan Plastina, group program manager for Windows administration, says Microsoft's 32-bit platforms load DLLs "by path name, not by filename." He says there is not a problem if they call two DLLs with the same name if they have unique full path names.

Not so, say programmers, including John McMillan, lead programmer for new product development at Great Lakes Business Solutions (Canton, MI; http://www.glbs.com), which makes the installation product Microsoft now uses for its System Management System product. "Once a DLL is in memory, the system will never pull in another version of that DLL again," he adds. Other programmers cite cases where Windows has mistakenly used a same-name DLL.

The issue seems to arise because there are two ways in which a DLL can load. In a normal case, it uses a link library of *stub functions* (i.e., the same process compiles the actual DLL) and calls the DLL by its short name. Windows checks memory for currently loaded DLLs of the same name before looking elsewhere. It's possible to load a DLL by path name, but only



COREL Paradox 8

Power That Delivers.

Data That Connects.

Performance Made Easy.

New Features
in Corel® Paradox® 8:

Internet connectivity[†] lets you publish forms and reports to the Internet or an intranet

- Streamlined user interface for increased productivity and product usability
- New and improved Experts for automation of common database tasks
- Innovative PerfectExpert™ task-oriented help technology
- Improved integration with Corel WordPerfect Suite 8 Professional core applications
- New and improved Project Viewer for even more powerful database project management
- Easy-to-use SQL Visual Query Builder lets you create queries with dragand-drop functionality
- New Application Framework for rapid application development
- Enhanced Object Explorer for increased developer productivity
- Continued support for cross-Windows® compatibility
- Direct support for Microsoft® Access and Microsoft® FoxPro databases
- New and improved Borland® Database Engine 4.0 for optimized speed and performance

Also Available:

Maximize your productivity with Corel Paradox 8 Runtime and Corel Paradox 8 Enterprise Edition. Each includes Java™ Runtime for platform independent database access,

anywhere!††

†Internet connection required. ††Corel Paradox 8 Runtime and Corel Paradox 8 Enterprise Edition are scheduled to be released in November 1997.



Corel® Paradox® 8 is also available in Corel® WordPerfect® Suite 8 Professional

Corel® Paradox® 8 delivers incredible ease of use, exceptional power, an enhanced user interface and ultra-smooth integration with Corel® WordPerfect® Suite 8 Professional core applications.

An innovative graphical query editor makes building SQL queries a breeze, while advanced Internet tools let users publish database tables, forms and reports effortlessly to the Web.

Corel Paradox 8—relational database power made easy.

\$999*
Full CD-ROM version





*CompUSA price in US\$ plus applicable taxes.

Copyright © 1997 Corel Corporation. All rights reserved. Corel, Paradox, PerfectExpert and WordPerfect are trademarks or registered trademarks of Corel Corporation architect. Java is a trademark of Sun Microsystems, Inc. Microsoft and Wordwows are registered trademarks of Microsoft Corporation Solational is a registered trademark of Borland international, Inc. All other product, font and company names and logos are trademarks or registered trademarks of their respective companies.



when you make DLL function calls by linking to a library of precompiled stubs.

DLLs with the same version number may be different. Each DLL has a version resource that includes several stock fields, including a binary version number and a string for the manufacturer. You can see the version number for a DLL by right-clicking your mouse on the file within File Explorer and then selecting Properties. But there's no standard rule for updating these numbers. It's common practice at Microsoft, for instance, to release several different builds of a DLL with the same version number.

This last problem—different DLLs with the same version number—has some independent software vendors (ISVs) hopping mad. Bob Denny, creator of O'Reilly and Associate's WebSite, says the root cause of "DLL hell" is what happens when you have "a component where the behavior hasn't been changed but that's been bug-fixed. Microsoft itself has in some cases released dozens of versions of a DLL that are functionally identical but that have different levels of bug fixes."


Moreover, end users are often unaware that underlying system-level components have changed. Loading something like an Internet Explorer browser update can update low-level OS components—the lowest-level TCP/IP protocol stack DLLs, for example. There may be no direct relation; Microsoft may have used the update to slipstream a number of OS patches.

The result is that it becomes harder for vendors to support their products because it's difficult to tell exactly what set of system DLLs any given user has. "As a developer," Denny says, "I really hate working in the Microsoft environment right now, because it's just a snake pit from a support standpoint. You never know what your customers have."

How Active Can One Desktop Be?

Developers are making two separate realizations about desktop components. The first is that haste makes GPFs. Microsoft's rush to get activated has resulted in too many versions of system components that beg for stability. Vendors have been sloppy, too, with shared components in the System directory.

The second realization, though, has consequences that require more than tiestraightening and good manners: Applications badly need a way to protect them-



Good behavior includes steering application-specific, common, and system-level DLLs into the proper directories.

selves when forward compatibility with new versions of trusted components does not work out. There's a new realization that better tools are necessary for assessing component conflicts. It's sometimes more stable if developers reuse components in their products but don't try to share them with other applications on users' systems. Much more stability is necessary in widely shared components, such as the 3-D controls in Office, FrontPage, and Internet Explorer (all now shipped with slightly different versions).

The Microsoft Way

Microsoft realizes there's a problem, says Russ Madlener, product manager for desktop OSes. However, don't look for any real fixes to come with Windows 98 (aka Memphis). Help will come in the form of somewhat-better safeguards for DLL installation and a tool for post-mortem forensics on failed systems.

First, Microsoft intends to get tougher about granting "Designed for Windows" logos to software vendors. Madlener says there will be "enhanced restrictions" on the "whole approach of installing and uninstalling an application." To date, he says, Microsoft has offered only guidelines, which often are not well understood or followed.

Under the new program, vendors will be in "violation of logo" if they copy anything other than Microsoft-shared DLLs to the System directory (see the figure "How to Stay Clear of the Long Arm of the Logo Police" above). Components intended to be shared by others will be copied into the Common Files directory. Every other DLL that an application uses must be in the application's own directory. Assuming vendor compliance, this will at least reduce the risks of name collisions.

Coming with Windows 98 is the System File Checker, which performs such an obvious function that one wonders why it wasn't available before. This utility checks system-level files—and any other files that the user wants to monitor—to make sure they haven't been modified or corrupted since the last time the utility recorded a profile of the system (see the screen on page 90).

NT Promises

It's with the release of Windows NT 5.0 that component-management enhancements really get interesting, according to Madlener. For one thing, vendors will no longer control their own destiny when installing a new application. Instead, installation will pass to a system-level installation utility. Currently code-named Darwin, this setup utility will run on all 32-bit platforms.

With NT, says Microsoft's Plastina, "when you go to install an application, you ask Darwin to do the work for you. You give Darwin an instruction file." Dar-

Breakthrough

IN KEYBOARD
MONITOR
SWITCHES

Multi Platform & On-Screen Display



BREAKTHROUGH the clutter of multiple keyboards, monitors, and mice with this latest **INNOVATION** from Rose. This switch has every feature you asked for:

Switches several servers or computers to a single monitor, keyboard, and mouse

Supports any mix of PC, Apple, Sun, RS 6000, HP 700 series, DEC Alpha, SGI, or other computers from any keyboard or mouse

Front panel has keypad for easy selection of computers and configuration

Front panel display shows computers name and other information

Command to switch can come from your keyboard, front panel, or RS232 port

Simple to use keystrokes switch computers for fast and easy control

Built in daisy-chaining to support up to 256 computers

Flash memory for future upgrade of features

Easy to use **OverView™** system gives control and status with on-screen graphics

Many other features!

ROSE ELECTRONICS INVENTED

the first keyboard-monitor switch. We have an extensive line of keyboard and video control products for any application.

CALL TODAY FOR FREE CATALOG:

- Keyboard/Video Control
- Print Servers
- Data Switches

800-333-9343


VISIT OUR WEB SITE AT WWW.ROSEL.COM







http://www.quatech.com



Rhapsody manages objects in three folder tiers: for user and system on each system and, here, for the system object folder on the server.

win carries out the instructions, following the rules of DLL reference counts and replacing DLLs.

Another change in DLLs has to do with packaging system components. Says Plastina: "Today when you install an application, it puts down a good number of megabytes of data that comes with the system. Those are really OS components, though. With NT 5.0, we'll have quarterly releases of shared component service packs." These will contain "the latest versions of the DLLs that the OS group has blessed, and applications won't ship those DLLs anymore." DLLs in service packs will contain updated version numbers.

Darwin is just one part of the Zero Administration Windows (ZAW) initiative that Microsoft announced a year ago. Network administrators will also be able to lock down the Windows directory so that a user can't change it (see the figure "Windows NT Corrals Components" on page 88). In addition, administrators will have complete control over which programs go on a user's system.

Future Perfect?

To some degree, mismatches among components are an inevitable result of the current pace of software development and the modular approach to software that's

necessary for updates in short time frames. But there's now concern among some developers that Microsoft's game plan of migrating most components from plain DLLs into the COM framework might only make matters less manageable. If the problem of DLLs is a lack of control over versioning, the problem with COM is that the whole notion of versioning is absent.


In COM, the functionality of each interface is specified and permanently fixed. Every interface is assigned a Globally Unique ID (GUID), which virtually eliminates name collisions. But individual implementations of the interface associated with any given GUID are indistinguishable within COM.

For now, Microsoft has implemented most of the widely used COM interfaces. Furthermore, until now, fixing Microsoft's COM interface bugs has entailed adding functionality; each revised interface has received new function calls and new GUIDs.

Despite prior insistence that the interface is all that matters, Microsoft's Madlener says that there are "plans to add finer-grained versioning to COM." The details of versioning in the next generation of COM (called Common Object Runtime [COR]) should be out by the time you read this.

continued

Artecon's New RAID Math





Graduate to the Next Level.

$9.1 \times 9 \times 10 = 73$

Other entry-level RAID systems require you to anticipate your future storage needs due to confusing choices in controllers and enclosures. Graduating to the next level becomes difficult, if not impossible. LynxArray gives you true scalability by featuring the same controller

and enclosure architecture whether you have 9 drives or 90 drives. You can start with a deskside tower using 9.1GB drives, increase your capacity ten times and move to a 73.5" rack with 100% investment protection.

From any entry point to a multi-terabyte RAID solution, each \mathcal{L}_{MM} array component can be used toward your system's move to the next grade. Multiple hosts are supported, allowing for numerous configuration options. So you can really show that you've done your homework when you need to increase your storage capacity with Artecon's \mathcal{L}_{MM} array.

No other RAID system on the market offers the scalability and investment protection of \mathcal{L}_{YMX} Array - at any price.

For departmental to enterprise storage needs, $\mathcal{L}_{\text{VMXArray}}$ offers these top-of-the-class features:

- Performance Our RAID controller surpasses the competition with I/Os of up to 4600 per second. Ultra-Wide, end-to-end SCSi achieves transfer rates of 40MB/s burst and 33MB/s sustained.
- $\frac{1}{2}$ Hot-Swappable Controllers Hot-swap removable controllers allow for high availability and redundancy of your RAID system.
- Package Density Configure up to 82GB of total capacity and still have room for hot-swappable failover controllers in only 7" (4u EIA).
- SDOD/Tape Inline Backup your RAID system inline with DLT or hot-swap 8mm tape devices all within the same Lynnarray chassis.

Lyux Array subsystems are compatible with Sun, HP, SGI, IBM, Macintosh and PCs. Custom configurations and -48VDC telco models are also available.

So, if you are looking for a new and better way to solve your RAID storage problems, study up on Artecon's New RAID Math. Check out our website or give us a call to see how it all adds up!

1-800-USA-ARTE www.artecon.com/raid



IRAB.

Capturing The World In Storage
A Member of the Nordic Group of Companies

6305 El Camino Real, Carlsbad, CA 92009

Phone 760-931-5500, FAX 760-931-5527 email: raidmath5@artecon.com

Nihon Artecon 81-03-5458-8260 ▲ Artecon B.V. 31-53-483-2208 ▲ Artecon France 33-1-6918-1850 ▲ Artecon U.K. 01344-636390

Artecon and the Artecon logo are registered trademarks of Artecon, Inc. LynxArray is a trademark of Artecon, Inc. All other trademarks are proprietary to their respective manufacturers.



Speed is essential in all database projects, but not at the expense of stability. You wouldn't try to go 100 miles per hour with your bicycle! The same is true in database technology. FairCom has been delivering fast, safe, full-featured database engines to the commercial marketplace for 19 years. Proven on large Unix servers and workstations, c-tree Plus's small footprint and exceptional performance has also made it the engine of choice for serious commercial developers on Windows and Mac. Check out www.faircom.com for detailed information. You'll be glad you did.



MIPS ABI

880PEN

RS/6000

AIX

c-tree Plus® key features for \$895:

- Portable Multi-Threaded API
- Complete C Source
- Thread Safe Libraries
- Standalone or Client/Server
- Complete Transaction Processing,
- including automatic recovery Save-points

Sun SPARC

05/2

Mac

- Abort/Commit

DEC Alpha

HP9000

OSF/1

Sun OS

- Roll-forwards /Roll-backwards
- Easy make system
- Advanced Variable Length Records
- BLOBS

SCO

- Space Management
- File Level Security
- Conditional Index
- ODBC/Java Interfaces

LINUX (Alpha/Sparc/Intell

AT&T System V

Netware NLM

- Over 25 Developer Servers included

Banyan VINES

QNX

Chorus

Windows 95

Windows NT

Interactive Unix

Half of your Client/Server project is the Server! You control 100% of your Client Side. Why settle for less on your Server side? Move your functions to the serverside to decrease network traffic and increase performance!

Today's database demands may often be too complex for traditional Relational Model Database Servers. Server needs come in many different sizes and shapes. What better way to accommodate these requirements than by allowing the developer to take full control of the Server side? FairCom's Server Development System was created to meet this need. It provides the developer the means to create an industrial strength Server. Complete make-files are included for all FairCom commercial platforms. With our proven kernel add or override existing database functionality or create your own special multi-threaded server:

Application Server Special Web Server Network Gateway Server Departmental Database Server

Data Warehouse **Embedded Servers**

FairCom Server Development System key features:

Provides complete source code for all the interface subsystems to the FairCom Server. Server mainline, Communication, Threading, Remote function interfaces and procedure calls are all supplied in complete C source code together with the FairCom Server sophisticated thread-safe kernel libraries.

Customizable Transaction Processing Online Backup Disaster Recovery

Rollback-Forward Anti-Deadlock Resolution Client Side Source Multi-threading

Data History Multiple Protocols Heterogeneous Networking File Mirroring

Conditional Index Small Memory Footprint **OEM** pricing ODBC/Java interface Key level locking



Commercial Database Technology. Since 1979. 300.234.8

There are similar promises on the Apple front. Rhapsody gets the benefit of several years of Next's experience with objects. Unfortunately, Rhapsody objects don't have versioning, either. Apple's Landwehr says that Apple is "planning on making some changes this fall that will support better object versioning."

There's no question that careless vendors will always be able to crash systems with badly done software. At the same time, though, mainstream OSes need to provide at least a rational safety net when third-party component vendors take reasonable pains to behave.

Right now, the Windows desktop has arrived at a critical point where things are falling apart and more control is necessary. Other OS vendors-who haven't faced the fire that a base of 40 million users can ignite—should examine whether their own component-management strategies will hold up under heavy use.


There are certainly steps that users and vendors alike can take to limit the depths of DLL hell. Vendors need to tighten up their installations so that only system-level DLLs (generally, those made by Microsoft) load into the System directory. DLLs for general sharing among multiple vendors should load into the Common Files subdirectory. All other DLLs go in the application's own directory. Shared DLLs should change only when a newer version of a component replaces an older one. Even then, the user should receive notice of the replacement and have the option to back up the DLL being replaced.

Users should use the Windows 98 System File Checker utility to ensure that older versions do not replace newer System files when new applications load. It would be a creditable gesture for Microsoft to freely distribute this utility to current Windows 95 users as well.

Meanwhile, because Windows is by far the mostly widely distributed desktop platform that employs component technology, Microsoft should embrace the long-term task of straightening up the mess. Usable componentware hangs in the balance. B

Robert Richardson (Swarthmore, PA) is a frequent contributor to Network Magazine, Web Review, Web Techniques, and ZD Internet. His latest book, Building Your High-Tech Small Office, is forthcoming from IDG Books Worldwide. You can reach him by sending e-mail to robert@smallofficetech.com.

www.byte.com Circle 125 on Inquiry Card.



The new Philips CD-ReWritable Drive lets you save your world. Store your data, sound, videos, pictures, drawings, files. You name it — and you can save it on a 650 MB



This product is not intended for the unlawful copying of copyrighted material

Compact Disc. Plus the disc that you create can work on CD-ROM or DVD-ROM drives. The Philips CD-ReWritable Drive is affordable too. Now send CDs of things that matter to

you to people who matter to you. For more information: http://www.philips.com



PHILIPS

Let's make things better.

Some say buyer OCNAIC.

We say be informed.

Before you buy computer hardware, log onto Maven, Business Week's online computer buying guide. Get the real story from a source that isn't trying to sell you a thing. With Maven, you get objective product reviews from National Software Testing Laboratories. You can compare prices and ratings on everything from printers and modems to a whole new system.

Check it out on our Web site at www.maven.com.

BusinessWeek ONLINE

NT's Challenges: Microsoft's Solutions

Microsoft vice president Jim Allchin talks with BYTE about current and future Microsoft technologies.

By Mark Schlack

In our October issue, we talked briefly with Microsoft vice president Jim Allchin about some of the elements of Windows he would like to change. Recently, we spoke with him again about his vision of operating systems, components, directory services, and Microsoft's technology strategy.

BYTE: What is your view of OS evolution?

Allchin: WE HAVE A BROAD VISION THAT TIES together a few dimensions. One dimension is the basics: quality, robustness, reliability, scalability, and security. We will

continue to improve on those basics.

A second dimension is communications. I'm wiring communications into every nook and cranny of the system so it becomes a great citizen in transient networks. If the connection drops or if you move between cells, the system should still work with the network. The system needs to figure out what protocols are on the network automatically. It needs to understand whether it is going over a low-latency or high-latency network. It needs to understand how to take advantage of the quality of service that may exist if you are doing video streaming. If it has an error on a network, it needs to automatically reconfigure. The programming model

network is broken all the time. People design their software so that if you communicate at all, it's a miracle.

The last dimension is ease of use and simplicity. Systems

are too difficult to use. I would feel much prouder of the computer industry if there were not so many arcane things hidden in software. We present error messages that somebody can't do anything with. The system could recover from more errors if we worked harder on it. And the system could

be much more intuitive. We clutter the screen with many options, and the system isn't adaptive to what the users are doing.

Whether it's consumer or business makes no difference: Everybody wants simplicity. We want an environment that is much more helpful and much more intuitive. Intuitiveness is more than intelligence. The system should be able to follow what's going on and make proposals. You've seen some work in that area in some of our applications and the answer wizard, but we're just starting to scratch the surface.

If I tile these three dimensions together, the result is being maintenance free. There is no reason machines can't just do much more cleanup. I mean, I hate utilities that

run after the fact that have to clean up temp files and other things. It's unnecessary. The system could be much, much smarter. It should be able to automatically manage space,



I'm promoting is that the



THIS IS THE DRIVE

THAT GUIDES THE LASER

THAT CUTS THE PLASTIC

THAT FORMS THE HIP

THAT FITS THE MAN

SO HE CAN LAUGH IN THE

FACE OF MOTHER NATURE.



A Quantum high-capacity drive isn't merely a faceless storage facility for all your data. Its high-performance and high-capacity features are crucial for thousands of applications. Take, for instance, "rapid prototyping." A procedure where a computer and a laser sculpt plastic to make exact bone replacements. To do so, the computer needs one of the fastest, most reliable drives available. Which explains why our 4 GB high-capacity disk drives are used for the job. The result allows people to resume their normal, everyday activities. (Whether they're into swimming or simply hanging by their fingernails.) For more information, visit our Web site at http://www.quantum.com. Or give us a call at 1-800-624-5545, ext. 140. (Mother Nature may never forgive us for this.)

Quantum®
CAPACITY FOR THE EXTRAORDINARY™

and if it does run out of space, it should be graceful. You want your system to basically be foolproof.

BYTE: The average system has thousands of DLLs and device drivers on it. When you talk about achieving simplicity, are you saying you can create a layer that manages that complexity?

Allchin: NO. LAYERS ARE NOTHING BUT MORE overhead: You can put lipstick on a chicken, but it's still a chicken. We don't think apps should have to go through an install process—it should be seamless. As far as having lots

of DLLs, I think about it like this: The fact that you can see any of this stuff is like looking through a transparent TV where you see all the transistors and chips and ICs. The end user shouldn't see that. TV manufacturers don't encourage you to open the case, stick your finger in, and try to pull out a transistor. Well, that's what happens if you try to delete a DLL. We've created an environment that can get into trouble, and we can change some of that. There are still going to be device drivers, but we'll apply some here-andnow technology like Authenticode to sign them so customers are assured of a certain quality level.

BYTE: Some of what you said reminds me of the best years of the Mac, where you put stuff in and it would

install itself and it actually worked.

Allchin: FIRST, THE MAC IS SUPER-PRIMITIVE. I hope that nothing we are doing will be compared with that. The Mac was a joke architecturally. Come on—virtual memory? We have to have a rich, solid infrastructure for how apps deal with the system. The problem with the Mac is that it was too closed. It wasn't an open environment that people could innovate in. And if you didn't use a particular tool set from Apple, who knows whether it would work properly? It wasn't an industry: It was a closed world.

BYTE: At one time, you were talking about an object file system as part of Cairo; now, you're silent on the matter. Has that idea gone away?

Allchin: IT HASN'T. IN NT 5 WE WILL DELIVER BASIcally all the functionality we talked about in OFS. Just think if we renamed OFS as NTFS [NT File System], which is basically what happened. So NTFS 5.0 will have quotas. It will be attributed, meaning you can have properties tied to streams in the system, and arbitrary properties tied to files. And it will be automatically indexed on properties and content. It will have distributed link tracking, so if you point to a link or if you have a link embedded in a document, we will automatically track down that document.

We are pushing three dimensions in terms of storage.

The first is location independence. We are doing some in Dfs [Distributed File System] now. We want to be able to migrate data between the client and the server transparently. The last thing we're focused on-and we have a team definitely cranking on this—is merging database technology with the file system to get a more unified storage system. It will not replace the super-highend OLTP environment, but our goal is to be able to offer programmers a rich storage system that is available everywhere.

rich storage system that is available everywhere.

BYTE: Are you going to create an object file system? If so, what sets an object file system apart from a regular file system with these extensions?

Allchin: I THINK IT'S

all semantics. When I talk about an object, it's got a data type and you can automatically bind to the code that is associated with it. Make links fundamental to the architecture and you can do things like link management automatically. You can surface this storage environment up into a programming language, so you can deal with the object in a seamless way in a programming language. So it's just a question of binding the programming language to this environment.

People are doing that today, and it becomes a question of the granular size of the data. Some types of data—integers, for instance—may be small, and the storage system may not be good at storing them. NTFS certainly is not good at storing integers; it needs reasonably sized pages.

When we did OFS, we thought the object sizes were going to be fairly small and spent a great deal of time packing the



GROWTH HAPPENS. MANAGE IT.



DELL POWEREDGE 2200 SERVER

300MHz PENTIUM II PROCESSOR (Dual Processor Capable, RAID Capable)

- 64MB ECC EDO Memory (512MB Max)
- 512KB Integrated L2 ECC Cache
- Integrated PCI Ultra-Wide SCSI-3 Controller
- 4GB Ultra-Wide SCSI-3 Hard Drive (27GB Max)
- 24X Max** Variable SCSI CD-ROM
- Intel® Pro/100B PCI Ethernet Adapter
- Intel® LANDesk® Server Manager v2.5x
- . 6 Expansion Slots: 3 PCI, 3 EISA
- 6 Drive Bays: 3 Hard Drive, 3 Removable Media
- ★ 3 Years Next-Business-Day On-site[△] Service
- 7x24 Dedicated Server Hardware Technical Telephone Support
- ★ MS® Windows NT® Server 4.0 (10 Client Access Licenses), add \$799.

\$3999

Business Lease⁶: \$142/Mo.

Order Code #250099

THE DELL POWEREDGE 2200 SERVER. EXPANDABILITY FOR YOUR GROWING BUSINESS.

Just because growth is unpredictable doesn't mean it has to be unmanageable. Especially since the Dell® PowerEdge®



2200, the feature-optimized server with the perfect mix of performance and expandability, can be yours for one of the best prices in the industry.

Advanced technology like dual 300MHz Pentium® II processor capability and an optional RAID Controller deliver outstanding performance. Find the idea growing on you? Call Dell today or visit our website and we'll start building a PowerEdge Server for your growing business immediately.

DELL

TO ORDER TOLL-FREE

800-765-5361

TO ORDER ONLINE

www.dell.com/buydell

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT Sun 12pm-5pm CT In Canada*call 800-233-1589 GSA Contract #GS-35F-4076D

Keycode #01262

node items densely. It turns out that was a mistake: Most things people deal with—take an HTML page—are fairly large.

But when you ask will we ever build one, I think NTFS is in part an object file system. It doesn't have the surfacing binding into a language, but we have some people looking at that. I think there are many other things that can be done to the storage system. We want to reduce the number of stores

that we have on the system. NT 5.0 offers a step in the right direction. Now we have a very large team between the SQL group and the file system group that is working on continuing that movement for the future.

BYTE: How are you going to handle information that's stored in different formats—or even executables that are stored within documents like Active Server Pages?

Allchin: [FOR THE first one] you will end up with a common interface that will enable you to access the directory, address books, SQL, the file system, and Exchange. And in terms of being able to handle the dependencies and to understand the code, we're scratching the surface in NT 5. There is a

class store as part of the directory. You use the directory to find snippets of code and how to automatically download those and how they should be run. But we have a broader vision—which is still early—where we are looking to do a repository.

BYTE: How does a security system have to adapt for today's sometimes-anonymous/sometimes-not intranet style of computing?

Allchin: WE ONCE ENVISIONED THAT EVENTUALly there would be a community of kiosks, and we thought that public key would be the answer there. We thought people would have smartcards and walk up to the kiosks [and use them], so we would have to do some sort of authentication to be able to customize the environment we would show. This big-directory-in-the-sky idea did exist.

What have we done? As you probably know, in NT 5 we will have a mapping of public key-to-private key IDs. We

think it's a pretty efficient and smart thing to do. You're going to want to know who's coming into your site. You're going to want to be able to tailor the information for them. That implies there's a directory. So when we're testing the directory that will be in NT 5, [we're testing with millions of entries,] not a thousand. I believe that you will see more and more authenticated users because the Internet is going

to turn into a good transfer environment—something that people count on even if it's not good.

BYTE: What's the directory

has to go in now?

Allchin: IT GOES BACK to the dimensions I talked about, [especially greater intelligence]. Instead of having the user or administrator try to figure out where a replicant should be, why doesn't the system just figure it out? We'll be working on performance, and we'll be working on tools to make schema changes even simpler than we are going to make it in the first release. I can also think of integration with the storage system being even tighter. We're definitely banking on it. Hopefully we've learned by watching others and having our own experience with

the current NT directory. Some of us have a little background in that area, so we think we're going to come out okay.

BYTE: Are the improvements we've talked about a five-year project? A three-year project?

Allchin: I DON'T THINK THAT ANYTHING I'VE talked about is five years out. It's just a question of how capable we can make it. In other words, it can come out in intermediate milestones; it'll be in NT 6, and from a technology perspective it may be used in several different products. But certainly it is going to happen. We'll continue to move ahead. NT 5 will have quality-of-service support in it, but we'll move that ahead further in NT 6.0. It's just one step at a time. You know, NT 5 is a big release, and we think we have a fairly reasonable number of people working on things beyond NT 5. Things like this repository, things like the storage that we've been talking about, things like the end-user simplicity—those things are now being thought about.



Neb Project



Cascading Style Sheets

CSS will change the way Web designers and developers work. Here are some practical ways to learn and apply it.

TML purists say that the markup language, like SGML, expresses only the structure of documents. The browser not the author—controls presentation, because only the browser knows best how to adapt content to exploit the capabilities and workaround constraints of its host system.

The reality of HTML is quite different, of course. There's intense pressure on publishers and software developers alike to control the look of their Web pages. We do this with bastard HTML tags, such as and <CENTER>; with nested tables; and with nonbreaking spaces and invisible GIFs. By resorting to these hacks we achieve the necessary effects, but we also trade away universal access and easy maintenance.


CSS purists say that style sheets influence, but do not absolutely control, the presentation of documents. Author and reader can share influence, and the rendered page is a negotiated compromise. Non-CSS browsers can fall back to vanilla HTML, which remains the skeleton of any CSS-enhanced page.

The reality of CSS will likely diverge from the ideal, just as HTML has, for the same reasons, involving the same tradeoffs. With HTML, I'm always looking for the sweet spot—the right balance of purity and pragmatism. Because that's a moving target, I continually adjust my pages and applications to track it. So with CSS.

What's the sweet spot for CSS right now, with immature support for style sheets in the 4.0 browsers from Netscape and Microsoft? What's it likely to be in eight months when CSS implementations are more complete, widespread, and reliable? Here are some answers, and some educated guesses.

HTML + CSS + JavaScript = Dynamic HTML

Here's a lightweight approach to active content. In this demo, every list's title (i.e., one, two, three) is wired to a JavaScript function that toggles the CSS display property of the corresponding list. When you set the display property to "none," the browser hides the list and reflows the document to reclaim its space.



CASE I: An HTML/JavaScript/CSS Slide Show

When I give presentations nowadays, I use Web pages for slides. Modifying style across a set of slides always used to be a problem. If you used embedded HTML tags, such as , you had to do a global search-and-replace across multiple files to change the look of a presentation consistently.

CSS neatly solves this problem. Now when I create a slide show, I clone pages from a template that includes a reference to a style sheet. The style sheet contains a series of directives, like this:

body { font-family: arial; }
h1 { font-size: 24pt;

font-weight: bold; }

In this example, CSS defines the default font, and the size of <H1> headers, for every slide. Technically, CSS merely influences these matters, subject to the counter-influence of the user's style preferences. In practice, that won't happen much until browsers support user style sheets and users learn to apply them.

There's a lot to say about these rules. The font-family, for example, might better be requested like this: Verdana, Arial, Helvetica, MS Sans Serif. Proceeding from specific to generic, this list equips the browser to use the author's preferred fonts when available (in order of preference) and authorizes the browser to fall back on a generic sans serif font if necessary.

Likewise, the font-size might better be expressed in one of these ways:

```
h1 { font-size: larger; }
h1 { font-size: 200%; }
h1 { font-size: x-large: }
```

Almost everything in CSS can be expressed using abstract terminology that's relative (larger, 200%) or absolute (x-large). Relative mode makes an element vary in proportion to other elements; absolute mode makes an element independent of others.

Why x-large rather than 24pt? Because 0.33 inch (24 points divided by 72 points per inch) might be too small to say "extra large" on a high-res workstation, but overwhelmingly large on a PDA. x-large requests an absolute size, but one that can still be interpreted in a device-appropriate way.

The h1 headers use the body's font-family, although the h1 rule says nothing about font-family. Why? h1 inherits from body. If you're familiar with style sheets in conventional word processors, it may take a while for you to get the hang of this. CSS inheritance is a powerful mechanism. To exploit it requires a mind-set that owes more to object-oriented program-

ming than to desktop publishing. The challenges—and the rewards—are similar.

A Dose of Practicality

When I added a table to one of my slides, I ran into a snag. The table didn't inherit my font-family request. Why not? Navigator 4.0's CSS support is very shaky; inheritance across table boundaries is one of many things that just don't work. Microsoft Internet Explorer (MSIE) 4.0 (currently in beta 2) works properly in this regard, and in general it's far better than Navigator 4.0. It's a second-generation effort for Microsoft, which committed early to CSS with support in MSIE 3.0. Netscape resisted for too long, and it now finds itself in catch-up mode.

What to do? Because I'm the only one giving my presentations, I could use MSIE 4.0 and just ignore Communicator's CSS flaws. But I don't want to just show my presentation; I want to put it on the Web so that others can view it. Requiring MSIE 4.0 won't do. I'd rather build something that works with both browsers. It's frustrating to look for workarounds, but that's the lot of the Web author. Better my frustration than the reader's. In this regard, CSS is going to be a déjà vu experience.

CSS is enormously flexible, so there are

lots of different ways to work around problems. To switch my table cells to an alternate font-family, I first tried this:

```
td { font-family: monospace }
```

But the preamble that my JavaScript code inserts into every slide builds another table containing navigational icons and a title. The rule shown above sets every table cell in monospace type; I want only certain tables to be handled that way.

CSS offers a variety of solutions. Here's one: You can make a new class out of any element by adding a class attribute to its HTML tag, like this: . Then you can address the set of elements so tagged, as follows:

```
td.BodyTableCell { font-family:
    monospace }
```

This works. But it's stupid to add a class attribute to every cell. You might as well just say — just the sort of brute-force redundancy that CSS is supposed to abolish. Here's another idea:

```
<div class=BodyTable>
...
```

continued

Anatomy of a Web Slide Show

Here's a simple JavaScript technique for controlling a Webbased slide show.

1. Clone blank slides from this template:

```
knead/k rel=stylesheet type="text/css" href="style.htm">
```

Note: Navigator can source the script from an external file, as shown here; MSIE (including version 4.0, beta 2) cannot.

The style sheet standardizes the look of the presentation; the shared script controls navigation and presents numbered titles.

2. Store the filenames and titles of the slides in a JavaScript array.

```
var docs = new Array (
    'overview.htm|BYTE Site overview',
    'archive.htm|BYTE Site: archive' )
```

3. Treat the array like a Perl or Java hash (a table of name/value pairs).

4. Remember the current document.

```
var href = document.location;
var curr = href.substring
  (href.lastIndexOf('/')+1,href.length);
```

5. Compute the hyperlink for the next or previous document.

6. Emit a page header that includes the slide's title, plus Previous and Next links.

```
document.write('+
  getLink('prev') + '' + showTitle() +
  '' + getLink('next') + '');
```

HMMM...

ARTMEDIA'S 20" MONITOR EARNS A SPOT ON 1997 WINLIST.



OUR CANINE FRIEND WON'T BE THE ONLY ONE SURPRISED BY WHAT THEY SEE ON AN ARTMEDIA MONITOR. CAD OPERATORS AND GRAPHIC DESIGNERS WILL APPRECIATE OUR SHARPER RESOLUTION, BETTER FOCUS, LOWER DISTORTION AND HIGHER BRIGHTNESS. BASICALLY A GREAT PICTURE. WHICH MIGHT EXPLAIN WHY THE EDITORS OF WINDOWS



MAGAZINE PLACED DUR 20" GT-960T
MONITOR ON THEIR PRESTIGIOUS 1997
WINLIST. IT ALSO MIGHT HAVE HELPED THAT
THE GT-960T COMES WITH ADVANCED
TRINITRON® TECHNOLOGY, A FLATTER SCREEN
AND SUPERFINE PITCH. SO IF YOU WANT THE
BEST PROFESSIONAL MONITORS AROUND, TAKE
A LOOK AT WHO THE EXPERTS ARE PICKING.



















In CSS you can use two new HTML elements—DIV and SPAN—as metatags that group and classify other elements. DIV defines a block element (anything bounded by line breaks); SPAN marks an in-line element. In this case, the class attribute on DIV defines a class called BodyTable. Now a single wild-card rule, like this:

.BodyTable { font-family: monospace }

can influence all the tds contained within instances of that class.

Was this the solution? Nope. It requires inheritance, which, as you'll remember, doesn't work properly with tables in Navigator 4.0. Fortunately, CSS has another trick up its sleeve. You can select sets of elements not only with attributes (td, BodyTable) but also with contextual patterns of attributes. Here is what finally worked:

div th, div td { font-family: courier; }

This says: "Apply courier to TH and TD elements, but only those contained within a DIV." I wrapped the tables that I wanted to match this rule in a <div class= BodyTable>...</div>tag.

Note that it would have been enough simply to say <div>—the new class Body-Table isn't contributing anything to this solution. I left BodyTable in, though. It won't cause problems with CSS or non-CSS browsers. And it's extra information that might come in handy. Someday I may want to select only the elements that match BodyTable, rather than a more general set that matches div th, div td. Or, in a non-CSS context, I might want to use a Perl script to extract and catalog or rearrange all the tables of that type.

Even if you have no immediate need to influence presentation with style sheets, there are compelling reasons to adopt the CSS method of classifying content. Class attributes do more than lay the foundation for stylistic control of your pages. They can also provide new hooks for managing your content. Document collections are text databases. Class attributes are selectors that operate on these databases. CSS uses these selectors, but other applications can, too. The value of your text databases grows in proportion to the number and specificity of the selectors you can apply to it.

CASE 2: BYTE Home-Page Redesign

A recent redesign of our home page gave me the chance to try out the design and layout capabilities of CSS-enhanced HTML. Our requirements included a variety of static and dynamic elements of various shapes and sizes, all with fixed locations. There's only one way to do this in straight HTML. You wrap everything in tables. CSS offers two other approaches: floating elements and absolute positioning.

Because I'd have to deploy to non-CSS browsers, I started with a table-based approach. Even in this context, CSS can be useful. If you classify elements, you can rapidly evaluate a series of alternate treatments. The family, size, weight, and color of fonts; the alignment, indentation, line spacing, and margins of text; and a host of other stylistic variables are easily twiddled.

Depending on your inheritance scheme, you can adjust these things for the whole

TOOLWATCH

ColorPicker

(free)

Robert Hess

http://www.microsoft.com/workshop/ design/safety/colorpick-f.htm Here's a handy reference to the "safety palette": the 216 colors that look about the same on all browsers and all platforms. If you're experimenting with color using CSS, bookmark this page.

BOOKNOTE

Cascading **Style Sheets:** Designing for the Web \$29.95

by Håkon Wium Lie



IBSN 0-201-41998-X http://www.awl.com/css/

This definitive guide, written by the inventors of CSS, covers typography, layout, color, element classification and selection, and inheritance. One invaluable chapter shows how to reinterpret basic HTML page designs using CSS.

document tree or for selected branches. Once you settle on a design, you can translate your CSS rules down to the per-element tags required by straight HTML.

The next thing to try was floating elements. HTML authors use the FLOAT attribute of the IMG tag to force images left or right and to flow text around them. CSS generalizes the float property. Any block element—image, list, DIV—can float. In theory, you can use this technique to build a page that has a 2-D look but that adapts gracefully to narrow displays. In practice, CSS can do this effectively only in simple cases (see the screen on page 97).

The inventors of CSS are talking about extensions that will make it a full-blown layout system, but in its current form it isn't one, nor does it pretend to be. Still, the float property is powerful. You can, for example, apply it to a group of elements wrapped in a DIV tag. The effect varies according to the other properties of the DIV (e.g., absolute or relative width, left or right alignment), the properties of the other elements in line with the DIV, and the properties of the DIV's container. It's worth spending some time to sort out all these interactions.

Finally, I tried a version of the home page that uses absolute positioning. With this CSS extension, which is supported in both 4.0 browsers, you can place any element at a precise pixel offset from the topleft origin of the page. It's an all-or-none method because elements positioned in this way will never flow, and any other elements that are allowed to flow are liable to overlap the fixed ones. However, normal flow still occurs inside fixed elements.

Using this technique, I tiled the surface of the page with my major elements. The result was pleasing because, unlike a conventional table treatment, the CSS version didn't have to align elements on a grid. This freedom costs something, of course. Tables can stretch if you express their widths in percentages. A page whose elements stand in fixed relation to the origin cannot stretch.

I like this last version best, and I plan to translate it into straight HTML for deployment. Here's hoping that widespread adoption of CSS will make that ugly procedure unnecessary when our next site redesign rolls around. B

Jon Udell is BYTE's executive editor for new media. You can reach him by sending e-mail to jon_u@dev5.byte.com.

Javatalk



An Uncertain Discovery

Metrowerks' Discover Programming provides a decent introduction to Java code, but it has some annoying inconsistencies.


he CodeWarrior Discover Programming Edition (DPE), from Metrowerks, provides a decent multilingual gateway into the world of programming. But if your goal is to become fluent in Java, you may want to look for additional help: Anyone purchasing this set of learning tools should be aware that it's not Javaspecific enough to serve as a solid introduction to Java programming.

DPE, which is available for the Macintosh and Windows 95 and NT (I used the Windows version), supports C, C++, Pascal, and Java. The supplied CD-ROM includes version 2.0 of the distinguished CodeWarrior integrated development environment (IDE), plus tutorials, sample code, untold piles of documentation, and seven on-line books.

The entire documentation system is constructed as a Web site. In fact, to enter the documentation system, you have to double-click on an icon named "Code-Warrior Reference WebSite." All the documentation is in either HTML or PDF form. You probably won't need anything else to get going. The CD-ROM includes installable versions of Microsoft's Internet Explorer and Adobe Acrobat reader.

DPE's documentation appears to be spread evenly among all its supported languages, although only one of the seven books (*The Java Programming Language Handbook*, from Coriolis Press) is Java specific. The language and compiler documentation includes both the Java language and Java virtual machine (VM) specifications. More specific to the Code-Warrior IDE is the included *Targeting Java* manual. Finally, the complete Java API and Java Generic Library documents are supplied.

I have two complaints about The Java



Metrowerks' Discover Programming Edition includes the CodeWarrior IDE and lot of other goodies for \$79.

Programming Language Handbook. First, it's in Adobe Acrobat, and navigating through a book in this format can be an annoying pain. The Acrobat reader counts certain elements in a book, such as the cover, table of contents, and prefaces, as separate pages. But the Handbook's table of contents does not. Thus, there's no easy correlation between pages as Acrobat understands them and pages as the book's table of contents understands them.

This is exacerbated by the fact that the book is carved into multiple PDF files—which leads to my second complaint. As a result, the table of contents becomes nearly unusable. For instance, if you're looking for a particular section, you have to guess which PDF file that section is in (and, since Acrobat pages don't match ta-

ble-of-contents pages, your guess is usually off). The index is equally unusable, having been placed at the end of part 1. (I discovered that by accident.)

Unfortunately, none of DPE's supplied tutorials is Java-specific. A mini-tutorial guides you through the CodeWarrior IDE, but the examples provided are for the Macintosh version. This can be distracting for someone working with the Windows version.

On a more positive note, examples for the *Handbook* are provided as separate, accessible projects that you can easily pull into the IDE. Even though much of the text in the *Handbook* is in 1.0-era Java, the examples provided are updates to the 1.1-level Java Development Kit (JDK).

At the bottom of the HTML link page for the book, you'll find links to each of

Multiple Java Dimensions

In August, JavaSoft announced the new media and communications Java APIs, of which there are a passel. They include the following:

- Java 2D and Java 3D (which is what I'll focus on here).
- Java sound, including mixing and MIDI synthesis.
- The Java media framework, which deals with (among other things) audio/video playback and videoconferencing.
- ◆ Java animation, which deals with 2-D animation.
- Java telephony, which is self explanatory.
- Java speech, which includes speech recognition and synthesis.
- Java collaboration, which deals with data sharing.

I could spend much of the rest of this magazine's pages trying to cover all the APIs, but obviously I don't have enough space for that. Instead, I'll continue my coverage from previous columns, in which I discussed 2-D graphics and VRML, and concentrate on the Java 2D and Java 3D APIs. (You can find and download further information about the other APIs from http://www.javasoft.com.)

Java 2D is actually an extension to the Java Abstract Window Toolkit (AWT). Plans are that it will be included as part of the JDK. The additional classes of Java 2D provide such features as arbitrary fills, tiling, Bézier paths, extended font characteristics (which let you define such font features as kerning, glyph substitution, and ligatures), and a variety of transform operations.

More elaborate elements of Java 2D provide for image-processing operations. For example, Java 2D defines the classes and interfaces necessary for constructing convolution kernels, as well as source and destination image buffers. With the added help of the <code>ConvolveOp</code> class, you can easily implement 2-D filter operations, such as blurring, sharpening, edge detection, and so on.

In addition, Java 2D provides greater control over colors. For example, its color-conversion classes provide for converting among RGB, CMYK, gray scale, HLS, HSB, and a half dozen more color spaces (some of whose acronyms I'm not familiar with).

Java 3D (unlike Java 2D) is a "premium" extension to the standard JDK. What that means in terms of availability and distributability is currently unclear. At the time this article was written, JavaSoft representatives were unable to discuss the details of the business model.

Java 3D runs atop standard 3-D rendering engines, such as OpenGL, Direct3D, and QuickDraw 3D. But since it simply depends on the rendering capabilities of such graphics engines, it can run atop "raw" graphics hardware.

Java 3D is a "scene graphics" API. The virtual universe modeled by Java 3D is stored in a complex tree-like structure that's known as a "scene graph" and is composed of connected objects. Some objects in the scene graph define shapes that are ultimately rendered into the things seen in the virtual world. Other objects define textures, colors, reflectivity, and so forth

One particular object, called the view object, carries the information needed to render the scene. The view object is itself a composite of other objects. For instance, one of its components is the <code>PhysicalBody</code> object, which contains information describing the characteristics of the viewer (i.e., the end user). The information is frighteningly detailed, and it's obviously designed to model the characteristics of a human viewer immersed in a 3-D world. Data in the <code>PhysicalBody</code> object defines the location of the viewer's eyes—even the interpupillary distance. The idea, of course, is to provide the developer with a framework that has enough richness to capture the widest range of viewing devices.

A unique component of Java 3D is the 3-D sound component. Given that a scene graph includes a view object, the system has all it needs to deduce the location of the viewer and the viewer's relation (in 3-D space) to other objects in the scene. (In addition, the system has information about the geometry of the viewer himself/herself.) This information is used by the sound engine to provide realistic, spatialized 3-D sound with little programmer intervention. If the viewer is close to an object that's emitting a sound, the sound is louder; farther away, the sound is softer.

Finally, even if you're uninterested in 3-D graphics, you should be aware that Java 3D defines a vector-and-matrix math library suitable for general-purpose mathematics programming. These libraries are not part of the Java 3D API per se, although Java 3D depends on them as storage and manipulation classes for data such as coordinates, color information, vector normals, and so on. JavaSoft expects that the members of this library will be removed into a separate java.vecmath package in the future.

the projects. If you click on a link, Code-Warrior copies the project file into the directory of your choice. (It works just as though you had selected a file for an FTP-style download from the Web.) Once the project file is on your system, double-clicking on that file opens the IDE.

Another positive aspect is the included Metrowerks IDE. But be warned: This is a classic editor/compiler/debugger environment. And as good as the compiler and debugger are, there are no facilities for visual applet construction or drag-and-drop frame population.

The system requirements for the Windows version of DPE are remarkably modest. All you need is a 486-based system with at least 16 MB of RAM, Win 95 (or NT 4.0), and a CD-ROM drive. It ran comfortably on my 50-MHz 486. (The Mac version re-

WHERE TO FIND

Metrowerks, Inc. Austin, TX 800-377-5416 http://www.metrowerks.com

quires a 68020 or PowerPC 601, 16 MB of RAM, and System 7.1 or higher.)

I understand that the rapid evolution of Java standards makes it difficult to keep pace, and I applaud Metrowerks' updating of the examples from the *Handbook*. But updating the examples puts them out of sync with some of the material in the book, and that can be a little confusing.

Metrowerks says that the books provided on the CD-ROM are "previews," and the company recommends that if you find one of the on-line books useful, you should purchase a "real" copy of that book in deference to the author. I agree, but I would add that you should do so primarily to keep your sanity. Dealing with a book in Acrobat form is the antipode of fun.

The DPE is more useful as an introduction to basic Windows programming than Java programming (and, admittedly, this is how Metrowerks advertises it). The DPE is sold as a learning environment; an upgrade for commercial development costs an extra \$449. Still, for only \$79 you get that great CodeWarrior IDE. Go buy a couple of newer Java books, and you've got a great starter development system.

Rick Grehan is a senior editor at Computer Design magazine and coauthor of The Client/Server Toolkit (NobleNet, 1996). You can contact him at rickg@pennwell.com.



CORBA Delivers. Now.

CORBA delivers out-of-the-box interoperability now.

Who's getting the benefits of CORBA in their enterprise-wide distributed applications right now?

- Manufacturers including the world's largest aircraft manufacturer, one of the world's largest manufacturers of agricultural equipment, and one of largest makers of computer chips and sophisticated electronics in the U.S.
- Telecommunications and Media companies including one of the largest telecommunications providers in Europe and the world's leading cable news network.
- Financial companies including some of the largest banks in the U.S.
- **Healthcare** providers including the foremost Southern U.S. hospital.
- **Retailers** including one of the U.S.'s largest specialty clothing sellers.

Who's offering solutions based on CORBA?

Oracle, Netscape, Andersen Consulting, Computer Associates, Silicon Graphics and many other major players in the industry are now basing a significant part of their distributed computing strategies on CORBA.

The Object Management Group is over 750 hardware and software vendors and end users, from all industries, who are creating and implementing *The Architecture For A Connected World*. To contribute to our success, call +1-508-820-4300 or email info@omg.org or see us on the World Wide Web at www.omg.org.

For information on CORBA success stories, visit http://www.corba.org.

OBJECT MANAGEMENT GROUP
Circle 179 on Inquiry Card.

OMG, Object Management and CORBA are trademarks of The Object Management Group. All other products or company names mentioned are used for identification purposes only and may be trademarks of their respective owners.


PACKING SLIP

CORBA

SHIPPED	BACK ORDERED	ITEM
		Programming language independence
1		Platform independence
V		Operating system independence
$\sqrt{}$		Network protocol independence
V		Network topology independence
/	4.54	Reliable, application-oriented messaging
/		Guaranteed out-of-the-box interoperability
/		ActiveX/COM/DCOM interworking
/		Message-oriented middleware interworking
V		Scalability
V		Network two-phase commit transaction semant
/		Secure messaging
/		Secure time services
/	4,4%	Distributed, federating naming services
V		System management
/		Lifecycle application management
V		Event notification services
/		Persistent storage and streaming interfaces
1		Relationship services
/		Concurrency management services
7		Software licensing services
/		Query management services
/		Object collections

Audio/video stream management

Been There, Done That!



1024 x 768 resolution
14.5" diagonal view
Amplified stereo speakers
2.5" thin (without base)
7.5 lb. light (without base)
Easily detached base
(FT15 also available in charcoal gray)

Our current model, the FT15, is Sceptre's 5th generation flat panel monitor. We definitely have been there and done that when it comes to providing LCD flat panel monitor solutions! Read what these people have to say about Sceptre:

"I was confronted with the problem of creating an easy to use, computer friendly workstation for our executives who demonstrate our Britannica Online"... I needed a monitor that was both technically and aesthetically appropriate ... Sceptre's LCD allows us to do everything we need to. The price was within our range as well. It's worked like a champ."

Larry Merrick, Vice President, MIS Encyclopedia Britannica

"I reviewed a few different flat panel monitors. Sceptre's was the best in terms of dimensions, features, and lack of interference. It was also the most realistically priced. It was a pretty easy choice."

Richard Hinson, medical research scientist Wyeth-Ayerst Research

To find out how a Sceptre LCD flat panel monitor can provide the solution to your challenge, visit our web site at: www.sceptretech.com

or give us a call at

800-788-2878



Circle 360 on Inquiry Card.

#Reseller



BackOffice atthe Forefront

Microsoft's BackOffice is coming on strong.

Page 104C

Making Money with Point-of-Sale

Four technologies open up POS.

Page 104M

Universal Inbox

Solutions for handling all those messages.

Page 104S

NOVEMBER 1997 BYTE 104A

SOHO ETHERNET NETWORKING.

PRICED TO PLEASE **YOUR TOUGHEST** CUSTOMERS AND SEND YOUR **NETWORK SALES** SOARING.







With great prices like these on Kingston's SOHO hubs and adapters why buy

ISA? The small office/home office

(SOHO) networking market is booming. And now, Kingston® has two great products that will certainly increase your profits.



IOBASE-T PCI Client Ethernet Adapter (KNE30T) MSRP: \$75

PRICED

Adapters

8-Port EtheRx SOHO 10BASE-T/2 PCI Client Ethernet Adapter (KNE30BT) MSRP: \$85 thernet Hub (KNE8TP/H) MSRP: \$119

10Base-T/10Base2 versions. Like all Kingston adapters, these are certified compatible by

configuration and diagnostic utility.



all major Network developers and feature QStart, Kingston's easy to use installation,

EtheRx SOHO Hubs

Available in 5- and 8-port versions, their pocket-sized form factor and optional in-line keyboard power supply allows them to be installed just about anywhere. As networks grow, a crossover switch allows for easy cascading without special cables.

EtheRx PCI Client Adapters

EtheRx PCI Client adapters are available in 10Base-T and dual-interface

Lifetime Warranty and Free Technical Support

Like every Kingston networking product, both the SOHO hub and the EtheRx Client PCI adapter are backed by a lifetime warranty and toll-free technical support. For more information on Kingston networking products call (800) 337-7039 or look for us on the Net: www.kingston.com/ad.

COMPUTING WITHOUT LIMITS™

Circle 357 on Inquiry Card.



Reseller

Resellers like the integration of BackOffice. Now if Microsoft could only fix those nagging shortcomings. By Alan Joch


BackOffice at the Forefront

ou'd probably be more than a little surprised if you walked into a car dealership and the salesperson steered you away from an expensive Jaguar or Lexus: "What you really want is this Honda. It does most of what the Jag does, and in a year or two, you will be able to add on the other features." But that's just what many resellers are doing these days.

Two years ago, resellers used Unix in 70 percent of their projects, with NetWare and Windows NT taking up the slack. Today, these same resellers report a 180-degree turn: NT accounts for Unix percentages of old, Unix projects run just under 30 percent, and NetWare is all but gone. Some resellers, such as Willow Technologies in Campbell, California, report changes that are even more dramatic. "Eighty percent of our business was Unix, with a bit of NetWare. Last year, our business was predominantly NT. Our Unix work was mostly for mainframe connectivity," says Gary Clueit, Willow's CEO. "As BackOffice expands, it will grab an even larger share of the market from OS/2, NetWare, and Unix," predicts James Venturi, president of Creative Technologies, a New York City reseller. "The market is ripe for NT because of its price and performance. SQL Server, for example, is a great value."

The surprising news is that resellers who report surges in NT say in the same breath that the BackOffice family, for all its advantages, remains glaringly immature in some areas. The platform's security measures are still "hokey," according to Mohnish Pabrai, director of BackOffice implementation practice for Transtech in Naperville, Illinois. In particular, he dislikes the need to install third-party firewalls onto a platform that's touted for its tight integration. And resellers still question the platform's large-enterprise capabilities, despite Microsoft's lavishly staged Scalability Days conferences. Some resellers shy away from BackOffice and NT for critical applications, such as real-time reservation systems and terabyte-size data-warehousing projects.

But Microsoft sees these limitations and is promising changes. Even skeptical resellers believe Microsoft will correct shortcomings in BackOffice, though it may take a couple of development cycles. "We've seen [nondisclosure] specs for



We've seen specs for BackOffice, and we're confident that in 18 months, problems like scalability will be moot.

- Mohnish Pabrai

BackOffice, and we're confident that in 18 months, problems like scalability will be moot," says Pabrai.

So how well does the current release of BackOffice serve the needs of resellers and systems integrators? BYTE spoke with resellers across the country and found them upbeat about BackOffice's business potential, if not completely enamored with the product line from a technological standpoint.

What's in It for You

For anything but the largest client/server projects, resellers see the Windows NT/ BackOffice package as an attractive onestop shopping alternative to buying different applications from different vendors and coping with integration hassles.

The complete BackOffice bundle consists of NT Server, which includes Internet Information Server (IIS); Exchange Server, for e-mail and groupware applications; SQL Server; Systems Management Server (SMS), for network administration and troubleshooting; Systems Network Architecture (SNA) Server, for IBM host connectivity; and Proxy Server, for secure Internet access for desktops. New additions are Merchant Server, for Internet/intranet electronic commerce, and Transaction Server, for managing distributed transactions. Resellers can license the full bundle or choose individual components, depending on the project.

Resellers like the tight integration among NT and the BackOffice applications, as well as with mainframe hosts. Integration makes BackOffice more than a bundle of separate applications, says Pabrai. "Because the development staffs of NT and SQL Server are in bed with each other, the SQL Server people are privy to the inner workings of NT, which isn't the case for developers for Oracle and the other databases," he notes.

This integration pays off, especially in economics. Clueit says that a full-blown client/server implementation on Unix typically costs two to three times more than on BackOffice, primarily because RISC-based workstations and servers are so much more expensive than PCs.

He also adds that while RISC-based Unix systems offer superior performance on paper, x86 power is adequate for many real-world needs. "Intel hardware is growing at a faster rate than [our customers] need," he says.

	Function	Pros	Cons		
Exchange Server	E-mail and groupware	Tight integration with other Microsoft programs; automatically imports and exports directories from other mail systems	Weighty clients		
SQL Server	RDBMS	Logical, easy-to-use interface	Slow to match key features of other RDBMSes; not ready for terabyte- size databases and data-warehouse applications		
Systems Management Server (SMS)	Network administration and troubleshooting	Price/performance wins hands down against Unix alternatives	A resource pig		
SNA Server	IBM host connectivity	"Best SNA stack on the planet"	Lacks the power of some Unix alternative		

This price difference sometimes makes up for Unix's power and scalability advantages. Clueit says his company inherited a large client/server project that was begun by another reseller, whose specification called for several hundred RISC workstations running Unix. The cost was \$60,000 to \$70,000 for each workstation. Clueit recalls. "We switched to NT, and now we estimate that the hardware costs will be between \$15,000 and \$20,000 [for each Pentium machine]. When we got down to the numbers, the customer said [the Unix proposal] was a hell of a premium to pay for features they weren't sure they needed."

He adds that many of his customers are familiar enough with the Windows environment that training or additional staff for systems administration usually isn't necessary with BackOffice, which isn't always the case with Unix.

Clueit cautions that he's seen prices rising as the BackOffice platform matures, and while there are still significant price advantages, the gap between BackOffice and Unix is narrowing. Also, experienced resellers know when to look beyond BackOffice to give customers the right match of power and integration. For example, Clueit says SCO/Open Server and UnixWare support thousands of third-party applications, including turnkey financial and accounting programs, which are as tightly integrated as the BackOffice family and provide essentially plug-and-play convenience.

Tackling Scalability

A catalyst for the growing popularity of BackOffice applications is the growing need for scalability and NT's answer to it. "We're looking at Mips, Hewlett-Packard, Sequent systems, and they all have hardware designed for scalability," says Pabrai. "Clustered [NT] servers address the scalability issue. Several people outside of Microsoft are working on this. NT today can't run airline reservation systems, but it will in three years," Pabrai believes. Wolfpack uses a distributed lock manager and a shared-nothing approach to clustering—a somewhat basic implementation that keeps servers from sharing resources unless a failover occurs.

He adds that in the projects his company has worked on, the limits of NT scalability haven't been a negative factor. "Most of our work centers around departmental servers, Web servers, print servers. The fun starts when you go beyond departmental servers. Scalability is more of a SQL Server issue than a Back-Office issue. You need to get to terabytesize databases before you have problems." SQL Server may have some problems

Many resellers credit SQL Server developers with improving the relational DBMS (RDBMS) since its early days as a direct descendant of Sybase SQL Server. Because the BackOffice bundle gives end users run-time licenses for SQL Server, it becomes convenient for resellers to use that RDBMS in custom applications. But



Full-featured SCSI RAID Kit for \$1,249*!

EVERYTHING YOU NEED

Now there is a way for you to get everything you need—data protection, increased performance, and a great price.

DPT introduces the RAIDstation3 kits, cost-effective Ultra and Ultra Wide RAID kits to secure data and increase performance for entry-level servers, or workstations running important, storage-hungry and performance-demanding applications like video editing, CAD or electronic pre-press. You get all the features normally found in expensive, high-end RAID subsystems, all for as low as \$1,249*! Just add your own SCSI disk drives and you're ready for RAID.

You don't need to be a RAID expert to set up your system. With DPT's free RAID installation software, Storage Manager™, simply answer a few questions, click on the drives you want included in the disk array, and you're in business. Nothing could be easier!

Call us today and ask about our one-time-try-it-you'll-like-it "Ultimate Deal" on the new RAIDstation3 kit, or ask for the DPT reseller nearest vou.

Full-featured RAID Kits / INCLUDE

- PCI Ultra or Ultra Wide SCSI RAID adapter for superior performance
- Hardware RAID 0, 1 and 5
- 4MB of cache included, with room for up to 64MB of hardware cache
- Hot swap support for failed disk drives -
 - Automatic detection of failed drive
 - Remove failed drive without system interruption
 - Automatic spin-up of new drive
 - Automatic rebuild of the disk array
- Heavy duty metal cabinet construction
- Three lockable, hot-swap carriers for 3.5" half-height SCSI drives
- Power and disk activity LEDs
- Cabinet temperature monitoring
- Three year warranty
- Unlimited free technical support





T 1-800-860-4589





*Estimated U.S. street price for Ultra kit. Price does not include disk drives.

the price/performance advantage of SQL Server is, as Pabrai quips, "where Billy wins hands down, thanks to volume."

Pabrai estimates that a 10-client Sun/ Oracle implementation with one server costs about \$250,000. An NT/SQL Server project with the same number of clients comes in at only \$35,000. "That's why in three years, the database wars will be over. The winners will be SQL Server [for small to midrange projects] with Oracle keeping its lock on enterprises."

Nevertheless, resellers say that Microsoft must look to what Oracle and other DBMS vendors are doing to find ways of changing SQL Server into a more powerful product. Clueit reports that the developers in his company "are less than enthralled" with SQL Server, compared to competing products from Oracle and Sybase. "Microsoft put a lot of effort into the user interface and the administrative capabilities, but some of the functional aspects of the server are not up to snuff," Clueit says.

SQL Server was slow to move beyond accommodating only page-level locking. It wasn't until its current incarnation that SQL Server supported row-level locking. As interest in data warehousing and data marts heats up, more SQL Server shortcomings become obvious. Tools for creating and managing metadata have yet to blossom, and there are no native on-line analytical processing (OLAP) programs.

Exchanging Notes

Thanks to recent upgrades that have boosted the reliability of e-mail services, Microsoft Exchange is a "powerhouse," according to Venturi. He gives Exchange high marks for its electronic messaging, discussion, scheduling, and group-calendaring capabilities.

True, hardware requirements can be daunting in the BackOffice environment. "Exchange clients are fairly weighty," Venturi observes. "But with the Citrix technology [which Microsoft acquired last spring], we'll be able to deploy clients across an enterprise without upgrading to Pentiums. It will also be excellent for remote access."

But its integration with other systems is superb. For example, according to Venturi, Novell's GroupWise and Lotus's cc:Mail require resellers to manually import and export directories. Exchange, on the other hand, handles this task automatically. Venturi says he's currently working on a project that melds Exchange with Quickmail and is finding that he can easily import directories into Exchange. "There are a lot of legacy mail systems out there, and a lot of our work centers around integrating Exchange with the old systems," Venturi says.

Management and Middleware

Integration is also the key when it comes to management and connections to other types of systems.

Venturi gives BackOffice solid marks for its administration capabilities, saying

Helping Pink Jeep See More Green

or Paul Giovanni, vice president of Software Innovations, a Sedona, Arizona-based computer consultant, the ability to run Windows NT as an application server for the BackOffice family is a compelling argument for boarding the BackOffice bandwagon. Among his projects was the reworking of the reservation system for Pink Jeep Tours, a Sedona tour company that drives tourists to remote desert locations, taking advantage of special permits from the U.S. National Forest Service. The distinctive Pepto-Bismol-colored vehicles provide what most vacationers crave: a look beyond the tourist traps to see the landscapes that only locals usually glimpse.

However, with Pink Jeep's bookings rising to more than 60,000 per year and cutbacks in permits, the company required a more precise and easier-to-use way to match tourists with empty Jeep seats than the old System 36-based reservation approach provided.

The answer was a new system

that was built on a selective mix a mix of Compaq Proliant Servof BackOffice products-NT Server and SQL Server-along with clients running Windows 95

ers and Pentium PCs.

"In the past, it took 4-5 minutes to book a reservation," says



"In the past, it took 4-5 minutes to book a reservation. Now it takes about 45 seconds." -Paul Giovanni

and Office. Microsoft's Visual C++ provided much of the programming resources. Pink Jeep runs the client/server system on

Giovanni, who began the project in 1995. "Now it takes about 45 seconds." The result: a 30 percent increase in bookings and

greater efficiency in organizing tours.

Six seats are available in each tour Jeep, and to help fill those seats, the reservation staff can see on-screen the spaces that are open for each driver on any given day, and how long each tour is scheduled to last. If a customer cancels a reservation, the change is posted to the network in about 10 seconds to give the company the chance to rebook seats.

The old system also provided this information, but it did so with cryptic codes, which Giovanni says "meant nothing to anybody." Rather than spending time tracking down vacancies or sending out Jeeps that aren't fully loaded, the reservation staff now can clearly see the data it needs to do on-the-fly load balancing.

Giovanni isn't a BackOffice bigot; he credits NetWare as king of file and print services and says Novell Directory Services (NDS) is still "second to none." "But throughput to the desktop is not there" for an implementation such as Pink Jeep's.

Expand Your Capabilities!

SOUNDX 4500

• 166 MHz Pentium® Processor

with MMX™ Technology 12.1" TFT SVGA Display

16MB RAM (80MB Max.) 256KB L2 Pipeline Burst Cache

2.0GB (Up to 3.0GB) Hard Drive

Options Bay with 12X CD-ROM / 3.5" FDD Module (concurrent use)

PCI Bus with 128-bit Graphics

Accelerator (64K Colors)


Touchpad / 6.9 lb.

\$2,999

or Optional 2nd Lithium Ion Battery

Supports ZV port.Card Bus technology

(without collapsing your checkbook)



When it comes to number crunching, data processing, information storing, graphics generating, presentation blasting performance, Sceptre notebooks rock!

These Sceptre notebooks, from the extreme-performance/ extreme-value \$4500 featuring a 166 MHz Intel Pentium® Processor with MMX™ technology to the ultra extremeperformance S5500 featuring a 233 MHz Intel Pentium® Processor with MMO™ (Intel Mobile Module) technology, come with these features:

- Intel low voltage mobile TCP Processor and system controller chipsets
- 2 Type II / 1 Type III PCMCIA slots
- · Built-in stereo sound
- 9-cell Lithium-Ion battery with built-in remaining life indicator
- Microsoft Windows 95 installed
- Industry standard security lock ready
- IrDA 1.0 Standard compliance
- One year warranty

Options for Your Soundx

- 33.6k Fax/Modem
- · IO port replicator
- · Auto hot docking station

Extended warranty

SOUNDX 5000

with MMO™ Technology

12.1" TFT SVGA Display

32MB RAM (144MB Max.)

512 KB L2 Pipeline Burst Cache

PCI Bus with 128-bit Graphics

Touchpad / 6.2 lb.

\$3,999

Accelerator (16.7 M True Colors)

2.0 GB (Up to 3.0 GB) Hard Drive

Options Bay with 16X CD-ROM or 3.5" Floppy Drive (both included)

or Optional 2nd Lithium Ion Battery

Supports ZV port, Card Bus technology

233 MHz Pentium® Processor

To get you hands on one of these capability expanding machines so you too can rock, call:

888-580-5588

SOUNDX 5500

13.3" TFT XGA Display

3.0 GB Hard Drive

Touchpad / 6.2 lb.

\$4,999

233 MHz Pentium® Processor with MMO™ Technology

48MB RAM (144MB Max.)

512KB L2 Pipeline Burst Cache

Options Bay with 16X CD-ROM or

3.5" Floppy Drive (both included)

Accelerator (16.7 M True Colors)

or Optional 2nd Lithium Ion Battery

Supports ZV port. Card Bus technology PCI Bus with 128-bit Graphics

Check out our website at: www.sceptretech.com



it's "simply more logical" than working with, say, Novell products. With support for SNMP, BackOffice provides a central display for setting up the network. adding servers and workstations, and configuring equipment. However, the platform's capabilities won't cause largescale network administrators to turn in their HP OpenView or CA Unicenter licenses just yet. Clueit says SMS "could do with a lot of improvement. It's a pig in terms of resources."

The BackOffice platform is getting two new pieces of middleware to boost the environment's stature for large enterprises. Transaction Server essentially marries the capabilities of a transactionprocessing monitor and an object request broker (ORB). Message Queue Server (MQS), code-named Falcon, is Microsoft's reworking of IBM's MQSeries, a store-and-forward message-queuing technology for getting BackOffice to operate with other platforms, such as IBM's Customer Information Control System (CICS).

The design objective of Falcon is to link network applications through a queuing system. According to Microsoft, applications send and receive information as messages that are stored and routed through a series of queues that are designed to survive system and network failure.

However, some resellers aren't convinced the technology is ready for prime time. One reseller that has beta-tested Falcon has came to the conclusion that the product "will be behind the eight ball," because it doesn't offer as many features as MQSeries.

Development Advantages

So how do you string all these pieces together? For development, especially when mixed clients are present, "only two environments are worth anything: Microsoft's and Metrowerks'," says Clueit, adding one caveat: "Microsoft started to get its tools act together only recently.... We do a lot of multiplatform development. We write MFC [Microsoft Foundation Classes] applica-

WHERE TO FIND

Microsoft Redmond, WA 800-426-9400 206-882-8080 http://www.microsoft.com

New Stuff in Next BackOffice

n its usual manner, Microsoft is sketchy about what will be in the next version of BackOffice, which should be available early next year. Here is what we know at press time.

New Components

The next version of Back-Office will add Site Server and Transaction Server. The former is designed to help resellers and others launch Web content and manage intranets with tools to analyze usage patterns. Transaction Server will support electronic transactions, scalability services, and connection management.

Windows NT Integration

Thanks to NT 5.0's Active Directory technology, Back-Office administrators will be able to centrally add users to the NT directory and to individual applications in the

BackOffice family. Thus, end users will log on once to access all BackOffice applications running in their company, rather than logging on to each individually, as is now the case.

Clustering will move beyond basic failover (i.e., when a SQL server goes down, a companion server automatically takes over) to include rollover capabilities. easily adding additional

Mix and Match

Full BackOffice suite\$2418

SQL Server 6.5 (five users) ...\$1346

Exchange Server 5.0 Enterprise Edition\$826

Systems **Management Server**

(five users)\$1073 **SNA Server**

(five users)\$1298 Proxy Server\$966 servers to boost performance when the current system is overworked.

Integration **Among BackOffice Applications**

According to Murari Narayan, a BackOffice product manager, next year's Back-Office will streamline internal plumbing that lets applications communicate. The result: Less code may be necessary to couple SQL and Exchange to get the messaging system to automatically send an electronic order form to a parts supplier once a SQL alert warns that an item in inventory dropped below a preset threshold.

Also promised: OLEDB and Active Data Objects will make it easier for resellerwritten applications to access multiple types of data, such as structured SQL information, unstructured messages in Exchange or Notes, and documents that are stored on file servers.

tions and run them on the Mac, and have had some problems. That was on [Visual C++]4.0. When 5.0 came out, Microsoft decommitted [Mac support]. That was a real disappointment, because we're actually doing more Mac development than ever before."

Although he says Visual C++ is solid, Clueit notes that developers at his company are using Metrowerks increasingly often, primarily because of its capabilities for both NT and the Mac.

Ronnie McNeill Consulting Service's namesake president says Visual Basic "is progressing along quite well" as a development environment. "But it wasn't until the third version that you could take it seriously." The company develops client/ server systems for such companies as HP and Coldwell Banker using Visual Basic for client applications and BackOffice applications on the server.

He adds that the BackOffice platform hints at object orientation, but "it's not fully there." For example, McNeill says an application can inherit the interface of an object but not the object itself. NT isn't truly multithreaded in McNeill's view.

Seller's Market

Does tight integration of applications mean end users pay less for reseller and systems-integration services? No, say resellers who are working overtime to install BackOffice systems. Some savings are derived if fewer hours are needed to launch the project, but the cost of integration services is at a premium because the market is now so bullish. "We see a strong need on the services end for Back-Office, particularly for SQL Server," Pabrai says. Because of demand, resellers are finding a profitable supply-anddemand situation. "There's a shortage of people to handle demand. It's fundamental capitalism." B

Alan Joch is a freelance writer and former BYTE senior editor who covers emerging technologies. You can reach him at ajoch@monad.net.



In order to facilitate diversified life in the multi-media, our R&D try harder to offer consumer-oriented peripherals of computer & optics including multi-functional CD-ROM, CD-R, DVD-ROM, color-catching Scanner.Leoptics says"Humam touch is the way to lead high-tech life into the future".

Leoptics gets you thereMulti-media world

OMDEX
Fall '97 Booth No. S40331
Sands Expo and Convention Center
Upper Level
November 17-21.1997
Las Vegas, Nevada USA

LEOPTICS INC.

8FL., No.283, Sec.2, Fu Hsing S.Rd. Taipei, Taiwan Tel:886-2-7550366 Fax:886-2-7550380 http://www.leoptics.com

Circle 367 on Inquiry Card (RESELLERS: 368).

Diagnose any PC's problems fast with

TOOLKIT TOOLKIT

- Get the best, most accurate full-system diagnostics package for all your problem PCs.
- Low-Level Formats all hard drives including IDEs. Allows relocation of Track 0.
- Works with any PC regardless of O/S: DOS, Windows 95 & NT, O/S2, Unix, Novell, etc.

Loop-back Plugs— 9-pin serial, 25-pin serial and 25-pin parallel plugs, used for external I/O port testing.

2 Micro-Scope floppy disks containing the best PC diagnostic tools on the market. Comes with both 3.5" and 5.25" disks to work with any PC.

Micro-Scope 5.1 UNIVERSAL DIAGNOSTIC SOFTWARE



Call for upgrade pricing & complete new features list!

MICRO-SCOPE Universal Computer Diagnostics was developed to satisfy the expanding need for accurate system diagnosis in the rapidly growing desktop computer market. Patterned after super-mini and mainframe diagnostic routines, MICRO-SCOPE runs independently of any standard operating system, and is therefore at home on any machine in the Intel world. Speed, ease-of-use, and razor sharp ACCURACY are a few of the advantages that arise from this system independence. Jerry Pournelle awarded MICRO-SCOPE & POST-PROBE the User's Choice Award in the May 1994 issue of Byte Magazine, saying: "You name it, this tests it. If you maintain PCs you'll love it."

◆ LOW-LEVEL FORMAT—Performs low-level format on all hard drives including IDE drives. ◆ TRUE HARDWARE DIAGNOSTICS—Accurate testing of CPU, IRQ's, DMA's, memory, hard drives, floppy drives, video cards, etc. ◆ RELOCATES TRACK 0 on hard drives that support relocation. ◆ IRQ CHECK—Talks directly to hardware and shows I/O address and IRQ of devices that respond. ◆ O/S INDEPENDENT—Does not rely on O/S for diagnostics. Talks to PC at hardware level. All tests are full function regardless of O/S (i.e. Windows, Novell, UNIX, O/S2). ◆ IRQ DISPLAY—Show bits enabled in IRQ chip for finding cards that are software driven (Network, Sound Card, etc.). ◆ MEMORY DISPLAY—Displays any physical bit of memory under 1 MB. Very useful for determining memory conflicts and available memory space. ◆ AND MUCH MORE...We don't have enough space here for everything this software can do!

Govt. Orders: NSN-7030-01-421-6459

Call Now for Special Pricing 1-800-864-8008





Micro-Scope 6.

icro-Scope 6.

See us at COMDEX/Fall '97 Booth #S8057













100% accurate results...

Tri-State Logic Probe—works with Post-Probe and enables testing down to individual chip level.

> **Durable Zip-up Leatherette** Carrying Case—all your tools in one organized easy to carry

Post-Probe Diagnostic Card when Post-Probe detects an error, a 2 digit BIOS code will display on the card telling you exactly what's wrong with your PC. 100% compatible with all ISA, EISA, Compag and Micro-Channel PCs.

> Micro-Channel Adapter Card-(behind Post-Probe card) allows Post-Probe to be used with Micro-Channel equipped computers.

NEW Optional Tutorial and PC Trouble Shooting Videos—Call for titles and current prices. A wealth of technical help at your fingertips.



fast with our universal POST card...

"This is the only card that will function in every system on the market. The **I** documentation is extensive, and not only covers the expected POST Codes for different BIOS versions, but also includes a detailed reference to the bus signals monitored by the card." -Scott Mueller from his globally recognized book, 'Upgrading & Repairing PCs, Second Edition'


♦ Includes pads for voltmeter to attach for actual voltage testing under load. ♦ 4 LEDs monitor +5vdc -5vdc +12vdc -12vdc. ♦ Monitors Hi & Lo clock and OSC cycles to distinguish between clock chip or crystal failure. • Monitors I/O Write and I/O Read to distinguish between write and read errors. ◆ Accurately monitors progress of POST for computers without POST codes. ♦ Reads POST codes from any IBM or compatible that emits POST codes. ISA/EISA/MCA. ◆ Compatible with Micro Channel computers. ◆ Dip switch allows easy selection of I/O ports to read. ♦ Includes TRI-STATE LOGIC PROBE to determine actual chip failures. • Manual includes chip layouts and detailed POST procedures for all major BIOSs. ♦ AND MUCH MORE...call for more details.

Govt. Orders: NSN-7025-01-421-6467

MICTO 2000, Inc. Makers of Professional PC Diagnostic Tools 1100 East Broadway, Suite 301, Glendale, California, USA 91205 Toll Free: 800/864-8008 • Phone: 818/547-0125 • Fax: 818/547-0397

Web Site: http://www.micro2000.com International Orders please call:

Micro 2000 Australia......61-42-574-144 Micro 2000 UK44-1462-483-483 Micro 2000 Amsterdam 31-206-384-433 Micro 2000 Germany......49-69-420-8278



diagnose your PC's problem. Also contains common chip diagrams, descriptions and complete troubleshooting tips.









Servers Grow Like Weeds



NT servers, intranet servers, RAS servers, WinFrameTM application servers, email servers, fax servers, telephony servers, NetWareTM servers, internet servers, DNS servers, SQL servers, proxy servers, authentication servers, groupware servers, failover servers, remote control servers, DominoTM servers...ad infinitum.

You're going to need a computer room the size of a gymnasium!

Or...you can create a Managed Server FarmTM.

With Cubix managed server farms, your MIS department controls multiple fault tolerant servers as a single computing enterprise. You only need one dial-in or WAN connection to view, power up/down, hard reset, remote control, and schedule online/offline any service in the server farm.

Cubix's systems won't cost you any more, but they'll save you space, power and operational expenses...month after month after month.

Weed Killer!



One SMP & Four Uniprocessor Servers Within

Call 1-800-953-0145



Cubix Corporation, 2800 Lockheed Way, Carson City, NV 89706-0719 USA Tel (702) 888-1000 Fax (702) 888-1001 http://www.cubix.com Cubix Corporation Europe Ltd., One Hunter Road, Kirkton South, Livingston, Scotland EH54 7DH Tel (44) 01506 465065 Fax (44) 01506 465430 France Tel 05908114 Germany Tel 0130815193

Reseller

Four technologies are bringing POS to open hardware and software. By Ilan Greenberg

Making Money with Point-of-Sale

uring the 1992 election campaign, George Bush made headlines for being out of touch when he expressed astonishment at the technology used at a modern supermarket checkout counter. If he hasn't taken advantage of retirement to do a little shopping, returning to his local grocery store might give him a heart attack. Retail technology is undergoing a startling transformation—from staffed cash-register stations to new-generation self-service checkout machines, RF price changing, and multipurpose clients. The catalyst is the wide-scale adoption of PC-based point-of-sale (POS) packages, long advocated by resellers and industry consultants and only recently embraced by resistant POS vendors.

This is a marked change from just one year ago, when the norm was a proprietary POS system. Even vendors that claimed to provide open systems included proprietary pieces requiring unique middleware wraps, points out Carol Simmons, a senior analyst in the Retail Automation Division of Datapro Information Service Group (Delran, NJ). The reasons for this include a cyclical wave of industry investment in technology, the booming national economy, and the growing acknowledgment of the labor-saving benefits associated with improved PC-based POS systems. Labor is near the top of the expense column in most retailers' balance books.

The new POS systems offer increased integration as well as new capabilities, such as sales-figure consolidation and the automatic organization of disparate data. POS clients at a register record everything from individual consumer-buying patterns to the effectiveness of shelf-space allocation.

But retailers want systems that go beyond simply capturing point-of-purchase information—they want integration with back-end client/server systems (e.g., SAP's R/3 suite and Vantive's customer-service automation software) as well as support for their existing investment in PCs running Windows and servers running Unix or NT. They also want to increase communication between their sales force and management by providing capabilities such as e-mail at POS stations. In short, resellers are being asked to provide PC-based POS service that fits into a company's existing IS architecture.

Four important technologies are ushering in the PC POS rev-



"POS should be just one of the functions of the corporate LAN. We have them running HR systems, payroll, and benefit enrollment in addition to POS."

– Dave Sabre

olution: new GUIs, RF labels, adherence to client/server application APIs, and easy integration with back-office systems. In addition, a single technology, Java, currently stands poised to make the biggest difference of all by connecting a POS station to a Web-based infrastructure (and leveraging such new technologies as Webbased data warehousing), although it's not there yet.

The New Interface

Most proprietary POS systems don't share a common user interface (UI). This means that, even if a company hires a person who has experience working at a checkout, for example, it's going to have to train that person to use a new system. But PC-based POS systems with standard UIs are changing all that. They're enabling companies to cut training costs and even create selfshopping systems.


The leading example of a no-training-required system is the ATM machine. NCR's DynaKey (see the photo at right) is an ATM-style POS interface that many vendors are currently using precisely because it's so easy to learn. Says Dan Bogan, vice president of retail marketing for the NCR Retail Services Group, "We've combined our ATM technology and PCbased technology and then connected that to our high-performance scanners. Together it provides consumers with an interface that they're very comfortable working with."

DynaKey is the main competitor to Microsoft Windows, the other easy-to-learn POS interface. Both offer an intuitive, graphical interface that accommodates complex promotions and pricing structures and allows for the near-elimination of POS training.

Looking to the future, the model of an open-system ATM will be extended by even-newer technology emphasizing selfservice capabilities. The vision, which is expected to be delivered sometime in late 1998, is entirely self-service check-out lanes. NCR intends to execute such a system by combining bioptic scanners and self-checkout software with a videobased security system.

Supermarket Frequencies

Another technology that is more easily integrated into the PC architecture than it is into legacy systems is RF pricing labels. This market is shared mainly by four vendors: ERS (Wilton, CT), NCR, Swe-



den-based Pricer, and TelePanel (Toronto, Ontario, Canada).

Retailers use RF to electronically update shelf labels, replacing the familiar paper shelf tags and eliminating the need for store employees to walk through the store aisles with infrared readers to note price changes. Instead, new prices are transmitted from antennas located at the ceiling of the store. To avoid confusion should several neighboring stores all implement RF, each store gets its own signal. The systems are surprisingly simple because they often are available as prepackaged products.

RF is credited with increasing price-tag accuracy while accelerating the response time for stores that are eager to react to their competitors' sudden promotions or price hikes. RF is a proven technology that has actually been available for some time, but demand remained sluggish at first as a result of the dominance of proprietary systems and regulatory prohibitions that relegated RF to stores in only a few states.

During the past year, CB Consultants, a company that specializes in RF technologies, has seen the use of RF expand in tandem with the rise of PC-based POS. "Stores are seeing RF as a way to change prices whenever they want, either from the PC in the back room or from the warehouse," explains George Gilfoil, president of CB Consultants.


Likewise, the rise in popularity of backoffice client/server applications, such as supply-chain software from Manugistics, has led resellers and system integrators to use PC-based POS systems that offer more seamless integration between RF and PC-based POS. Resellers might develop software to transmit data retrieved from single-use POS devices into distributed databases, but it's a strictly one-way exchange, according to Dave Sabre, regional partner of the western region for consumer markets at KPMG Peat Marwick. Non-PC POS devices are designed to send data to the back-end database. where the information is crunched by online analytical processing (OLAP) systems, such as Arbor Software's Essbase, into useful, compacted sales figures.

Connecting the **Back Office**

But in the new PC-based POS systems, information is like a two-way street; it runs both to and from the executive suite. By returning processed information back to the store manager, employees at the cash register are empowered to make use of sales and pricing data on their own.

"POS should be just one of the functions of the corporate LAN," explains Sabre. "We have them running HR systems, payroll, and benefit enrollment in addition to POS. The expansion of the features of POS on the PC is what gives

THE IDEA **BEHIND OUR** MODULAR **DATA STORAGE SYSTEMS MAY SEEM VAGUELY** FAMILIAR.





implementing a certification program with all the major drive and controller manufacturers, including Adaptec, CMD, DPT, Mylex, Quantum, and The industry's longest warrant Seagate® Want to make configuring custom storage systems as easy as child's play? Just call (800) 251-9059. Or visit

our Web site at www.kingston.com/storage.

Circle 358 on Inquiry Card.





























PHOTOGRAPH: KELLIE WALSH @ 1997

A Smorgasbord of POS


he hypercompetitive restaurant industry is one of the first businesses that has embraced advanced POS; Restaurant Consulting Services (RCS) is at the forefront of this advance. RCS looks for features that enable it to add to client functionality, integrate with client/server systems, and incorporate the latest in dataretrieval and data-disbursement technologies.

RCS emphasized all these qualities during its system-implementation projects for Unique Casual Restaurant, the company behind the Fuddruckers and Champs Americana chains of restaurants. The 150-restaurant Fuddruckers chain was looking for a system that gave company managers timely access to POS information so that they could change guesswork into informed decision-making.

RCS offered two systems for review. One was based on Ibertech software running on IBM equipment with infrared touchscreens. The other ran on an NCR system with 7440 POS terminals and MicroTouch capacitive touchscreens; it had POS, cashmanagement, navigation, and labor software modules from Compris Technologies.

From these pilots, RCS and

especially in the area of inventory management, and a clearer graphical presentation. "We take



"When I can use PC standards, I can control costs much better."-Ted Mountzuris

Unique Casual Restaurant selected the NCR/Compris combination because it offered a significantly better level of detail, the POS information and use it to populate the Oracle Financials applications that we have in the back office," explains Ted Mountzuris, CEO of RCS. This is basically a tool to connect the restaurants with the executive information systems being used by the executives."

The POS integration project at the Champs Americana franchises had different requirements. Unique Casual Restaurant wanted to migrate from a proprietary Panasonic solution because the company believed an open system would allow for reduced system costs. RCS recommended Ibertech's Aloha, a package that's particularly optimized for a Windows NT environment. Mountzuris cites NT as "a particularly excellent platform for point-of-sale technology."

"When I can use PC standards, I can control costs much better. And, with an open architecture, you have the ability to use the right software for the particular retailing situation," he explains. "Otherwise, you need to redesign the software to fit into your industry. Typically, your IS costs should be anywhere from 2 percent to 3 percent of your company's revenues, but with this system our costs are under 1 percent."

us the ability to say to companies that they can improve customer value with these systems."

With the PC, continues Sabre, resellers can get more creative with their services, such as offering interfaces to Internet-based electronic commerce sites and data warehouses, as well as developing middleware to shorten the supply chain.

Future POS

PC-based POS is doing well and will do even better, say industry figures, when it can take advantage of a thin-client configuration. That would likely mean Java. However, despite the move to open systems, many companies continue to require POS peripheral devices that remain incompatible with open-development platforms, including Java. Even though some POS vendors are currently working on designing Java interfaces for devices, the technology isn't yet available.

"There's a lot of interest right now in the thin client and its impact on point of sales," says Tracy Flynn, vice president for the food-industry-marketing group at NCR Retail Services Group. He points to several expensive qualities of the PC that aren't required for traditional POS, such as access to a disk drive, and then points resellers to the future potential of the network computer or NetPC as excellent alternatives.

"Initially, we won't see these kinds of standards applied to POS; it's still 12 to 18 months out," he predicts. "However, in some markets, such as the hospitality industry, you'll see it sooner because they have fewer peripherals with which to contend."

By turning to PC-based systems for POS solutions, resellers are betting they will find gold in industry-standard PC development environments, such as Visual Basic and Java. In addition, their cus-

WHERE TO FIND

CB Consultants Portland, ME 207-799-2702

KMPG Peat Marwick Boston, MA 617-723-2700 http://www.us.kpmg .com/

NCR Retail Services Group Atlanta, GA 770-321-8800 http://www.ncr.com/ product/retail/

Restaurant Consulting Services, Inc. Danvers, MA 508-762-3900

tomers will enhance their informationretrieval-and-analysis tools by leveraging the increased integration between their POS wares and their client/server application investments. B

Ilan Greenberg (San Francisco, CA) has written about technology, science, and business for many publications, including the Los Angeles Times and U.S. News & World Report. You can contact him at ilang@ix.netcom.com.







From sleekly-contoured new era LCD monitors to conventional CRT models; low-end to highend offerings; for general use or strictly professional work; at home or in the office, green to truly multimedia, we are here to meet your every need.

We manufacture top monitors with a first-class logistics system, world-class quality controls and ISO-certified manufacturing sites in Asia, Europe and America. We are also a company that's known for time-to-market and short-lead times; a company that's flexible, speed-bound and customer-oriented.

1769 FDW

- -17" CRT screen -0.28 Dot Pitch
- -OSD Control -Audio Ready
- -30-69 KHz Horizontal Frequency
- -1280 x 1024 Maximium Resolution

MITAC's High-End Designed LCD Monitor





EssentiaView

-13.8" HCSA Pannel/ TFT Pannel -XGA 1280 x 1024 NI -Brightness 200 Cd/m² -Contrast 40:1 (HCSA)/ 300:1 (TFT) -USB/Audio -OSD (Analog I/F Only)

*We also offer various sizes of displays to meet your various needs.

OEM and Private Labels are welcome













COMDEX Fall '97
November 17-21, 1997
Las Vegas Convention Center
Visit MITAC at Hall S-2, L2435

For OEM & Distributors, Please Contact:
MITAC INTERNATIONAL CORP. (TAIWAN)

Lin-Kuo Office: Tel:886(3)3289000 Fax:886(3)3280928 E-mail:market@smtplink.mic.com.tw

(URL): http://mitac.mic.com.tw/

For Local Dealers, Please Contact:

MITAC USA INC. Tel:1(510)6563333 Fax:1(510)2526930 SYNNEX INFORMATION TECHNOLOGIES, INC. Tel:1(510)6563333 Fax:1(510)4403777

Circle 363 on Inquiry Card (RESELLERS: 364).

20,000 1105 per secon

Release the performance

The Fastest Ultra Wide SCSI Adapters on Earth for your Alpha, Intel and SUN PCI Systems are now available with 10/100 Ethernet on board...

Ordinary SCSI adapters trap the true performance of your Alpha, Intel, and SUN workstations and servers. Don't let your processors stand idle, waiting for I/O to catch up. Unleash the full performance you need with Ultra Wide ITIpciTM SCSI host adapters from IntraServer Technology.

These ultra fast adapters deliver a wild 10,000 I/Os per second per SCSI port – over twice the I/O performance of other SCSI adapters – at a very tame price. They are the ideal solution for your Alpha, Intel, and SUN systems, supporting Windows NTTM, DIGITAL UNIX®, LinuxTM, OpenVMSTM, and SolarisTM. IntraServer offers a variety of single-port, dual-port, and our new Ultra Wide SCSI

10/100 Ethernet combination adapters – just plug-and-play to connect up to 30 SCSI devices to a single adapter. And all our adapters are ClusterReady™ for your high-availability configurations.




Need support? We're ready to leap into action. Whether it's SCSI configuration or Clustering advice, you won't have to chase after IntraServer – we provide the highest levels of support in the industry.

For high performance, outstanding support, and great value – contact IntraServer today.

Call toll-free: 888-429-0425

Visit us on the Web: www.intraserver.com



64-Bit PCI Adapters COMING SOON from IntraServer!



Reseller

Unified messaging systems bring together voice, fax, e-mail, and paging for less than ever. By Ilan Greenberg

The Universal Inbox

nified messaging systems, which provide an interconnected system for everything from e-mail and voice mail to faxes, have obvious benefits for end users—especially for workers who prefer a single inbox.

A slew of new, increasingly sophisticated unified messaging packages has recently become available, each offering a slightly different road toward a universal communication destination. While certain trends are emerging, such as a predominance of support for Windows NT as a server OS platform, other requirements, such as type of mail system supported or telephony standard employed, are more varied. Choosing a unified messaging system calls for considering whether the software package is compatible with the network architecture an office environment already has in place (different solutions support a wide variety of file formats, for example). Cost is another factor, with prices ranging from a low monthly subscription to turnkey solutions running upwards of \$40,000.


Look for technologies that combine the best of integrated inbox and real-time communication capabilities, such as a popup screen that provides relevant information when your phone rings, advises Brian Curran, product manager at Coresoft (Orem, UT). "In the whole unified messaging field we need to focus more on messaging and less on the concept of inbox. We still live in a real-time world, and messaging should be secondary. Products generally do one or the other, but there are a lot of benefits to doing both," he says.

There's no shortage of providers in the unified messaging system market (as the product listing on the following pages shows). Industry observers say this is bound to change as vendors consolidate. This is already proving true at the high end of the market, as exemplified by the recent acquisition of the leading voice application maker, Octel, by Lucent Technologies.

Standardization will probably become the biggest issue for unified messaging systems. Many products are not yet compliant with the Windows telephony API standard, TAPI, but TAPI is going to become more and more prevalent. Another criterion, says Michael Stanford, chairman of Algo Communications, is network integration. Also keep in mind the potential of a messaging system to scale up to new technologies. *continued*



	Basic Features	Server OS	Access Method	Text-to- Speech	Pager Interface	Price	
Axxess Inter-Tel, Inc. 800-669-5858 http://www.inter-tel.com Inquiry No. 1125	Voice mail, e-mail, fax server, automated attendant	Server- independent	PC		•	\$75- \$150/user	
CallWare family CallWare Technologies 800-888-4226 http://www.callware.com	Voice mail, e-mail integration, fax, automated attendant	NetWare	PC, telephone, Web browser		d message	\$75-\$400 per user	
CallXpress Applied Voice Technology 425-820-6000 http://www.appliedvoice com inquiry No. 1127	Voice mail, e-mail, fax, Web server, interactive voice response (IVR), instant Web publishing	Windows NT	Fax, PC, telephone			\$9000+	
CenterPoint Coresoft 301-431-0070 http://www.coresoft.com nquiry No. 1128	fax server, call control, contact manager presoft.com		PC, telephone			\$4695 (10 users)	
Communicate D1 Communique Laboratory, Inc. D05-795-2888 http://www.01com.com	ommunique fax server, automated attory, Inc. attendant (stand-alone), 95-2888 contact manager (www.01com.com		PC, telephone			\$179	
David Tobit Software 800-468-6248 http://www.na.tobit.com	Voice mail, e-mail, fax, Web server, interactive voice response, instant Web publishing	Windows NT, NetWare	PC, telephone, fax, Web browser, PDA		chiveren provides provides prise C	\$2495 (5 users)	
SroupWise Voice mail, e-mail, Novell, Inc. Web server, contact manager, document of the important management management		NetWare, Windows NT, Unix, IntranetWare	PC, telephone, Web browser	•		\$718 (5 users)	
Hello! NT Enhanced Systems, Inc. 170-662-1503 http://www.esisys.com Inquiry No. 1132	Voice mail, e-mail, IVR, fax server, automated attendant	Windows NT	PC, telephone, fax, Web browser	reverses	nec Volta nordo vara vali Trans	\$1000+	
		SCO UnixWare	PC, telephone, Web browser			\$15,000+	



Feeling boxed in?

You're sure that you needn't waste creative energy searching for technical solutions that already exist!

You feel certain that it isn't necessary for you to track your project through X number of locations!

You know there must be a single resource that will supply the answers and services you need to make your concepts a reality, without running you ragged!

You're so right!

Sliger Designs is your single source for all phases of the product development cycle from custom design to state of the art automated manufacturing. Sliger Designs vertically integrated system ensures lower development costs and guarantee the shortest time to market available.



Engineering • Design • Fabrication

Industrial PC Enclosures • Tower PC Enclosures • Rackmount PC Enclosures • Rack Systems • Rackmount Accessories Rackmount Drive Enclosures • Redundant N+1 Load Sharing Power Systems • Industrial PS2/ATX PowerSupplies

Email: info@sliger.com

Phone: 1 800 255 0267

FAX: 1 702 356 6361

Rackmount Drive Enclosures • Redundant N+1 Load Sharing Power Systems • Industrial PS2/ATX PowerSupplies

Internet: http://www.sliger.com

Postal: 150 E. Greg Street #105 Sparks, Nevada 8943



Messaging Products									
	Basic Features	Server OS	Access Method	Text-to- Speech	Pager Interface	Price			
Post Universal Box/ Voice mail, e-mail, Window fax server, RDG, Inc. Web browser 888-476-7893 http://www.irdg.com		Windows NT	lows NT PC, telephone, Web browser		v	\$24.95/ month			
MediaMail Telinet Technologies LLC 770-239-1000 http://www.telinet.com Inquiry No. 1135	Voice mail, e-mail, fax, Web browser	fax, Windows NT PC, telep fax, Web POP3 e		•	•	\$6900+			
MVX-2000 S Macrovoice Corp. B00-622-7689 http://www.macrovoice.com nquiry No. 1136	Voice, e-mail, fax, automated attendant, Web browser	Windows NT, Windows 95	PC, telephone		•	\$7000			
NeTrueLink NeTrue Communications 714-870-0861 http://www.netrue.com	Voice mail, e-mail, fax server, Web server	Windows NT	PC, telephone, Web browser, fax	•	•	\$7800 (4-port unit)			
PremisMail Voice mail, fax, OS/2 Inified Messaging Web browser Voice Technologies Group, Inc. 16-689-6700 ttp://www.vtg.com		OS/2	PC, telephone, Web browser	•	•	\$6000- \$42,000			
Repartee Active Voice Corp. 206-441-4700 http://www.activevoice.com aquiry No. 1139	Voice mail, e-mail fax server, automated attendant, contact manager	OS/2	PC, telephone, Web browser		~	\$8500+			
Telephony OneStop OneS	Voice mail, e-mail, fax	Windows NT, OS/2, Notes	PC, telephone, Web browser	•		\$50/user			
Unified MailCall for Lotus Notes Phonesoft, Inc. 619-618-1900 http://www.phonesoft.com Inquiry No. 1141	ified MailCall for Voice mail, e-mail, Windows NT tax Notes fax server, Web server, contact manager 9-618-1900 o://www.phonesoft.com		PC, telephone, fax, Web browser	V	V	\$2995+			
Vork Group Attendant Algo Communications Corp. 172-866-2000 http://www algocommunications.com	Voice mail, e-mail integration, fax server, automated attendant	Windows NT	PC, telephone		v Kali teritoria Magaioria ka	\$499.95- \$1699.95			

Our " Maestro Turbo" and 13.3" Supreme Notebook Computers Bring You Cutting Edge Technology



- Better Zoomed Video and Card Bus support
- * The fastest 20X CD-ROM or DVD option
- 56Kbps Internet ready communication
- * Support USB and 3D

Since our first altima laptop in 1989, we have focused on introducing portables with pioneering technology and the highest quality. Altima always performs better and delivers greater value at more competitive prices.

For more information call us or visit the altima web site at http://www.altima.com.tw

MaestroT

The Most Powerful "Supreme"

- Intel P55C MMO-150/166/200/233
- 13.3" XGA TFT color
- EDO SO DIMM memory up to 128 MB
- PCI Bus with 3D graphic engine and 4MB video RAM

upreme

Built-in 20X CD-ROM or DVD option

COMPEX Fall '97

November 17-21, 1997 Booth No. S-4050e

altima

Multiventure Technologies, Inc. Altima Computer, Inc. 6F, No.59, Sec.2, Tun Hua S. Rd., Taipei, Taiwan Tel: 886-2-707-3123 Fax: 886-2-703-1380

E-Mail: altima@tpts1.seed.net.tw Web site: http://www.altima.com.tw

The Most Popular "Maestro T"

- Pentium 150/166/200 with MMX technology
- 12.1" SVGA TFT or 12.1" SVGA DSTN color
- Built-in 20X(Max.) CD-ROM module, 2.1 / 3.2 GB HDD and internal FDD
- 16 bit audio system with two stereo speakers and microphone
- Two PCMCIA type II slots with Zoomed Video and Card Bus support
- Internal 56Kbps data / voice / fax modem
- Fast IrDA infrared port and USB support

Authorized Distributors:

Accord (USA) Tel: 1-408-945-9787 Twintop (Czech Republic) Tel: 420-441-775302 Millenium (Germany) Tel: 49-2151-8365-0 Frisch Data (Denmark) Tel: 45-444-71281 LTD (Switzerland) Tel: 41-32-6239292

Circle 365 on Inquiry Card (RESELLERS: 366).

Universal Network (U.S.A.) Tel:1-972-907-2300 Altima (South Africa) Tel: 27-12-453175 Alpha Data (UAE) Tel: 971-2-337173



The ideal collaboration tool in large conference rooms.

GN-711 is a wireless solution that accepts either a VGA or an A/V signal from multiple notebooks and desktop PCs for display on large screen TV's, video projectors and other remote display devices. High quality output comes in the form of composite video and high fidelity audio.

Unchains you from your desktop!

The GN-611 wireless solution comes with a wireless keyboard, giving you real freedom to enjoy computer games, surf the internet, or experience multimedia entertainment on a bigger remote screen, your TV, or a large display device anywhere in your home or office.

Circle 369 on Inquiry Card (RESELLERS: 370).

:•• OMDEX°
Fall '97
November 17-21, 1997
Booth No. M6752



3 Tze Chiang 1 Road, Chungli Industrial Park, Tao Yuan Hsien, Taiwan, R. O. C. Tel: 886-3-4515217 Fax: 886-3-4515216

E-mail: veccom@ms1.hinet.net

Website: http://veccom.com.tw

Tired of waiting for the pony express to deliver your product information?



BYTE's new product information service, HotBYTEs, is rocket powered!



For more information turn to page 148 or visit the BYTE Site at www.byte.com, click on the **HotBYTEs** link, and hold on to your hat!

A Division of The McGraw-Hill Companies

ab Report

26 No-Compromise Power Portables

New MMX laptops with 166-, 200-, and 233-MHz processors equal a virtual office desktop replacement. By Michelle Campanale

icture this: You're 33,000 feet above sea level, packed in your seat tighter than the stuffing in a Thanksgiving turkey. On either side of you are irritable passengers who fight you for the arm rest. Indeed, traveling thousands of miles cross-country is no easy trek. A turbulence-free flight makes it bearable. A high-powered laptop souped up with a 13.3-inch screen, Pentium MMX processor, 20× CD-ROM drive, and 6-hour battery life can make the trip a delight.

Road Rules

True road mavens won't leave home without their trusty laptop. What's more, many people are replacing their aging desktop computers with portable versions with as many bells and whistles. Now, the newest-generation notebooks, powered by Pentium 166-MHz and 200-or 233-MHz "Tillamook" processors, are more capable than their predecessors of becoming true desktop replacements.

We judged 26 portables that hit both ends of the price spectrum, ranging from \$2600 to \$5700. All employ 166-, 200-, or 233-MHz CPUs. We tested a good sampling of what's currently shipping and chose to focus on 166-MHz nonbeta models with stable drivers. For this roundup, we sought systems that have 166-MHz processors or better, 1 MB or more of video RAM, 32 MB of memory, 2.1-GB hard disk minimum, a maximum of 512 KB of L2 cache, and two batteries. (Reference manuals and user guides were also judged, and they contributed to each system's usability score.) You'll notice a few systems reviewed here don't exactly match that feature list; we wanted to make sure that the most useful configurations were tested, and we note variations where necessary.

Unfortunately, some vendors introduced systems too late for testing, and others fell out for various reasons. We had already reviewed a beta version of the new ThinkPad 770 from IBM (see "The Best ThinkPad Gets Better," Octo-

BYTE BEST

Micron TransPort XKE

With its 13.1-inch screen, dual pointing devices, and conveniently located device bay, this is the outstanding 166-MHz portable. It outperformed all other laptops in our tests, and it has strong usability and features.

Gateway 2000 Solo 2300SE

For the price, the Gateway Solo 2300SE low-cost winner is a solid choice. In price/performance value, it bested all other systems tested, and its features set topped all other systems we looked at.

ber BYTE). The first PC notebook (called the PowerTrip) from former Macintosh clone maker Power Computing was not ready for review in time to meet our deadline. Fujitsu, Nimantics, and Samsung also missed our testing deadline.

What's Hot, What's Not

Evolving trends in laptop design aren't hard to spot. Support for Zoomed Video and CardBus are common. We also saw

some support for MPEG hardware acceleration for playing full-screen video smoothly at 30 frames per second. And designers continue to improve placement of device bays.

Integrated modems are becoming a standard for high-end notebooks. Additionally, integrated Universal Serial Bus (USB) ports showed up on nearly all the machines we tested. A few systems, like Micron's, include both trackpoint and touchpad pointing devices. Function keys provide access to configuration tools for each pointing device.

A handful of computers we tested had 13.3-inch screens. These could display full-screen, full-motion video. Many of the remaining laptops sported 12.1-inch screens. More than half the laptops in our tests have a maximum internal resolution of 800 by 600. But vendors like Gateway, Micron, Hewlett-Packard, Hitachi, Sony, Sharp, and a few others provided screens that support 1024 by 768 pixels. The Gateway 9100XL supports 1280 by 1024 maximum internal resolution.

In addition to better screen resolutions, other breakthroughs are apparent. A few vendors, like Dell, Micron, Gateway, AMS Tech, Sceptre, WinBook, Eurocom, and Micro International, include huge hard disks with 3 GB of space. On the CD-ROM front, Micron broke new ground by sending in a system with a 20× CD-ROM drive.

233 MHz: Built for Speed

Mobile MMX CPUs running at 200 and 233 MHz, in addition to the existing 166-MHz CPUs, are available in a variety of configurations. The mobile module,



which integrates the Pentium CPU with MMX technology, a portion of Intel's 430TX chip set, and the pipeline burst static RAM L2 cache, powers many of the machines tested. Systems based on Intel's

P55C processor can reach speeds of up to 166-MHz only. With Tillamook processors, laptops now reach 200 and 233 MHz.

The first to utilize a 0.25-micron manufacturing process, Intel's Tillamook processors are expected to enhance chip performance 20 percent over their 166-MHz counterparts. In addition, they are expected to consume 40 percent less power than previous high-end mobile processors. Lower battery consumption can

accommodate increasingly powerful components, such as high-resolution color displays, 20×CD-ROM drives, 56K modems, and high-capacity disk drives.

As components become increasingly more powerful, the need for longer battery life continues. The 166-MHz systems currently operate at 2.45 volts. Tillamook laptops operate at a core voltage of 1.8. Yet the next generation of laptop components, including 24× CD-ROM drives and 14-inch displays, may negate any reduction of power and heat.

Six of the 26 systems have 200-MHz (or faster) processors. Because these were early prototype or beta units, we chose not to

declare one a winner. There are three 200-MHz MMX CPUs in this roundup, from Chem USA, AMS Tech, and MicroExpress. Sceptre, Micro International, and Eurocom were able to send us 233-MHz systems for evaluation.

Contributors

Steve Platt and Andy Froning,
Managing Editors/NSTL
Dorothy Hudson, Project Manager/NSTL
Jeff Hudson, Tester/NSTL
Maryanne Eves, Acquisitions Editor/NSTL
Linda Higgins, Editorial Associate/BYTE
Michelle Campanale, Technical Editor/BYTE

BEST OVERALL

POWER PORTABLES

e chose the Micron TransPort XKE as the overall winner. It was the performance leader among all the 166-MHz systems we tested. Though it is pricey (it is the third most expensive among the 166-MHz crop), the Micron's superior usability and excellent collection of features more than compensate.

Micron does not skimp on components. The unit includes a 13.3-inch XGA-compatible active matrix display and modular bays for holding either a CD-ROM drive or a floppy drive. The conveniently placed device bay is in the front of the system, beneath the keyboard. Additionally, it has Zoomed Video and CardBus support, a built-in 33.6-Kbps modem, and 20× CD-ROM drive. The TransPort has excellent battery life and two pointing devices (touchpad and stick). It's heavy, however, weighing 7.2 pounds with battery and floppy drive.


Best Value

First place for Best Value notebook goes to the 166-MHz Gateway Solo 2300SE. It has the best price of all systems reviewed. The Gateway's strong performance score bested that of all the 166-MHz systems tested except for the higher-end Micron TransPort XKE and the Gateway 2000

TECH FOCUS

Intel's Tillamook and Beyond

We've seen a glimpse of Tillamook's performance leap (or lack thereof, in some cases). Many of the systems we tested, though, were preproduction units, so subsequent driver improvements should make a world of difference. However, sources at several notebook companies said that battery life should be extended by as much as an hour through Tillamook's low power consumption. Why? Tillamook is the first chip Intel is manufacturing on a smaller 0.25-micron process, which keeps power consumption and heat to a minimum. While Tillamook brings up notebook speed a notch, users likely won't see increases in performance thresholds until the second half of 1998, when Intel ships the mobile version of the Pentium II (codenamed Deschutes).



like 4-MB graphics cards, 24x CD-ROM drives, and other hungry components.

Solo 9100XL. In addition, its usability is better than average.

The unit has a 12.1-inch screen that supports 800 by 600 resolution. Its PC Card connection supports Zoomed Video. And it can house up to 192 MB of memory in three SO-DIMM sockets.

Notable Portables

The Compaq Armada 7730MT's outstanding usability rating merits close attention. This model comes with an 8× CD-ROM drive, modular drive and battery bays, and a 33.6-Kbps modem. With a battery life of 3:03 (in our tests), it places in the top third of all systems reviewed. The Armada, a good desktop replacement, also scored excellent numbers in our Excel, Word, and Access applications-based tests.

Another portable worthy of notice is the Acer/Texas Instruments TravelMate 7060. (Acer recently acquired the TravelMate line from Texas Instruments.) It offers very good performance, coming in fourth among all other 166-MHz machines we

benchmarked. What makes this system stand out is its long battery life. In our tests, it lasted 6:35, scoring significantly higher than its closest competitor, the Micron TransPort XKE, which lasted 4:72.

A Scattered Mix

Eight vendors sent us speedy machines in either 200-MHz Pentium MMX or 233-MHz Tillamook configurations. Those vendors who sent in 233-MHz machines were Sceptre, Micro International, Eurocom, Toshiba, and NEC. The 200-MHz systems were sent in by MicroExpress, Chem USA, and AMS. The performance results were a scattered mix, to say the least. Some of these 200- and 233-MHz systems even scored lower than many of the 166-MHz systems tested. As a result, we did not pick a winner for this category.

The Sceptre Soundx 5500's performance score led the way; note, though, that it beat the top-performing 166-MHz by a mere 3 percent. However, new drivers will surely improve these higher-speed PCs in the months to come.

BEST OVERALL

Micron TransPort XKE

Micron's TransPort XKE bested all rivals in the 166-MHz crop. Though it's pricey (the third most expensive, behind the Gateway 9100 and the HP OmniBook), its extremely strong features and usability deliver the goods. Its 13.3-inch XGA screen supports 1024 by 768 resolution. On the high end of the battery life spectrum (4:72), it will accommodate a typical cross-country plane ride.

WEIGHTING





	PRICE	TECHNOLOGY	PRICE	PERFORMANCE	FEATURES	USABILITY	OVERALL RATING
Micron TransPort XKE	\$5399	****	**	****	****	****	****
Gateway 2000 Solo 2300SE	\$2599	****	****	***	****	****	****
Gateway 2000 Solo 9100XL	\$5699	****	**	***	****	****	***
Compaq Armada 7730 MT	\$4399	***	**	****	****	***	****
Acer/TI TravelMate 7060	\$3999	***	**	**	****	***	***
Sony PCG-707C	\$4499	****	**	**	****	****	***
Empac Classic 5166	\$3500	****	**	***	***	****	****
Hitachi VisionBook Pro	\$4499	***	**	***	****	***	***
Tatung TNB-5600	\$3195	****	***	***	****	***	***
NEC Versa 6060	\$3199	****	***	**	****	***	***
Toshiba Satellite Pro 460CDT	\$3899	****	***	**	***	***	***
WinBook FX P166 MMX	\$2999	****	***	**	***	***	***
CTX EzBook EZ 764MT	\$3233	****	***	***	**	***	***
Dell Latitude XPI CD M166	\$4348	****	**	**	****	***	***
Hewlett-Packard OmniBook 5700 CTx	\$5400	****	**	***	**	***	***

BEST VALUE

Gateway 2000 Solo 2300SE

Hands-down, the Gateway Solo 2300SE is our low-cost winner. It scored exceptionally well in our performance tests, and its good usability and nice price make it the top choice for price/performance value.

Additionally, its battery life spans 3:21 hours.

WEIGHTING







	PRICE	TECHNOLOGY	PRICE	PERFORMANCE	FEATURES	USABILITY	OVERALL RATING
Gateway 2000 Solo 2300SE	\$2599	****	****	****	****	****	****
Micron TransPort XKE	\$5399	***	**	****	****	****	****
Gateway 2000 Solo 9100XL	\$5699	***	**	****	****	****	****
Tatung TNB-5600	\$3195	****	***	***	****	***	***
Compaq Armada 7730 MT	\$4399	****	**	****	***	****	***
NEC Versa 6060	\$3199	***	***	**	****	***	****
Hitachi VisionBook Pro	\$4499	***	**	***	***	****	***
Sceptre Soundx 4500	\$2695	****	****	***	**	**	***
Empac Classic 5166	\$3500	****	**	***	***	****	***
Acer/TI TravelMate 7060	\$3999	****	**	**	***	****	***
Sony PCG-707C	\$4499	****	**	**	***	****	***
Toshiba Satellite Pro 460CDT	\$3899	****	***	**	***	***	***
WinBook FX P166 MMX	\$2999	****	***	**	***	***	***
CTX EzBook EZ 764MT	\$3233	***	***	***	**	***	***
Digital HiNote vp 575	\$3999	***	***	***	***	**	***
(n) - (points) stroky viverable lak				TWI CAUN BON	TOTAL LOS CARD ISO		
**** Outstanding *** Very Good	*** Good	★★ Fair ★	Poor	Results cha	art shows just the 1	5 highest-rated	machines.

DETAILS

Size Matters

Sony steers clear of shoulder-straining hell with its first laptop on the market, the thin and light PCG-705C. Skinny but not weak, it weighs 5.3 pounds and measures 1.5 inches thick. It sports a 166-MHz MMX processor, a 2.1-GB hard drive, and a removable 14x CD-ROM drive that can be replaced with a floppy disk drive or a second battery.





Graphics Diva

Less eyestrain is a Lgood thing. Gateway kept this in mind when designing the Solo 9100XL, which has 4 MB of video memory and a 13.3-inch screen, capable of 1024 by 768 resolution. Like a few others we tested, it uses a high-performing 128-bit graphics accelerator.

Nice Touches

Compaq's Armada
MT is the Martha
Stewart of laptop
computers. None of the
fine details have been
overlooked in its design,
including programmable
function keys and
an indicator light right
on the battery.



Tests Yield Few Surprises

Battery Life Blues


Battery life and power consumption are a hot issue concerning today's laptops. Though the 166-MHz systems led the way in terms of battery life, the 200- and 233-MHz laptops fell short of expectations. Keep in mind that factors such as screen lighting, hard disk, and memory strongly affect battery life. For example, something as simple as taking out half of your RAM can add 20 percent or more battery life. Sacrificing powerful components for longer battery life, however, may not be an option for those who need a laptop that can double as a desktop.

The Performance Predicament

Performance among the 166-, 200-, and 233-MHz machines varied widely in our tests. However, some general trends did surface from the benchmark results:

- Stable drivers play an important factor in a system's overall performance.
- Systems with faster processors tend to be faster, but in some cases, the difference is a very small margin.
- Systems with write-back cache tend to be faster.
- Systems with 512-KB cache tend to be faster.
- Unsurprisingly, 233-MHz machines are typically faster than 200-MHz machines.

"Tend to be" means "in general"; there are lots of counterexamples. Some systems are better designed than others. If we factor out the lower-performing Eurocom 7200 and Micro International 7200/mint from our tests, the 200-MHz and 233-MHz machines score fairly well.



Average MMX scores (scaled 1 -10) compared by CPU speed.

TEST RESULTS

e picked the best portables based on their usability, features, performance, technology, and price, all on a scale of five stars. We rated the MMX notebooks by testing performance with a suite of application-based benchmarks (including Word, Excel and Access) and Intermark video-component benchmarks. We tested these elements separately and then formulated an overall score by assigning a weight to each element. The Overall category score is weighted 60 percent for performance, 20 percent for features, 10 percent for

We derived the performance rating by averaging the results from our performance tests. First, we measured the system's performance during a series of MMX tests. The second test consisted of a software-based battery test, a Windows application that records the power status of a system once every minute.

usability, and 10 percent for price.

Features

To determine features scores, we measured each unit's capabilities in a few key areas. Each vendor completes a lengthy questionnaire providing a detailed description of its system's features and support options. NSTL then weighs certain features and calculates an overall score. The features chart lists the speed of the processor and availability of secondary cache, the display technology used, and maximum internal resolution. Other features items we weigh for the overall score include I/O ports, graphics and sound systems, fax/modem communications, and power supplies.

Warranty and support policies are what frequently separate major system manufacturers from second- and third-tier vendors. The length of the standard warranty is one of a system's most impor-


Evaluations in this report represent the judgment of BYTE editors, based on tests conducted by NSTL, Inc., as documented in a recent issue of NSTL's monthly PC Digest. To purchase a copy of the full report, contact NSTL at 625 Ridge Pike, Conshohocken, PA 19428; 610-941-9600; fax 610-941-9950; on the Internet, editors@nstl.com. For a subscription, call 800-257-9402. BYTE Magazine and NSTL are both operating units of The McGraw-Hill Companies, Inc.

tant features. We also look for the availability of on-site service, on-line support, and a toll-free help line.

Usability

For usability, we focus on two key areas: system design and documentation. We paid close attention to the quality of each

ety of cell ranges and calculate various addition, financial, and statistical functions. The Word benchmark includes subtests that measure search-and-replace functions, changing fonts, scrolling by page and line, checking spelling, printpreviewing, and printing to a file. In addition, NSTL's Intermark subsystem-level



keyboard, concentrating on keyboard placement. If a system offers a comfortable typing position, we award it extra points. Additionally, we rate the ease of use and placement of pointing devices. Top honors were given to systems with recognizable status indicators for low battery and hard disk access. We rate the manuals for their organization, diagrams, and index. Finally, we determine how easy it is to install batteries and upgrade system RAM.

Performance

For our performance tests, we use NSTL's applications-based suite, which consists of Microsoft Word, Excel, and Access. These tests portray real-world situations by running macros that execute common functions. For example, the Excel test measures the time it takes to delete a vari-

Windows tests exercise the video/graphics subsystems.

Since these systems use MMX processors, our tests measure multimedia performance. An MMX test, provided by Intel, puts the systems through a gauntlet of multimedia tasks. The automated test suite includes some photo editing with Adobe Photo Deluxe, an Intel multimedia video clip, an MPEG-1 video file, a Direct 3D game, and business photo manipulation with Adobe Photoshop. These are all common tasks that MMX technology is designed to enhance.

Our battery check consists of power consumption and battery-drain tests that are executed by Power Monitor, a simple Windows application that records the power status of a fully charged battery. Status is recorded until the system suspends itself due to low battery power.

POWER PORTABLES

FEATURES

		Price as	Overall	CPU	Hard Disk	16-Bit	Fax/	CD-ROM	Keyboard/	Video
		Tested (MSRP)	Rating	Speed (MHz)	Capacity Formatted (in GB)	Sound	Modem	Drive	Mouse Port	Memory (MB)
Acer America	Texas Instruments TravelMate 7060	\$3999	****	166	2	~	~	Option bay	~	1.2
AMS Tech	TravelPro 2030CX	\$4595	****	200	3.1	V	V	Swap	V	2
Chem USA	ChemBook 2600	\$2729	***	200	2.1	~	~	Option bay	~	2
Compaq Computer	Armada 7730MT	\$4399	***	166	2.1	V	~	Swap	V	2
CTX International	EzBook EZ764MT	\$3233	***	166	2	~	Optional	Option bay	~	1.5
Dell Computer	Latitude XPi CD M166ST	\$4348	***	166	2.1	~	Optional	~	of the hours	1.1
Digital Equipment	Digital HiNote VP 575	\$3999	**	166	2.1	~	Optional	Option bay	~	1.125
Empac International	Empac Premium M2X	\$3500	****	166	2	~	~	V	V	2
Eurocom	Eurocom 7200	\$4899	***	233	3	~	Optional	~	~	4
Everex Systems	StepNote SE	\$3499	***	166	2.1	V	~	Swap	V	1.5
B Gateway 2000	Solo 2300SE	\$2599	****	166	1.3	~	V	~	~	1.15
Gateway 2000	Solo 9100 XL	\$5699	****	166	3	~	V	~	V	4
Hitachi PC	VisionBook Pro	\$4499	****	166	2.1	~	~	Option bay	~	2
Hewlett-Packard	HP OmniBook 5700CTX	\$5400	***	166	2.7.	~		Swap	/	2
Kiwi Computers	Kiwi OpenNote 780B	\$2999	**	166	2	~	~	Swap	~	1
MicroExpress	MicroExpress NP7200MMX	\$2799	****	200	1.4	~	~	-	-	2
Micro International	7200/mint	\$3690	****	233	3	~	Optional	~	V	4
B Micron	TransPort XKE	\$5399	****	166	3	~	V	V	dy at the do	2
NEC Computer Systems Division	Versa 6060	\$3199	****	166	2.1	~	~	Option bay	~	2
Sceptre Technologies	Soundx 5500	\$3695	****	233	3	V	N/A	Swap	V	1.5
Sceptre Technologies	Soundx 4500	\$2695	**	166	2	~	~	~	V	1.5
Sharp Electronics	PC-9800CT	\$3999	***	166	2.1	~	~	Option bay	V	2
Sony Electronics	Sony PCG-707C	\$4499	****	166	2.1	~	~	Swap	V	2
Tatung Company of America	TNB-5600	\$3195	****	166	1.4	~	~	Swap	V	2
Toshiba America Information Systems	Satellite Pro 460CDT	\$3899	***	166	2	~	~	Swap	~	2
WinBook	WinBook FX P166MMX	\$2999	***	166	2.16	V	V	Option bay	~	2



✓ = yes;

N/A = not applicable.

Warranty: P=parts; L=labor; F=freight to repair center; R=return to customer. ★★★★ Outstanding ★★ Fair **** Very Good * Poor

*** Good

	DISPLAY				TOMER SERVICE	CE		
Internal AC Adapter/ Battery Charger	Type of Pointing Device	Display Manufacturer/ Size (in inches)	Maximum Internal Resolution	Warranty	Toll-Free Phone Number	Phone	On-Line Address	Inquiry Number
~	Glide pad	Hitachi/12.1	800×600	3/P, L, F, R	800-733-2237	408-432-6200	http://www.acer.com	1075
	Glide pad	Panasonic/13.3	1024×768	3/P, L	800-886-2671	626-814-8851	http://www.amstech.com	1076
~	Glide pad	Sharp/12.1	800×600	1/P, R - 3/L, R	800-866-2436	510-608-8818	http://www.chemusa.com	1077
V	Pointer stick	Compaq/12.1	800×600	3/P, L, F, R	800-345-1518	281-370-0670	http://www.compaq.com	1078
	Glide pad	Neomagic/12.1	800×600	1/P, L, R	800-888-9052	909-595-6146	http://www.ctxintl.com	1079
	Trackball	Samsung/12.1	800×600	1/P, L - 3/P	800-388-8542	512-338-4400	http://www.dell.com	1080
	Trackball	LG/12.1	800×600	1/P, L	800-344-4825	508-493-5111	http://www.windows .digital.com	1081
	Glide pad	Goldstar/12.1	1024×768	1/P, L	800-938-8878	510-683-8800	http://www.empac.com	1082
	Glide pad	Samsung/13.3	1024×768	1/P, L, R	None	613-224-6122	http://www.eurocom.ca	1083
	Glide pad	LG/12.1	800×600	2/P, L, R	800-821-0806	510-498-1111	http://www.everex.com	1084
~	Glide pad	Sanyo or Sharp/12.1	800×600	1/P, L	800-846-2000	605-232-2000	http://www.gateway2000 .com	1085
V	Glide pad	NEC 13.3	1024×768	1/P, L	800-846-2000	605-232-2000	http://www.gateway2000 .com	1086
v limett	Glide pad	Hitachi/12.1	800×600	3/P, L, F, R	800-555-6820	408-321-5000	http://www.hitachipc.com	1087
	Pointer stick	Samsung or Hitachi/12.1	1024×768	3/P, L, R	800-322-1501	415-857-1501	http://www.hp.com	1088
	Glide pad	Goldstar or NEC/11.3	800×600	3/P, L, F, R	None	408-492-9188	http://www.kiwicom.com	1089
~	Glide pad	Hitachi/12.1	800×600	4/P, L, R	800-989-9900	714-852-1400	http://www.microexpress .net	1090
~	Glide pad	Samsung/13.3	1024×768	1/P, L, R	800-967-5667	281-495-9096	http://www.pcmint.com	1091
•	Pointer stick & glide pad	Micron or Toshiba/13.3	1024×768	3/P, L, F, R	888-634-8799	208-893-3343	http://www.micronpc.com	1092
	Glide pad	NEC/12.1	800×600	3/P, L, F, R	888-863-2669	508-264-8000	http://www.nec- computers.com	1093
V	Glide pad	IBM/13.3	1024×768	1/P, L, R	800-788-2878	626-369-3698	http://www.sceptretech.com	1094
	Glide pad	Mitsubishi/12.1	1024×768	1/P, L, R	800-788-2878	626-369-3698	http://www.sceptretech.com	1095
~	Glide pad	Sharp/12.1	1024×768	3/P, L, F, R	800-237-4277	201-529-8200	http://www.sharp-usa.com	1096
V	Glide pad	Sony/12.1	1024×768	1/P, L, F, R	800-476-6972	941-768-7676	http://www.sony.com/pc	1097
V	Glide pad	Hitachi/12.1	800×600	2/P, L	800-827-2850	310-637-2105	http://www.tatungusa .com	1098
v anno	Trackball	Proprietary/12.1	800×600	3/P, L	800-334-3445	011-352-460-433	http://computers.toshiba.	1099
	Pointer stick	Samsung/12.1	800×600	1/P, L, F, R	800-965-5147	N/A	http://www.winbook.com	1100

_ab Report

Extend Your Net with VPNs

These virtual private network packages let you use the Internet as your own private WAN. By Morgan Stern

ave you ever tried to have a private conversation in a public place? It's not easy. Have you ever listened in, inadvertently or intentionally, to someone else's private conversation? If so, you'll understand the increasing popularity of virtual private networks (VPNs).

The Internet offers a great way to communicate, but it's not very good for transmitting secrets. You never know who's listening, and a well-placed packet sniffer can compromise your confidential communications.

VPNs eliminate the hazards of conducting private conversations in public networks by making your communications intelligible only to the person with whom you want to communicate. VPNs encrypt IP datagrams, use strong authentication before allowing communication, and check data integrity to assure packets arrive at their destination unchanged.

Organizations implementing VPNs leverage their relatively inexpensive Internet connections to build virtual WANs with secured access for off-site employees, remote offices and business partners. VPNs reduce the costs of building and maintaining internal dial-up infrastructures or more expensive point-to-point WAN links.

The VPN Puzzle

VPN-enabled devices typically fit in at the network perimeter. These devices might link the network to individuals in a client-to-LAN configuration, effectively extending the internal network out to the remote user, or they might connect to another VPN-enabled device, thereby creating a virtual, encrypted point-to-point link

between two separate networks.

LAN-to-LAN VPNs hide functions like data encryption from end users. The devices on the LAN at the remote end of the VPN link appear to be part of the corporate network: The VPN operates entirely transparently to the user. Client-to-client VPNs, on the other hand, employ software (on a workstation) that intercepts all network traffic destined for a VPN-linked host and adds the necessary encryption elements. End users communicate securely with hosts run-

BYTE BEST

VIRTUAL PRIVATE NETWORK

Aventail VPN 2.5

Aventail offers the best combination of encryption, authentication methods, and end-user ease of use. Its ability to provide additional content filters on a service-by-service basis is a particularly useful feature that most of the other products currently lack.

ning compatible VPN software without affecting access to non-VPN hosts.

A VPN requires three functions: encryption, authentication, and data integrity. Typically each VPN node uses a secret session key and an agreed upon encryption algorithm to encode and decode session data, exchanging session keys at the start of each link using public key encryption. VPN nodes also must confirm that the entity at the other end of the connection is who they say they are. Most VPNs use public key authentication methods to validate each end of the connection; some may additionally


require the end user to supply an account name and password. Finally, both endpoints of a VPN link check data integrity, usually using a cryptographic hash or digest function such as Message Digest 5 (MD5) or Secure Hash Algorithm 1 (SHA-1). MD5 is a public-domain standard for generating 128-bit cryptographic checksums. SHA-1 is a hashing function for generating 160-bit cryptographic checksums. Developed as part of the Digital Signature Standard (DSS) by the U.S. Department of Commerce and the National Institute of Standards and Technology, SHA-1 performs an advanced form of a checksum on all data received.

Testing Testing 1, 2, 3

For this report, we selected 10 VPN products. They reflect three different approaches to VPN implementation. In addition to four stand-alone VPN products, we tested four firewall servers with VPN features and two packages that integrate VPN functions into network and operating system-level products.

Most of the products combine a variety of encryption methods, algorithms, and key lengths, so developing a consistent testing methodology that could produce meaningful results was impossible. I tested for overall security, ease of use, manageability, and interoperability, with particular attention to individual security elements, such as supported encryption schemes, key length, authentication methods, and data integrity support.

Aventail VPN currently offers the best combination of supported standards, management features, and ease of use. Impressively versatile, it makes creative use of the SOCKS protocol (frequently



While their operation is mostly transparent, VPNs all need configuration and administration interfaces.

used by proxy firewalls) as its primary VPN mechanism. Two other products rank highly: Check Point's FireWall-1 and Raptor Systems' Eagle NT. Both add an extra level of security by integrating VPN features with firewall functionality, so you can provide varying levels of controlled access to VPN users once they've been authenticated.

Vendors define the term "VPN" very broadly; each product reviewed here offers some kind of VPN functionality, but each implementation is also unique. Almost every product solves at least one problem better than the others. For example, Data Fellows' F-Secure Virtual Private Network 1.1 works for multinational

organizations looking for the highest encryption options available to connect multiple networks, while products like FTP Software's Secure Client and Sun Microsystems' SunScreen SKIP shine at client-to-client communications. Firewall-based products, like FireWall-1, Eagle NT, and BorderWare, help corporations that must combine VPN versatility with the security of a firewall.

The VPN product category is still in its early stages. Only five of the products would interoperate for me: the firewalls, FireWall-1, BorderWare, and Eagle NT, and two clients, FTP Secure Client and SunScreen SKIP. Properly configuring them to work together is not for the faint

of heart. As protocols such as the IPSec family become officially standardized, and as VPN vendors implement them, expect true interoperability to become a core feature of all VPN software. For now, plan to stick with a single vendor to ensure VPN compatibility—organizations planning to establish VPNs with business partners must choose carefully.

AltaVista Tunnel 97

AltaVista Tunnel 97, a dedicated VPN, supports tunneled LAN-to-LAN (available through the Workgroup edition) or client-to-LAN (with the Personal Edition) connections. Managing keys with the included Tunnel Manager application is more

	AltaVista Tunnel 97	Aventail VPN 2.5	Check Point FireWall-1 3.0a	Data Fellows F-Secure Virtual Private Network 1.1	FTP Software Secure Client 3.0	Microsoft Routing and Remote Access Service	Raptor Eagle NT 4.0
VPN FEATURES				v			V
Supports LAN-to-LAN Supports client-to-LAN	V	V	V			V	~
Supports client-to-client					V		
Supports PPTP						V	
Supports compression				~		~	
IP payloads	V	V	~	_	V	V	V
IPX/NetBEUI payloads						V	
Supports IPv6 carrier		V			-		
Supports IPSec (rfc 1825)		V	V		V		V
Supports SKIP key management			~				
Other key management	V	V	~	V	•		~
Supports multiple tunnels from single server	•	•	~	-		•	-
Supports multiple tunnels from single client		•	~		V		~
ENCRYPTION FEATURES							
RSA , DES	~	V	V	V	_	~	~
		V	~	~			~
Triple-DES IDEA				V			
Blowfish				V			
RC2							V
RC4	V	v	V			V	
Diffie-Hellman			~				
MD4		·				V	
MD5	V	V	V	~			V
SHA-1		~	V	~			V
Full strength available for unlimited export				-			
Supports automatic key exchange during session	•	•	~	•		~	
Does it support encryption on a service-by-service basis?		•	•				
MANAGEMENT AND ADMINIS	TRATION						
Manage access levels by group			~			V	
SNMP-manageable			V				V
Remote manage via HTTP							
Remote manage via Java							
Remote manage via other			V			V	V
Directory support for LDAP							
Directory support for NDS		Bindery only					
Other directory support		A	В			Α	В
Includes client software			V		~	-	
Client/server support:							
Windows 3.x	0	C	0				С
Windows 95 Windows NT	C C/S	C	C		С	C	C
VVIndows N I Solaris	0/5	C/S C/S	C/S S			C/S	C/S
BSD		C/S	3	S			S
Other Unix	S	C/S	S	3			S
AUTHENTICATION FEATURES							3
CHAP/PAP		Visite To					
RSA	~			~			
RADIUS			V			~	
S/Key			-				V
SecurID			V				~
Other token authentication			V				V
SSL		V monday					(Caralayina)
Does it support filters?		V	~			V	~
Is user authenticated by IP address?			- Star State		Market and the second		~

Secure Computing BorderWare Firewall Server 4.1	Sun Microsystems SunScreen SKIP 1.1	TIS Gauntlet 4.0
		,
~	V	~
	•	
•	•	•
~	_	V
	V	
•		V
~	•	•
	•	
~	V	V
V	~	V
	~	
-	V	
•		
•		
	•	
		V
	•	
	V	
		1
V		
v	~	•
	V	
	С	
	C	S
S		S S S
		0
•		
		V
-		~
V V V		•
~		~
V	V	V

intuitive than with many of the other products reviewed, and the ability to control how much of the internal network to make available to VPN users is a very useful feature. A setup wizard and wellorganized administrator's guide simplify installation, but compared to the other products reviewed, Tunnel's narrower encryption support and less flexible implementation reduce its appeal. Tunnel 97 is a good product hobbled by relatively limited capabilities and feature set.

Aventail VPN 2.5

Aventail has taken a different approach to creating a VPN product, and the results seem unusual at first. Aventail impressed me with its flexibility, extensive support for encryption methods, and array of authentication options. Unlike other VPN products that tunnel encrypted packets, Aventail implemented a reverse SOCKS proxy gateway to provide VPN capabilities and encryption functions at the session layer. Encryption and authentication can be controlled on a service-by-service level, and additional filters can be employed to limit user access or protect them from potentially hostile Java code or ActiveX components.

Authentication and encryption methods are implemented as software modules, so adding new standards as they evolve should be as easy as installing a new module. Administrators can exercise as much (or as little) control as they want over their VPN users. With its multiple authentication and subauthentication options, and multiple platform support for both servers and clients, Aventail is extremely versatile.

Check Point FireWall-13.0a

Check Point extends FireWall-1, one of the most popular firewall servers on the market, to include support for both LAN-to-LAN and client-to-LAN VPNs. Similar to Eagle NT, FireWall-1 lets administrators create VPN connections with unrestricted network protocol access, or they can create VPNs with an extra level of security by enabling the firewall to restrict or permit certain types of traffic. Adding traffic restrictions on VPN links, limiting the type of application that can be run, makes sense when connecting to business partners.

Configuring a FireWall-1 VPN is complicated, but it is also much more flexible than most and supports a wider variety of encryption and authentication options. For organizations that already use Fire-

Wall-1 as their firewall server, adding VPN functionality is a no-brainer.

Data Fellows F-Secure Virtual Private Network . . .

Developed in Finland, F-Secure VPN boasts freedom from any export restrictions, which means that international organizations are free to implement a fullstrength version at all their locations. Its graphical VPN configuration design utility let me create our VPN definition with drag-and-drop simplicity. However, F-Secure supports only LAN-to-LAN VPNs, and each endpoint network requires a dedicated VPN server, based on a strippeddown NetBSD kernel with limited hardware support. Undocumented configuration parameters that were needed to get the software to work with our 3Com network cards hampered installation.

FTP Software Secure Client 3.0

FTP's Secure Client offers VPN functionality as a component of a full-featured Windows 95 TCP/IP client implementation, unlike the other VPNs. Secure Client replaces Microsoft's IP stack and supports both IPSec and SOCKS security. Its ability to interoperate with other VPN products is impressive, as is its client-to-client communication encryption function. However, with security features limited to client communications, Secure Client scores poorly compared to products offering both client and LAN VPN capabilities. As a standalone product, Secure Client might not meet all your VPN needs, but it could fit in nicely if used with other products.

Trusted Information Systems Gauntlet 4.0

Gauntlet 4.0, from Trusted Information Systems, also incorporates VPN functions into an existing firewall framework, supporting three types of VPN configurations: private, trusted, and passthrough. Private links provide secure communications, with the added safeguard of forcing all communications to be evaluated by the firewall rules. Trusted links provide full, unlimited access between VPN sites. Pass-through mode lets you implement a third-party VPN product in addition to Gauntlet. You configure Gauntlet at the server console or through a Java-based management applet.

Gauntlet 4.0's extensive support for different authentication modes provides a

LAB RATING RESULTS

BEST OVERALL 🚮 Administration Tool - [socks5.conf] Aventail VPN 2.5 File Settings Help Aventail's extensive VPN features give it an edge over Proxy Chaining | Network Interfaces | Authentication | Filtering | Access Contro some close competition. Plugins Logging Server Aliases Network Aliases SOCKS Port: 1080 TECHNOLOGY **VPN FEATURES** IMPLEMENTATION **EASE OF USE OVERALL RATING** AND FUNCTIONS **Aventail VPN 2.5** *** *** **** *** **** Check Point FireWall-1 3.0a **** *** *** **** Microsoft Routing and Remote Access Service Raptor Systems Eagle NT 4.0 *** *** *** Secure Computing BorderWare Firewall Server 4.1 Sun Microsystems *** *** SunScreen SKIP 1.1 Trusted Information Systems Gauntlet 4.0 AltaVista Tunnel 97 Data Fellows F-Secure Virtual Private Network 1.1 FTP Software Secure Client 3.0 **** Outstanding **** Very Good *** Good * Poor

secondary level of security. In a private VPN scenario, users can first authenticate to the VPN server, then use an authentication token such as SecurID to access individual servers or services. VPN support is currently available only in the Unix version of Gauntlet; the NT version is slated to have VPN support soon.

Microsoft Routing and Remote Access Service

Routing and Remote Access Service (see "Software-Only Routing for NT," September BYTE) offers VPN functionality through Microsoft's Point-to-Point Tunneling Protocol (PPTP). RRAS can do 128bit encryption. It can authenticate only through NT's directory service or through Remote Authentication Dial-In User Service (RADIUS). Overall security would benefit from the addition of some form of certificate authentication on the client end. However, RRAS's availability as a free download makes it an attractive option for budget-conscious organizations with modest security requirements. In addition, RRAS offers enhanced multiprotocol routing and dial-up support for remote users, and it's easy to set up.

Raptor Eagle NT 4.0

Raptor's Eagle NT firewall/VPN combo scored well thanks to its support for mul-

tiple encryption and authentication schemes, as well as its ability to selectively control access to internal resources through the firewall access rules. I was also

TECH FOCUS

SECURITY

Grab Your SOCKS

Most software VPN products use one of two methods for providing data security. Either they encrypt entire IP packets and "tunnel" them within plain packets, or they encrypt only the data portion of the packet and include clues for how to decrypt the data. Aventail VPN, however, takes a totally different approach: using SOCKS to provide both encryption and access control.

SOCKS, a security technology, uses circuit–level proxies to relay information between networks. All traffic destined for a remote network must be transmitted to a SOCKS server via the SOCKS protocol. The server then establishes a proxy connection to the requested resource and returns the data to the original requester. No traffic ever passes directly between the two networks.

One of the traditional disadvantages of SOCKS has been that every client that wanted to access the SOCKS server had to use specially modified applications (the term for modifying an application is known as "socksifying"). Companies like Aventail avoid the socksification requirement by creating a specialized Winsock as part of their AutoSOCKS client. The AutoSOCKS Winsock.dll works with any Winsock-compliant application, so software such as Web browsers or FTP clients can work without modification.

The latest version of SOCKS, version 5, includes a number of enhancements over previous renditions, such as support for multiple authentication, encryption, and message integrity functions, as well as support for UDP packets.

The Harder Side of VPNs

All the VPN products reviewed here are software-based, but hardware-based VPN solutions are also increasingly popular. Many router companies, such as Cisco and Bay Networks, are offering VPN functionality within their routers and dial-up access products. Cisco introduced Layer 2 Forwarding (L2F), a tunneling protocol similar to Microsoft's Point-to-Point Tunneling Protocol (PPTP), while Bay offers its BayStream IP Virtual Circuit technology.

With either of these product lines, users connect to the dial-up or LAN-based router using standard utilities, such as Windows 95 dial-up networking. All encryption functions are handled by the router, which establishes the virtual connection with the router at the destination network. Once end users have been authenticated, they may be totally unaware that they are connecting to their resources through an encrypted channel.

VPN functions, particularly encryption, tend to be computation-intensive, so another class of hardware-based VPN devices has emerged that offers faster overall encryption performance. Products such as the VSU-1000, from VPNet Technologies, connect directly to the network to provide authentication, encryption, and compression services for both client-to-LAN and LAN-to-LAN VPN sessions.

Because the encryption code is contained within hardware, these devices have the ability to manage more sessions at higher bandwidth levels than their software counterparts. Radguard's cIPro (slated to be available in October) is a second-generation VPN product that supports IPSEC standards for Layer 3 encryption. Radguard claims cIPro can encrypt IP packets at bandwidth speed for as many as 1000 concurrent users.

impressed with its monitoring and logging capabilities, though Eagle NT suffered from some minor glitches during testing. For example, it allowed only dial-up VPN sessions from a LAN workstation running Windows 95 version OSR2; other versions of Windows worked fine.

BorderWare Firewall Server 4.1

Configuring the BorderWare Firewall server for VPN sessions is extremely easy thanks to its Java-based remote administration utility and simplified setup menu. Configuring the server hardware itself, however, is not so easy. Like F-Secure, BorderWare is based on a stripped-down Unix

kernel, so hardware support is more limited than for the other products. Once we got all the right pieces together, installing the software was not a problem. Border-Ware's combination of firewall and VPN functionality is a plus because it gives you the ability to define varying levels of access for VPN clients.

SunScreen SKIP

Like FTP's Secure Client, SunScreen SKIP is a client-based package. It works on Windows 95 or Solaris 2.5.x computers and installs as a virtual network interface, so it can be managed through the Control Panel in the Win 95 version. SunScreen SKIP supports the SKIP key management

scheme, so you'll be able to establish secure connections without the hassle associated with manually exchanging encryption keys. One of the more attractive features of SKIP—not found in some of the tunnel-based products—lets you define secure and nonsecure hosts, and all traffic between your workstation and those hosts will be encrypted accordingly. Overall, SunScreen is easy to work with; however, it does lack the full feature set of server-based products.

Digging Your Own Holes

Choosing the right VPN product for your organization requires careful thought about your requirements. Client-to-client encryption products, like those from FTP Software and Sun, might be best for decentralized organizations or those with many mobile users. International corporations might prefer Data Fellows' F-Secure VPN because of its full-strength cryptography and no export controls.

The products that scored best in our testing—Aventail VPN, Check Point Fire-Wall-1, and Eagle Raptor NT—did well because each offers a good combination of encryption and authentication options, along with support for both LAN-to-LAN and client-to-LAN VPN connections. They proved to be the most versatile and easy to use of all the products in this roundup.

However, VPN software is a rapidly progressing product category, and many of the technical obstacles I encountered, such as lack of product interoperability, will fade as open standards for security evolve. Look for big changes in the next revisions of all of these products.

Morgan Stern (morganst@world.std.com) is a network consultant and coauthor of NT Enterprise Network Design (Sybex, 1997).

PRODUCT INFORMATION

AltaVista Tunnel 97
Workgroup version from \$995;
Personal version from \$99
AltaVista Internet Software,
Digital Equipment Corp.
Littleton, MA
508-486-2308
fax: 508-486-2017
http://www.altavista.software
digital.com
Enter 1052 on Inquiry Card.

Aventail VPN 2.5 Server, \$4995; client, \$65 Aventail Seattle, WA 206-777-5600 fax: 206-777-5656 http://www.aventail.com Enter 1053 on Inquiry Card.

BorderWare Firewall Server 4.1 \$4000-\$13,000 Secure Computing Roseville, MN 612-628-2700 fax: 612-628-2701 http://www.securecomputing.com Enter 1059 on Inquiry Card.

Check Point FireWall-1 3.0a \$4995, 50 users; \$18,995, unlimited users Check Point Software Technologies Redwood City, CA 650-482-4900 fax: 650-562-0410 http://www.checkpoint.com Enter 1054 on Inquiry Card.

Eagle 4.0 from \$6500 Raptor Systems Waltham, MA 800-9-EAGLE-6 781-487-7700 fax: 781-487-6755 http://www.raptor.com Enter 1058 on Inquiry Card.


F-Secure Virtual Private Network 1.1 \$4995 (includes 2 servers) Data Fellows San Jose, CA 408-938-6700 fax: 408-938-6701 http://www.datafellows.com Enter 1055 on Inquiry Card.

Gauntlet 4.0 from \$5000 Trusted Information Systems Rockville, MD 301-527-9500 fax: 301-527-0482 http://www.tis.com Enter 1061 on Inquiry Card.

Routing and Remote Access Service free download Microsoft Redmond, WA 206-882-8080 fax: 206-936-7329 http://www.microsoft.com Enter 1057 on Inquiry Card.

Secure Client 3.0 \$300 (single unit) FTP Software Andover, MA 800-282-4387 508-685-3300 fax: 508-794-4488 http://www.ftp.com Enter 1056 on Inquiry Card.

SunScreen SKIP 1.1 \$99-\$149 Sun Microsystems Palo Alto, CA 800-786-3463 972-788-3150 http://www.sun.com Enter 1060 on Inquiry Card.





accuracy, contrast and consistency. They're available in 15", 17", and 21" inch sizes. So, whether you're a design professional, office or small business user, or serious game player, we have the right size monitors for you. Look into a Philips Brilliance monitors today.

BU Monitors Website: www: http://www.monitors.be.philips.com or fax Europe:31-40-273-5412 USA:1-770-821-2228 Asia Pacific:852-2-866-7358

Circle 151 on Inquiry Card (RESELLERS: 152).



Let's make things better.



End-user cryptography tools mature as standards evolve and interfaces improve. By Pete Loshin

Cryptography Gets Personal

ith Internet security issues in the headlines, software vendors are answering the call with a variety of personal encryption products. Some, like Symantec's Norton Your Eyes Only (YEO) for Windows 95 and RSA's SecurPC 2.0, secure files and directories with proprietary architectures on your desktop. Others, such as the offerings from Netscape and Microsoft, bundle S/MIME secure e-mail functions into Internet clients for e-mail encryption and digital signatures. In between, Entrust/Solo from Entrust Technologies offers a minimalist point of entry for individuals into Entrust's open security architecture, while Pretty Good Privacy's PGP for Personal Privacy 5.0 combines e-mail and desktop security with a "web of trust" certificate model (see "Who Goes There?," June BYTE).

In my tests of ease of use, functionality, and interoperability, PGP led the pack with its comprehensive personal security solution. No one package aced the interoperability test: While PGP hews to its own de facto standard, the S/MIME clients fared unevenly when dealing with standard key and certificate formats. Entrust/Solo accepted only Entrust certificates. YEO does public-key encryption, but with a proprietary architecture, so only YEO keys will work. SecurPC does only symmetric encryption and cannot yet handle X.509 certificates. SecurPC, YEO, and Entrust/Solo do secure e-mail only as attached encrypted files, while Netscape's Communicator Suite and Microsoft's Internet Explorer (IE) 4.0/Outlook combination can exchange encrypted or signed e-mail—but it can't encrypt files.

Entrust/Solo

A spin-off of Nortel, Entrust has a Canadian location that permits it to export cryptography with minimal limits. En-

PRETTY GOOI	D PRIVACY
General	
Key ID: DxBAD8FDA0	Created: 7/31/97
Key Type : DSS/Diffie-Hellman	Expires : Never
┌ Trust Model	

trust sells enterprise security tools for building certification authorities (CAs) and clients for using the certificates.

Solo encrypts or decrypts and signs or

RATING	S				
TECHNOLOGY	*	*	*	*	
IMPLEMENTATION	*	*	*	*	

	MIC	ROSOFT OUTLO	ок	
CHARLES THE STREET	ploshin@bix.com	Check <u>N</u> ames Select <u>R</u> ecipients Address <u>B</u> ook	Ctrl+K Ctrl+Shift+B	E
Bcc: 🧮 < click here to enter		Set Priority	Maria de la Companya	uzile svie
Subject:	This message is digitally	✓ <u>Encrypt</u>		2 6
This m	essage will be digite	✓ <u>Digitally Sign</u>		A
		Send Pictures with mess	age	

verifies signed files using Entrust-format public keys and file formats only. You can compress encrypted files and drag directory hierarchies into encrypted archive

RATING	iS			
TECHNOLOGY	*	*	*	
IMPLEMENTATION	*	*		

NETSCAPE COMMUNICATOR							
Your Certific	ates						
Security Info Passwords Navigator	You can use any of these certificates to identify yourself to other people and to web sites. Communicator uses your certificates to decrypt information sent to you. Your certificates are signed by the organization that issued them. These are your certificates:						
Messenger Java/JavaScript Certificates Yours	Thavte Freemail Member's Thawte Consulting ID Thurston Howell's VeriSign, Inc. ID View Verify Delete Export						

files, do a secure delete, or administer your own or others' Entrust-formatted keys. Solo uses the RSA public-key-encryption algorithm, although other (higher-priced)

			NAME OF TAXABLE PARTY.	
TECHNOLOGY	*	*	*	
IMPLEMENTATION	*	*	*	

Entrust clients can add Directory Server Agent (DSA) support. Support for stream ciphers, used to encrypt the actual files, includes DES, Triple-DES, and three strengths (64-, 80-, and 128-bit keys) of CAST, a patented encryption algorithm that's owned by Entrust (but with a free version available for both commercial and noncommercial use).

Solo offers an easy entry point for secure communications with Entrust organizations. Solo runs on Windows 95 only; other Entrust clients work on the Mac, Unix, and Windows 3.x.

Microsoft Outlook/IE 4.0


Microsoft's IE 4.0 (see "Microsoft's Free-Lunch Browser," June BYTE), Outlook, and Outlook Express are all more-than-adequate clients for most uses. To catch up with Netscape's S/MIME-based secure e-mail function, Microsoft added S/MIME support for digital signatures and public-key encryption of e-mail sent and received among Outlook clients.

Unlike stand-alone solutions, the Microsoft and Netscape products both need a CA, such as Verisign or Thawte, to issue you an X.509 certificate that lives in the client software. Once you get the certificate, you must load it into your Outlook e-mail account properties before you can do any cryptography. Microsoft's S/MIME implementation may not win prizes or solve all security needs, but it makes the IE 4.0/Outlook combination competitive with Netscape's Communicator.

Netscape Communicator

Netscape created Internet client cryptography, building Secure Sockets Layer (SSL) into Navigator 1.0. This year, S/MIME email made its way into Navigator and Messenger in the Communicator suite.

Communicator makes it look easy: You just click on the Security menu-bar option for easy access to all security (including S/ MIME) functions. You manage certificates and toggle the defaults for encryption and digital signatures on your e-mail and news postings, although you can modify the default for some messages by clicking on the Message Sending Options in Communicator's Composition application. Netscape did a better job of implementing S/ MIME than Microsoft did, while supporting the same features. As tested, neither solves all your crypto needs, but both can do what they claim: S/MIME e-mail encryption and digital signatures.



Norton Your Eyes Only


Symantec's Norton YEO for Windows 95 encrypts data so transparently that at first

RATING	S			
TECHNOLOGY	*	*	*	
IMPLEMENTATION	*	*	*	



I thought it wasn't working. When you log on to YEO, you get access to all files encrypted in place, as well as to any files stored in auto-encrypt directories, but ac-

RATIN	GS		
TECHNOLOGY	*	*	*
IMPLEMENTATION	*	*	*



cess is seamless throughout. I had to copy an encrypted file to disk and open it on another PC to be sure it was encrypted.

If you don't log onto YEO on boot-up, you can access unencrypted data on the system, but you must reboot to get to encrypted data. YEO does clever things with its desktop integration, including figuring out which file a shortcut icon points to and encrypting it instead of the shortcut.

Like Entrust/Solo, YEO can encrypt and digitally sign e-mail—but only as a file attachment. YEO will not interoperate with any other encryption program and can't import standard certificates or keys (although a companion product, Norton Your Eyes Only Administrator, offers cen-

RATING	S				
TECHNOLOGY	*	*	*		
IMPLEMENTATION	*	*	*	*	

tral key distribution and master access to YEO-protected desktops or data).

YEO uses the RSA public-key algorithm and offers a choice of data-encryption algorithms, including RC4, RC5, and DES. YEO can protect your desktop data, but lack of interoperability keeps it out of the running as an all-around crypto tool.

PGP for Personal Privacy 5.0

I enjoyed using PGP with the same sense of unease with which I enjoy sushi: There's

We have won the industry's technology awards, now let's have fun making money!





Suggestions for ScanOffix:

The comprehensive solution for office and home, ScanOffix is the ideal complement to your scanner and offers intuitively user-friendly capabilities for processing images and text. Now you can simplify routine jobs, organize data, use the Internet to the fullest, expedite procedures, streamline your workspace, and much more. ScanOffix takes advantage of the latest image manipulation technology to let you explore your creativity and perfect aesthetics in any presentation with capabilities for "Photocopying" in color, morphing, seamlessly fusing images, and creating virtual photo albums. Take charge of your computer with the newest generation of intuitive imaging technology - ScanOffix.





Suggestions for FunScan:

FunScan consists of six user friendly imaging applications in one awesome value-added package. With FunScan you can make your own greeting cards, and T-Shirts, play puzzle games and design your own screensaver and Internet homepages. Using our stateof-the-art technology, your scanner is now intuitive and



November 17-21, 1997 Las Vegas, Nevada USA

Booth No.: LS-23



http://www.spotinc.com E-mail: webmaster@spotinc.com





















SPOT USA/1-800-611-SPOT • SPOT UK/44-170-5322555 • SPOT Germany/49-2204-842950 SPOT TECHNOLOGY INC. 886-3-5878966

Circle 155 on Inquiry Card (RESELLERS: 156).

	Entrust/ RSA Norton Your Pretty Good Microsoft Netsc					
	Solo	SecurPC	Eyes Only	Privacy B	Internet clients	Communicate
Public-key encryption for e-mail	Α	min total	Α	V	V	V
E-mail digital signatures	•			~	•	V
X.509 certificates	*				~	~
Secure files	V	V (1000)	V	V		
Secure directories	V	~	V			
Boot protection	March Million	•	V			
Screenlock		~	~			
Secure delete		v	V			
Public-key encryption for desktop	~		~	V		
File digital signatures	V			V		
S/MIME support	*				~	~
Platform support	Win 95/NT	Win16/32, Mac OS	Win 95	Windows, MacOS	Win 95/NT	Win16/32, Mac OS, Unix
Telephone	613-247-3400	650-595-8782	541-334-6054	650-572-0430	206-882-8080	650-254-1900
On-line address	http://www .entrust.com	http://www.rsa.com	http://www .symantec.com	http://www.pgp .com	http://www .microsoft.com	http://home .netscape.com
Inquiry number	1110	1108	1109	1107	1111	1112

always a nagging sense that it's bad for me in the long run. With plug-ins for Qualcomm's Eudora and Microsoft's Outlook e-mail clients (and Netscape Messenger and Lotus cc: Mail plug-ins are coming soon), PGP is a click away at all times. With a key-management tool, you can go look for someone's PGP key or just grab it out of e-mail with the plug-in. PGP's desktop integration enables you to encrypt and/or sign any file or decrypt and/or verify any PGP-encrypted file; the clipboard integration does the same for cut chunks of files.

So what makes me uneasy? It's the standards. Even though PGP has millions of users, because S/MIME is bundled increasingly visibly in Microsoft Internet clients and in Netscape's WebPass ID (rolled out with CA Verisign), PGP's installed base looks mighty small. However, with standards decisions still up in the air, PGP's comprehensive and easy-to-use implementation puts it head and shoulders over the other products, and its availability out-

side the U.S. makes it an ideal choice for those who prefer stronger international protection but don't feel comfortable going for one of Entrust's heavier clients.

RSA SecurPC 2.0

The oddest thing about SecurPC, from RSA, is its relative lack of public-key cryptography. Other than public-key encryption of user keys, SecurPC does nothing but symmetric encryption: no signing of files, and no encrypting a file with someone else's public key. SecurPC recently won approval for export of its full-strength encryption, making it attractive for international use. Otherwise, it functions like YEO, with encrypt files and directories. boot protection, screen lockout, and secure deletes.

SecurPC is activated only when you right-click on a file. One big feature is a self-extracting encrypted file, which can

be decrypted by anyone with the secret key you select, making it possible to at least email encrypted attachments to recipients who don't have SecurPC. Like YEO, Secur-PC should suffice for simple desktop protection, but its lack of support for digital signatures and interoperability limits its usefulness as a stand-alone solution. B

TECH FOCUS STANDARDS

Cryptographic Standards Meet the Internet—Head-On

When is a standard not a standard? Perhaps when it's a proposed Internet standard that uses proprietary technology. When (at the end of August) RSA's S/MIME (Secure/MIME) proposal got what seemed to be a brush-off from key players at the IETF, PGP rushed to take advantage and propose a new specification for secure e-mail based in part on the Pretty Good Privacy "web of trust" model, where certificates gain authority by being signed by people you know. Called OpenPGP, the standard would also permit a hierarchical approach to accommodate certification authorities (CAs), X.509 certificates, and other already-accepted standards.

S/MIME's backers, accused of foot-dragging, saw their baby apparently consigned to the bit bucket by an onslaught of negative press-until IETF officials relented on the terms they would require from RSA before considering S/MIME. RSA is meeting these terms, including making freely available its proprietary algorithms for use in S/MIME implementations. S/ MIME's reliance on U.S.-exportable (i.e., 40-bit) keys for encryption still troubles opponents. The weak keys represent a compromise to turn S/MIME into a global solution, but this approach could backfire, since U.S. and foreign users alike might ultimately reject such breakable encryption. This is particularly true if a stronger solution is available-something like PGP, as PGP officials are happy to point out. However, with Microsoft, Netscape, and many other vendors standing behind their support for S/MIME, by next year it may very well replace PGP as the de facto standard for secure e-mail, no matter what the IETF does.

Pete Loshin is a BYTE technical editor for software reviews and author of the forthcoming book Personal Encryption Clearly Explained (AP Professional, 1998). You can reach him at ploshin@mcgraw-hill.com.



Although there's plenty of cheaper competition, these two Web servers are more capable and dependable than ever. By Barry Nance

Battle of the Network Superservers


etscape and Microsoft are lusting for your Web-server business in a dense marketplace crammed with over 200 other competitors. Moreover, the current market leader, Apache, doesn't cost a dime. Should you plunk down cold hard cash for Netscape's SuiteSpot or Microsoft's Internet Information Server (IIS)? If so, which one?

A year ago, comparing Netscape's and Microsoft's Web server suites was easy— Netscape's product was feature-rich, ran on multiple platforms, and was almost as fast as IIS 3.0. But IIS 4.0, which was in final beta form during this review, has pulled even with SuiteSpot 3.0 in many areas and surpassed it in others.

I evaluated IIS 4.0 and SuiteSpot 3.0 on an intranet consisting of Pentium Probased NT Server 4.0 machines, an Ethernet LAN running TCP/IP, and a variety of clients (Windows NT, Windows 95, OS/2 Warp, and Macintosh System 7). I compared features, performance, ease of administration, reliability, and suitability for running (or developing) transactionoriented business applications.

SuiteSpot proved to have a better messaging server, streaming audio server, and groupware server. However, IIS showed a slightly better search engine, a better transaction-oriented business application environment, and more-effective administrative tools. A forthcoming Microsoft proxy server also proved to be superior to Netscape's.

IIS is a part of Windows NT Server, while SuiteSpot is a separate product. Each contains a different mix of software components. To compare similar functions across both, I arbitrarily added Microsoft's NetShow (freeware) and Proxy Server (beta version) to the evaluation. As this article went to press, Microsoft wasn't sure whether it would bundle Proxy Server with NT Server.



Microsoft IIS 4.0

ADVANTAGES

- + Good proxy and transaction servers; well suited for business applications
- + Capable, quick, versatile search engine

DISADVANTAGES

- Runs only on Windows NT Server
- Awkward audio and video integration

Microsoft's IIS 4.0 is a significant upgrade over its predecessor. Version 4.0 makes Active Server Page (ASP)-based applications even easier to create and manage. IIS's debugger for testing ASP pages, the Microsoft Management Console (MMC) interface, and Transaction Server all simplify the management of ASP-based applications. Web pages produced from ASP scripts can now be part of a transactional system, which helps ensure data integrity.

IIS is the first product to use MMC, which will be standard in Windows NT 5.0. MMC gave me greater control over Web server settings than Netscape's tools did, and I liked being able to set properties such as access controls with a simple



mouse-click. The basic IIS logging function now supports the W3C Extended Logging standard, so administrators can capture just the data they want.

Management of secure transactions remains a highlight of IIS, allowing businesses to easily secure Web pages and directories. You see files, directories, and applications in an Explorer-like interface and can view properties simply by rightclicking. Configuring rights and security settings was child's play. In addition, when I ran several Web sites on one server, I could specify how much server bandwidth to give to each site.

One item often overlooked in evaluating IIS is that, in contrast to Netscape's Internet-oriented servers, NT Server can be both a file server and a Web server at the same time. Referring to a remote drive letter and printing to a shared printer haven't yet gone out of style.

IIS 4.0, which complies with HTTP 1.1, has a certificate server for creating and managing digital certificates. It also comes with a search engine, a news server, Microsoft Transaction Server, and SiteServer Express (stripped-down log- and site-analysis tools for Web-site managers).

The new certificate server made it easy to create and distribute small numbers of digital certificates. It's appropriate for small companies or departments but needs more sophisticated management tools to maintain large numbers of certificates.

Microsoft's new Web server has a number of new features that should make it a

er as a router that would dial the ISP each time a client accessed a remote site.

The Index Server component of IIS tested slightly better than Netscape's Compass Server. While neither is as well endowed as, say, Infoseek's Ultraseek Server search engine, both provided basic, useful search tools for locating information on the test intranet.

I especially liked IIS's ability to handle different document types, its programmability, and its ease of administration. Index Server successfully indexed Office 97 (Ex-



more stable application server. I could run programs as processes in address spaces separate from those of the Web server. This means a badly behaved application is less likely to crash the Web server.

Proxy Server 2.0, despite its bias toward Windows clients, bested Netscape's. The new fault-tolerance and reverse-proxy features impressed me. I was able to chain multiple Proxy Servers together for redundancy and load balancing, a feature Netscape's Proxy Server 2.5 also supports.

However, Microsoft surpassed Netscape's distributed caching by introducing the concept of arrays, which enables multiple Proxy Servers with the same name to run as mirrors of one another. I configured Proxy Server both to republish Web pages from protected Web servers and to publish multiple Web sites on a single server using multihoming support for multiple URLs and IP addresses.

I liked the way Microsoft has integrated Proxy Server with Remote Access Service (RAS) to allow access to the Internet for dial-up connections. An entire network can share a single ISP dial-up connection. Wizards helped me configure Proxy Serv-



cel and Word for Windows) files and Adobe PDF documents in real time. It allowed full-text and HTML field searching by word or phrase and integrated closely with NT Server. But Index Server has no natural-language interface and doesn't support proximity searching. It does, however, support seven national languages.

Microsoft's NetShow (which is freely downloadable) integrates closely with IIS to serve up streaming audio, video, and Web-enhanced presentations. While NetShow's authoring tool gave me a time line that helped me insert audio, graphics, and URLs accurately, I couldn't insert video clips directly. In fact, NetShow is rather rudimentary, with no tools for capturing audio or video. To convert audio or video files into Microsoft's .asf format, you must first use a separate tool to make your source material conform to the frame and bit rate you select. I preferred Netscape's Media Server to NetShow.

SuiteSpot 3.0

ADVANTAGES

- + Good messaging server
- + Server-based agents

DISADVANTAGES

- Inconsistent administrative tools
- Awkward directory-server interface

The standard Edition of SuiteSpot 3.0 includes Enterprise Server 3.0, Calendar Server 1.0, Messaging Server 3.0, Collabra Server 3.0, and Directory Server 1.0. The Professional Edition adds Proxy Server 2.5, Media Server 1.0, Certificate Server 1.0, and Compass Server 3.0. Both versions of SuiteSpot also include LiveWire Pro 1.0, Informix OnLine Workgroup Server, and NetObjects Fusion.


SuiteSpot remains a work in progress; only the Enterprise, Collabra, Compass, and Messaging servers (which make up the critical core) represent updated software. It also lacks a single administrative interface. From Communicator 4.0, I could use Netscape's new administrative tool to manage only the updated servers. The tool centralizes common tasks, such as maintaining user accounts, via the Directory Server component. When I added a user or group, the change propagated automatically to the other version 3.0 servers. However, I had to use the version 2.0 administrative tool to update the down-level servers, making changes one server at a time.

The Collabra and Messaging servers carry new version numbers but haven't changed greatly. Only Enterprise Server and Compass Server offer significant improvements, such as Web Publisher, a Java applet for remotely managing content on a Web server. The new Enterprise Server also offers server-based agents. I configured the agents to monitor intranet pages and perform daily searches. Because the agents are server based, I could access them from multiple systems.

Compass Server (formerly Catalog Server) is a customized version of the Verity search engine. I liked Compass Server's support for more than just HTML and plain text, its personalization options, and its easy administration. However, as with IIS, Compass Server lacked proximity searching and a natural-language interface.

In my tests, Compass Server accurately indexed Microsoft Office (Excel and Word), PDF, and WordPerfect files. Net-

ALL YOU KHAN EAT.



DON'T MISS CHAKA KHAN E '97 MICROGRAFX CHILI FOR CHILDREN COOK-OFF.



Get ready for a heapin' helpin' of fun, food and funk at this year's Micrografx Chili For Children Cook-Off — COMDEX/Fall's premier charity event. It's guaranteed to be hot, Hot, HOT. With chili judging, armadillo races and a sizzlin' Chaka Khan concert that's sure to satisfy everyone's

hunger to shake their booties. Best of all, it all goes to support the vital work of the National Center for Missing and Exploited Children (NCMEC). Get your tickets today for the Tuesday, November 18 event (6 to 11 p.m.), by calling (800) 357-7255 or stop by the Micrografx Chili for Children Ticket Booths in the lobbies of the LVCC and Sands Expo. Cook-Off and concert tickets \$50. Concert only tickets \$25. 8:30 p.m. admission. Round-trip transportation passes \$5. Join the party and help missing children get their fill of support. MICROGRAFX®

CORPORATE SPONSOR INFORMATION IS AVAILABLE BY CALLING KATE POTTS AT (972) 994-6413 OR VISIT WWW.MICROGRAFX.COM/CHILI FOR GENERAL EVENT INFORMATION/TICKET ORDERING CALL (800) 357-7255

1997 CATTLE BARON **SPONSORS**























Microsoft



NETSCAPE



SOFTBANK COMDEX

Tektronix°





THE DOCUMENT COMPANY

scape claims that Compass Server can also catalog Rich Text Format (RTF), Power-Point, Interleaf, Lotus Word Pro, and FrameMaker files.

Compass Server allowed me to specify words and phrases with Boolean operators, and it performed phonetic lookups and synonym matching. I could locate documents based on metadata entries I had placed inside the HTML, and Compass Server let me categorize my documents into topics (*taxonomies* in Netscape parlance). The categorization made search responses immensely more relevant.

Compass Server let me painlessly create what Netscape calls a *personal interest profile subscription*. Thereafter, each time I updated Web pages or documents, Compass Server's indexer automatically used my URL classification rules and taxonomy designations to prepare and send me, via e-mail, a My Compass newsletter, containing the updated Web content I'd expressed an interest in.

The Messaging Server adds tools such as receipt acknowledgement and encrypted messaging via Secure Multipurpose Internet Mail Extensions (S/MIME). I would have liked Messaging Server more if it incorporated some Exchange and Notes features, such as server-based rules for filtering messages.

SuiteSpot's mail server has an Internet e-mail underpinning, supporting SMTP, Post Office Protocol Version 3 (POP3), and MIME. Exchange and Notes have only recently embraced these standards.

Calendar Server, which Netscape has licensed from Corporate Software and Technologies International, adds long-awaited group scheduling to SuiteSpot, along with yet a third administrative interface. Calendar Server lets you schedule people and resources so that you can manage time, events, and to-do lists. Col-

PRODUCT INFORMATION

Internet Information Server 4.0 (included with Windows NT Server) Microsoft Corp. Redmond, WA 800-662-6796 206-882-8080 http://www.microsoft .com Enter 1062 on Inquiry Card.

Netscape
SuiteSpot 3.0
Standard Edition,
\$3495 for 50 users;
Professional Edition,
\$4750 for 50 users
Netscape
Communications Corp.
Mountain View, CA
800-638-7483
415-937-2555
http://home.netscape
.com
Enter 1063
on Inquiry Card.

labra is a groupware product that supports ad hoc discussions, searching across forums, and virtual forms. Netscape plans to integrate Collabra to run as an LDAP process. Currently it, too, requires separate administration.

Netscape Directory Server is an LDAPcompliant server supplying a universal directory service for enterprise-wide management of user, access-control, and server configuration. (LDAP is a subset of X.500, a directory-services standard.) Netscape patible with Oracle's NC Architecture.

Media Server consists of server software, a set of conversion and audio-editing tools, and client-side software. It also includes the Netscape Media Converter, the ToolVox voice encoder and client, Navigator, and the Media Player client. Media Server did an excellent job, compressing and distributing audio almost as well as RealAudio. Like RealVideo, MediaServer can deliver different files for users with different bandwidths. I also found that

TECH FOCUS SMART INDEXING

SQL Access to Web Sites

Unique among all search-engine products—not just the two Web servers reviewed here—Microsoft's Index Server 2.0 can accept queries expressed in SQL, in addition to traditional keyword and phrase arguments. To use this feature, you develop a query program in Visual Basic, J++, C++, or VBScript. This connects to the ActiveX Data Object (ADO), which passes the request to Index Server, which then returns a result set containing information from Index Server's internal catalog. Microsoft says that adding the SQL capability allows companies to treat highly structured Web sites like relational databases.

I wrote a small VBScript program that successfully connected to the Index Server catalog. However, my attempts to use a variety of relational-database query tools (e.g., Microsoft Access) failed. Nonetheless, the concept of accessing a search engine's catalog via SQL statements is a novel one that I hope Microsoft develops further in future versions of Index Server.

has a lot of work to do to improve Directory Server and integrate it with the other SuiteSpot components. When I set up a group list, I had to enter the cryptic LDAP query syntax. Netscape needs to provide a better interface.

While Netscape wants developers to use JavaScript, Microsoft touts VBScript and JScript, its own take on JavaScript. Microsoft's Java version, J++, also contains proprietary extensions (if you discount the fact that Microsoft has handed ActiveX over to a standards body). From a developer's point of view, using Microsoft tools for cross-platform applications is like walking a very thin tightrope. Active Server Pages is a more compelling technology than Netscape's servlets, making platform selection for developers even more difficult.

Perhaps the answer to this dilemma lies in Netscape's announced Open Network Environment (ONE), a cross-platform architecture that employs an object model (Netscape Internet Foundation Classes) and offers support for distributed objects through the CORBA-compliant IIOP protocol. Although ONE competes directly with Microsoft's OLE/ActiveX/DCOM architecture, Netscape says that ONE will include ActiveX technology and will be com-

MediaServer can serve on-demand or live audio feeds, either multicast or unicast.

While IIS is only for use with NT machines, SuiteSpot comes in versions for NT, Sun Solaris, IBM AIX, HP-UX, SGI's Irix, and Digital's Unix.

In short, SuiteSpot provides remote Web content management with version control, and its centralized directory holds great promise. However, Netscape needs to better integrate the disparate server modules, especially the administrative tools.

Mor N?

For many Webmasters, server software comes down to a choice between Microsoft and Netscape. The decision is an easy one to make if you already have NSAPI-aware (Netscape) or ISAPI-aware (Microsoft) applications. If you're developing a Webbased system, I believe that IIS's ASP technology is the way to go. And IIS is much easier to administer.

On the other hand, if all you're looking for is a server for distributing static Web pages, then either one, or almost any of the other 200 competing products, will do.

Barry Nance (Wethersfield, CT) is a computer analyst and consultant. You can contact him by sending e-mail to barryn@bix.com.

naos Manor

Fooling Around with the Web

Jerry finds some new tools to help him work on his Web site—and finds time for a visit to SIGGRAPH.

have just spent the weekend chairing a meeting of the Citizens Advisory Council on National Space Policy. Fifty rocket scientists and the administrator of NASA made for some intense discussions. I'm a bit exhausted, and I've got the meeting reports to write. With luck, you'll find some of the results on my Web site, and there will be a link to the council's Web site as soon as we get that set up.

I've been fooling around with the Web again. You can see my latest efforts at http://home.earthlink.net/~jerryp, not the easiest thing in the world to remember, but it works. I've been quite happy with Earthlink's services, and it's a lot easier than trying to maintain my own servers for a Web site. It's also a lot cheaper, since my page comes free with the Earthlink basic services.

It's not a fancy site. I've been offered help by some of the best people in this business—for that matter, BYTE has some of them on its staff—but the point of this exercise is to see what I can do more or less unaided. I did have David Em help me get started, but it's pretty much mine now. It will always be a text-oriented site—I'm a wordsmith, not an artist—but I'm learning about whizbangs, and over time I may drop a few in.

On that score, have a look at the home page at http://www.lynda.com. New Riders author Lynda Weinman has some good demonstrations. Her husband has an absolutely mad page called "Stink," with more demonstrations of what you can do. It also has links to what he calls a "hall of shame": bad Web sites, at least two of which managed to crash Netscape as I tried frantically to get away from them.

Another interesting place is http://www .webmonkey.com, which has tutorials. I have only recently realized, although I may have known it for a while, that with Netscape, you can "view" the original HTML source code of a site that does things you find interesting and capture it to a file to have examples to work with.

In my case, I have the wonderful Olympus D-300L digital camera, which makes it a snap to get digital pictures. It will even take pictures of text pages, diagrams, and,

put it into JPEG format with the "progressive" option. That saves the picture in interlaced layers, so that when it is first downloaded, it appears as a blurry outline with progressively sharper detail.

PhotoDeluxe saves JPEG files in linear fashion: you see the top stripe of the picture and then the next, etc. It's possible that PhotoDeluxe will save in interlaced or progressive mode, and Photoshop will,

It will always be a text-oriented site— I'm a wordsmith, not an artist.

for that matter, other pictures. Olympus has steadily improved the software that comes with the camera. It's now easy enough to use that I can recommend it to nearly anyone able to use a computer, especially if they have a BYTE reader helping the first time they download pictures and play with them.

The D-300L comes with Adobe Photo-Deluxe, a sort of poor man's Photoshop. PhotoDeluxe is all right, but if you really want to touch up photographs—both digital photos from a camera like the D-300L or scanned images of regular photos—look at Kai's Photo Soap from MetaCreations. I find that Paint Shop Pro from Jasc is about the best all-purpose photo-tinker program I have. Photoshop is said to be better—and perhaps it is—but I find Paint Shop Pro a great deal easier to understand, and it's what I've been using for most Web photo work.

Photo Soap is amazing: it can do automatically what the other programs can accomplish only if you know what you're doing. If you have old photographs or you're a lousy photographer, try Photo Soap. Then when you get the picture the way you want it, use Paint Shop Pro to

but after 10 minutes of tinkering with manuals and help files, I wasn't able to make it work. With Paint Shop Pro I got it first try, so that's the one I'll be using.

RAPHICS FILES TAKE A LOT OF disk space. It's also hard to know what's in a file. The other day, I used the D-300L to shoot a series of pictures of the tenth Sunday after Trinity service at St. Mary's. I downloaded them from the camera to the Fujitsu magneto-optical (MO) disc. The download software lets me give a root filename—in this case, trini for Trinity—and will then give each a unique name, so I ended up with trini0.jpgtotrini26.jpg.Notallof them were taken at St. Mary's—some were on the camera before I started—and some were a great deal better than others for putting up on the Web site.

If you build your Web pages with Microsoft Office 97 Word, it will give you a preview of a picture you're about to insert, but that's still a painful way to select pictures. Much better is Thumbs-Plus, a shareware program that makes thumbnail sketches of your graphics files. You can aim ThumbsPlus at an entire disc,

and it will find every graphics file and make a thumbnail.

We had one problem with ThumbsPlus. Graphics files tend to be big, and with the D-300L, I can make a lot of them. In 1024-by 768-pixel resolution, the D-300L holds 30 pictures; but in VGA (640 by 480 pixels), it will hold over a hundred, each one 50 KB and more in full-image JPEG (i.e., the images are compressed, but no detail is lost; as opposed to partial-quality JPEG,

when I download my photographs from the D-300L, they go onto an MO disc.

Then I found that ThumbsPlus would look at the MO drive, pretend to make thumbnails—and do nothing. This was frustrating, and the help file had nothing, so I called the programmer. "Do you have a volume label on the MO disc?" he asked. "We use that in making the database."

A quick check showed I didn't, so I added one. After this, ThumbsPlus worked

With Quick View Plus, you can look at nearly anything.

which blurs out some details as it compresses the file).

It seemed natural to combine the D-300L with the Olympus MO drive. The Olympus MO and Fujitsu MO drives use the same medium and format, so discs are interchangeable between them. MO discs hold 128 to 230 MB (there are larger ones, but I never find them at Fry's) and cost under \$20; a lot of storage for the money. They're a natural accessory to a digital camera, so

perfectly with the MO discs. This program has quickly become essential: if you do any graphics work, get ThumbsPlus and pay the registration fee. You'll be glad you did. Highly recommended.

Another utility worth having is Quick View Plus for Windows 95 (Win 95) and NT. This will plug into Norton Commander for Windows 95 and NT, and view nearly any file, including graphics files. It doesn't seem to view JPEG files saved by Paint Shop

Pro in progressive format, although it has no problem with the same file saved linearly. Otherwise, I haven't found much that it won't show. Of course, Quick View Plus will work by itself or in conjunction with other file management software (including Explorer), but I particularly like it with Commander 95.

Commander has always been my favorite file manager, but the Windows version lacks the wonderful viewers that the last DOS versions had. With Quick View Plus, you can look at nearly anything, including individual components of ZIP files, DLLs, uuencoded files, and all kinds of stuff. I prefer to use it with Commander, because when I use Explorer and double-click on a file, I am never sure what will happen; with Commander, F3 brings in Quick View Plus and nothing else. Together, Commander and Quick View Plus are a killer combination. Recommended.

Finally, there's PhotoRecall from G&A Imaging. While this does limited special effects, mostly it's useful for organizing photographs into albums. It does that reasonably well, but it doesn't seem to have

Circle 142 on Inquiry Card (RESELLERS: 143).

THE OUT WED SITE OF POWERful and Affective Network Licensing Interpoller was site of the Company of the Company

WIBU-KEY presents a new type of network licensing.

It's simple to set up and use.

It makes license administration easier on your customers. And it's based on the time-proven WIBU-KEY technology that's been used by thousands of developers around the world since 1989.

WIBU-KEY is the only network licensing system that provides complete, cross-platform licensing backed by true application encryption for the highest degree of security and functionality.

WIBU-KEY –
There is a difference



Call now for your free Test Kit: (800) 986 6578

Providing the Highest Quality Copy Protection.
Since 1989



Germany and International: WIBU-SYSTEMS AG Rueppurrer Strasse 54 · D-76137 Karlsruhe Tel. +49-721-93172-0 · FAX +49-721-93172-22 email: info@wibu.de · http://www.wibu.de



North and South America: Griffin Technologies, LLC 1617 St. Andrews Drive, Lawrence, KS 66047 Tel. (785) 832-2070 · FAX (785) 832-8787 email: sales@griftech.com · www.griftech.com

- ✓ Limits concurrent usage to the level you specify
- Cross-platform support for heterogeneous networks
- Protection based on application encryption for complete security
- Ready for the future: License limits can be updated in the field at no extra charge
- License software in multiple ways to create new markets for your applications
- ✓ The first and only ISO 9001 Certified system.



Argentina: Grupo Consultor S.A. · Tel. +54-I-3744711 · Fax +54-I-3728115 · info@grupocsa.com.ar · Belgium, Lux.: COMPUSEC · Tel. +32-2-6450944 · Fax +32-2-6464266 · info@compusec.be · Brasil: CASATK · Tel. +55-47-444-0859 Fax +55-47-444-0859 · casatk@netville.com.br · Croatia: ARIES d.o.o. · Tel. +385-I-2326535 · Denmark: DANBIT A/S · Tel. +45-33662020 · Fax +45-33662030 · cahe@danbit.dk · Estonia: LanSoft Ltd. · Tel. +372-2-215201 Fax +372-2-215283 · lansoft@infonet.ee · France: NEOL S.A. · Tel. +33-3-88623752 · Fax +33-3-888333772 · NEOL@compuserve.com · Japan: SUNCARLA Corporation · Tel. +81-3-3249-3421 · Fax +81-3-3249-3444 · fwid9705@mb.infoweb.or.jp Netherlands: COMPUSEC · Tel. +31-3-35-740223 · Fax +31-53-5726822 · info@compusec.be · Spain/Portugal: DUBIT · Tel. +351-1-7971008 · Fax +351-1-7971013 · www.dubit.pt

Chaos Manor

a batch capability. That is, to make a new album, I have to select and load pictures one at a time. Once that's done, it's easy to move them around in the album.

The presentation is quite good: a small, medium, or large picture in an album layout. Click on it to get the full-size picture. There's also a way to search the Web for pictures, although most pictures I have found on the Web are not ones I would want to download and keep. As a presentation system, PhotoRecall is neat, but as a management system for lots of photographs, I greatly prefer ThumbsPlus.

NTHE COURSE OF PLAYING WITH the Web, we upgraded our software, and that generates this month's tales of hope, horror, and glory.

Begin with CyberMedia's Oil Change. If you regularly cruise the Internet, you need this program, which finds and downloads updates to your software. In our case, it found an update to Dial-Up network and one to Win 95 Winsock. We downloaded and installed them on Cyrus, the Cyrix P-166 that is my current main Win 95 machine. My real main machine is now Princess, a Compaq Professional Workstation 5000 running NT 4.0, but for the moment, I do a lot of work on Cyrus as well. Both updates installed painlessly, although there were a few oddities. For instance, I had to go find the passwords to my Dial-Up net-

about an hour, he was able to get the network restored. It wasn't easy. Among other things, TweakDUN set the network properties so that NetBEUI was no longer the default protocol. There were other problems, but eventually we had Pentafluge back on the network.

We defragged the disk drives and did some more tweaking. Then we tried the upgrades again. Big mistake. Once again, Pentafluge vanished from the network; and this time, possibly because we tried to do some adjusting without uninstalling TweakDUN, things got progressively worse. By the time we did the uninstallation, it was too late. Bottom line: I worked a day trying to get Pentafluge back on the network, to no avail. It would not work.

I decided that drastic action was required: it was time to boot up in DOS, nuke the Windows directory, and reinstall Win 95 from scratch. We've used Pentafluge as a test machine for a year, and there were remnants of programs that couldn't be uninstalled. Tons of DLLs in the system directory. Garbage files everywhere. That sort of thing. Cleaning house was indicated anyway, and it also seemed to be the only way to restore the network. There was only one problem: in order to reinstall Win 95, I would need the CD-ROM drive, and that CD-ROM drive wasn't visible unless I was running Win 95.

That shouldn't have happened. In the-

Upgrading our software generates this month's tales of hope, horror, and glory.

work accounts, because the update lost the ones I'd saved.

The result is a real improvement. Internet access is much faster, and multiple Internet operations really work. We were able to simultaneously do two downloads, answer mail, and go look at another Web site without any slowdowns. That's quite an improvement from a free download.

This worked so well that Alex thought he'd apply them to Pentafluge, the rather-dated Pentium 60 machine with an Intel Pentium OverDrive processor that Larry Niven uses when he works here. The result was a disaster: whatever effect these upgrades had on Internet browsing, the Dial-Up network update 1.2 (TweakDUN) collapsed the internal network. Pentafluge could no longer connect to any of our other machines.

Alex uninstalled the upgrades. After

ory, I have a panic boot disk for every machine. A panic disk should contain the drivers for the CD-ROM drive, Zip drive, and other important accessories. Unfortunately, I had changed CD-ROM drives without updating the panic disk.

Two possible remedies: I could try to find the specific CD-ROM drivers for this version of the Distributed Processing Technology (DPT) SCSI controller Pentafluge uses—it's an older SmartCache III—surely I have those here somewhere. Or call DPT. Maybe they have something that would let me access the CD-ROM. I considered calling Sony—it's a Sony CD-ROM drive.

But, in fact, as I was dithering, I found a copy of Sony.sys from DPT. It took about 10 minutes to fit up a CONFIG.SYS and AUTOEXEC.BAT—I'd completely forgotten how to do that—but eventually I got it done. The real trick is in getting the



Version 2.50 Compatible with

- √ Windows 95
- ✓ Windows NT
- ✓ Windows 3.1x

Why use PKZIP for Windows?

- Save on-line time charges and save disk space.
- Compress files an average of 50-70%.
 Many large files compress well over 90%.
- Open .ZIP archives downloaded from the Internet.
- Simple point-and-click interface.
- PKZIP 2.50 for Windows includes a separate 16-bit and 32-bit program.
- Combines the best and fastest patented compression technology found in PKZIP 2.04g.

Other PKWARE Products: PKLITE & PKLITE Professional for Windows

Put your executables on a diet!

PKWARE Data Compression Library

Put compression in your application.

Separate versions available for DOS, DOS32,
Windows, Win32, OS/2, UNIX & MacOS.

To order call 414-354-8699 or visit our web site http://www.pkware.com





PCWORLD

1992-1996 PC World World Class Award 1996 Government Computer News Best New Product Award at FOSE Finalist 1995 Computer Currents Readers Choice Award 1993 Shareware Industry Award 1992 Premiere Computing Magazine Award

PKWARE, Inc. 9025 N. Deerwood Drive Brown Deer WI, 53223 USA FAX: 414-354-8559 Email: info@pkware.com

Copyright 1997 PKWARE, Inc. All Rights Reserved. All trademarks or registered trademarks are the property of their respective owners.

command-line parameters for Microsoft CD Extension (MSCDEX). They're in most DOS books, but I don't have many left.

Once I was sure the CD-ROM drive worked in DOS, I saved the entire Windows directory onto the Maxoptix glass drive and then deleted it on Pentafluge. Boot up in DOS and run Golden Bow Systems' Vopt, still the best disk defrag program I know of. Reboot in DOS. Then I installed Win 95 from a CD-ROM. Since I had an upgrade Win 95, I had to find the setup disk for Windows 3.11 and put it in the floppy drive before Win 95 would install. After that, it all went swimmingly.

Moments later, I had the network restored. I had a pleasant surprise: Pentafluge runs about five times faster than before. Programs load faster, and the system doesn't thrash about as much. Everything is crisper. I didn't do any benchmarks, so I have no objective measures, but it's more than noticeably faster, so much so that I am thinking of doing the same thing to Cyrus.

The moral of this story is that if you

change hardware, don't wait for a crisis to update your panic disk. A second moral is, clean your Windows once in a while. It sure can make a difference.

SIGGRAPH IS IN TOWN. THIS IS the Special Interest Group on Graphics of the Association for Computing Machinery. It has become ACM's largest show (and presumably also their largest fund-raiser). If you have any interest in graphics, it's more than worth going to. although not before I saw more than enough to boggle my mind.

Some major impressions. First, the price of admission to the world of high-end graphics is low and falling. Intergraph and Compaq both had new boxes with supercomputer capabilities at under \$12,000, and I don't say that lightly. You could create all the objects in *Jurassic Park* on either of these machines, and you might even be able to animate them. Rendering the final prints to movie quality still takes days on

Clean your Windows once in a while. It sure can make a difference.

There are classes from raw beginner to very advanced techniques, chances to use a supercomputer for an hour or so, and technical exhibitions.

Alas, the floor show is becoming indistinguishable from the Electronic Entertainment Exposition: lots of hype, flashing lights, and a general heat-and-noise level sufficient to drive me out of the room,

much larger machines, but you could create a show, render in TV-video quality, and have it to present to financial people with equipment and software costing no more than \$25,000. This is astonishing.

Hewlett-Packard and Digital Equipment, and even Dell and Gateway 2000, are also getting into the high-end graphics-machine game. I fully expect that my estimated \$25,000 for a professional system will be cut in half in no more than a year. Ain't competition wonderful?

Second, it's no longer a Silicon Graphics/Unix world. At least half the professional-level displays we saw on the floor at SIGGRAPH were run on NT platforms. A few years ago, there were essentially none. As David Em, our graphics associate who attended the show with me, puts it, "The era of SIGGRAPH as the Silicon-Graphics-and-everything-that-goes-withit show is over."

Third, while most of the very high-end professionals are still using Softimage—a program developed for Silicon Graphics systems but now acquired by Microsoft and running on NT platforms—3D Studio Max, from Kinetix (a division of Autodesk), is catching up fast. Moreover, the current version of 3D Studio Max was designed to be an NT program and uses an interface that will already be familiar to AutoCAD users. This leads me to believe that design students are more likely to learn 3D Studio Max than Softimage.


Also, while the final cost of Softimage and 3D Studio Max with all the enhancements needed to bring it up to Softimage's power will be about the same, you can buy 3D Studio Max and enough plug-ins to get started for about half what you'll pay for Softimage. This is another big plus for students and beginners.



The Definitive Reference Source!

BYTE on CD-ROM

Seven Years of BYTE—1990-1996 Plus, Quarterly Updates with Every Issue in 1997



Easy to Use! It's all in

Order Now!

Toll-free International Numbers:

Belgium Germany U.K. Italy France Netherlands Switzerland

City.

080071635

Sweden Other

Denmark

091-752792 Int'l 1-800-924-6621 U.S./Canada 609-426-5434

YES! I want the power and convenience of BYTE on CD-ROM.

Send me BYTE on CD-ROM PLUS! Full text from 1990-1996 issues of BYTE plus quarterly CD-ROM updates with full text and colorful graphics for all the 1997 issues of BYTE for just \$54.95.

□ Send me BYTE on CD-ROM! Full text from 1990-1996 issues of BYTE—more than 80 issues for only \$39.95.

Charge my:

Master Card UISA Amex Check enclosed (Payable to BYTE magazine, US funds only)

Card #

Name

Address Zip/Postal Code State/Province/Country

E-mail Address Mail to: BYTE on CD-ROM, P.O. BOX 526, Hightstown, NJ 08530

Canadian and U.S. orders, please add \$2.95 for shipping and handling, and state tax where applicable. (Canadian orders add appropriate GST). Outside North America, add \$5.00 for air mail delivery. Allow 6-8 weeks for delivery.

A Division of The McGraw-Hill Companies

A Message to Our Subscribers

From time to time we make the BYTE subscriber list available to other companies whose products or services would be of interest to our readers. We take great care to screen these companies, choosing only those who are reputable. Furthermore, subscriber names are made available for direct mail purposes only; telemarketing calls are strictly prohibited.

Many BYTE subscribers appreciate this carefully managed program, and look forward to receiving information of interest to them via the mail. While we believe this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive promotional literature. Should you wish to restrict the use of your name, please send your request (including your magazine mailing label, name, address, and subscription account number) to:

BYTE Magazine Subscriber Services PO Box 555 Hightstown, NJ 08520



It's an exciting world out there.

As I said, David Em, who knows much more about graphics than I do, attended SIGGRAPH with me. Look for more of David's observations in the Web Exclusive part of the column on the BYTE Web site. Incidentally, if you are interested in computer-generated art, you can see some of David's work at http://businesstech.com/art/emgallery.html.

While we're on the subject of graphics, CAD, and Web sites, if you don't know about Visio, you ought to.

Visio is a stand-alone application for making technical drawings and other artwork. It has its own development environment or can extend Microsoft's Visual Basic for Applications environment. It also knows about Microsoft Office, and you can use it in conjunction with any of its components, including Word.

Mostly, Visio has a number of smart templates, and if the set you need didn't come with the package you bought, it's probably available. Templates include architect, chemical, electrical, electronic, process plants, pumps, pipes, heating and ventilation—well, you get the idea. There are also abstract shapes suitable for making flowcharts and diagrams. If you

work with computers and don't know about Visio, I bet you wish you did. Not only recommended, it's close to essential.

F YOU'RE LOOKING FOR SOME unusal clip art on a Western theme, the classy RT Computer Graphics collections are now available on CD-ROM. Cowboys and Indians, traditional Navajo and other Santa Fe art, petroglyphs (genuine and humorous), plains Indian art, borders and images, it's all pretty neat. Look them up at http://www.rtcomputer.com. Next time I do a pass through my Web site, I'll probably include a few of these.

THE OLD GAME OF THE MONTH is the Deluxe Edition of Conquest of the New World, from Interplay. One tip: the Deluxe Edition has a feature known as the ancient temple of war. Find it and get control of it; it's worth almost any cost. Even if you can't control it, try to get the ownership in dispute, because it gives an enormous advantage to the side that possesses it.

The new game of the month is Imperialism, from Strategic Simulations. It's somewhat like Civilization II, but it takes place in the 1800s, which was the classic

PRODUCT INFORMATION

Conquest of the New World, Deluxe Edition \$29.95 Interplay Productions Irvine, CA 800-468-3775 714-553-6655 fax: 714-252-2820 http://www.interplay.com Enter 1113 on Inquiry Card.

D-300L \$899 Olympus America, Inc. Melville, NY 800-347-4027 516-844-5000 fax: 516-844-5339 http://www.olympusamerica.com Enter 1114 on Inquiry Card.

Imperialism \$49.99 Strategic Simulations, Inc. Sunnyvale, CA 888-808-4311 650-897-9900 fax: 650-897-9956 http://www.ssionline.com Enter 1115 on Inquiry Card.

Kai's Photo Soap \$49.95 MetaCreations Corp. Carpinteria, CA 800-472-9025 805-566-6200 fax: 805-566-6385 http://www.metacreations.com Enter 1116 on Inquiry Card. Paint Shop Pro \$69 Jasc Eden Prairie, MN 800-622-2793 612-930-9800 fax: 612-930-9172 http://www.jasc.com/ Enter 1118 on Inquiry Card.

PhotoRecall \$49.95 G&A Imaging Hull, Quebec, Canada 819-772-7600 fax: 819-772-7640 http://www.ga-imaging.com/ Enter 1119 on Inquiry Card.

Ouick View Plus \$59 Inso Chicago, IL 800-333-1395 312-329-0700 fax: 312-670-0820 http://www.inso.com Enter 1120 on Inquiry Card.


3D Studio Max 2.0 \$3495 Kinetix San Francisco, CA 800-879-4233 415-547-2000 fax: 415-547-2222 http://www.ktx.com Enter 1121 on Inquiry Card. ThumbsPlus 3.0g \$65 Cerious Software Charlotte, NC 704-529-0200 fax: 704-529-0497 http://www.cerious.com/ Enter 1122 on Inquiry Card.

Visio Standard 5.0 about \$149
Visio Professional or Technical about \$349
Visio Corp. Seattle, WA 800-248-4746 206-521-4500 fax: 206-521-4501 http://www.visio.com

The Wild West Collection \$79.95 RT Computer Graphics Rio Rancho, NM 800-891-1600 505-891-1600 fax: 505-891-1350 http://www.rtcomputer.com Enter 1124 on Inquiry Card.

Programmer Companions

Osborne delivers the complete story—




and the condensed bare-bone facts—on today's hottest programming languages

Java 1.1: The Complete Reference, **Second Edition**

100% pure comprehensive Java references. From two of the biggest names in programming today.

Patrick Naughton and Herbert Schildt


ISBN: 0-07-882436-2 \$39.99 USA, \$57.95 CANADA



Visual C++ 5: The Complete Reference

Build the most powerful Internet and database applications possible with Visual C++5.

William H. Murray III and Chris H. Pappas ISBN: 0-07-882391-9 \$39.99 USA, \$57.95 CANADA





Java Programmer's Reference

Herbert Schildt ISBN: 0-07-882368-4 \$16.99 USA, \$24.95 CANADA



C/C++ Programmer's Reference

Herbert Schildt with Joe O'Neil ISBN: 0-07-882367-6 \$16.99 USA, \$24.95 CANADA

AVAILABLE NOW at



At local book and computer stores, or call 1-800-262-4729

SBORNE

REQUIRED READING for the Information Age http://www.osborne.com

HTML: The Complete Reference

The all-in-one theory, tutorial, and reference resource for HTML programmers of any level.

Thomas Powell

ISBN: 0-07-882397-8 \$39.99 USA, \$57.95 CANADA Available: November 1997

era of colonial imperialism, with great powers scrabbling for control of smaller countries. You do exploration and prospecting, and invest in both research and industry. It's not too bad as solitaire, but it's great as a multiple-player game: all the AFB. It has been out of print for years, although photocopies circulated with my permission.

Recently, some young officers asked me to make it available. A professional Web designer, Arnold Bailey (abailey@bix

The book of the month is my own, but you don't have to pay to read it.

fun of Calhammer's Diplomacy, but with far more realistic economics and military actions. Make alliances and then stab your partner; but when you do, not only do the other human players take notice, but so do the nonplayer nations. Great fun.

The book of the month is my own, but you don't have to pay to read it. *The Strategy of Technology* was written in 1968 by Stefan T. Possony, Francis X. Kane, and Jerry Pournelle, and published by the University Press of Cambridge, Massachusetts. It was used as a textbook in all three service academies at one time or another and numerous times over the years in the Air War College at Maxwell

.com), volunteered to turn it into good HTML, and so he did. You can find it, complete with partial revisions and notes, on my Web site at http://home.earthlink.net/~jerryp as well as a couple of other places. Fair warning, this is a cold war book, and while the principles haven't changed at all, nearly all the examples are from the Seventy Years War between the U.S.S.R. and Western civilization. It's an interesting example of how a book might be published on the Web; not fancy, but I think well done.

The computer book of the month is by Michael J. Hernandez, *Database Design* for *Mere Mortals* (Addison-Wesley Devel-

oper's Press, ISBN 0-201-69471-9). This is just what the title implies; if you keep lots of files and notes and wonder if there's a better way, you need a relational database, even if you don't know what one is. This book will help you understand the subject whether you work with Visual Basic, Access, FoxPro, Delphi, or whatever. It includes rules, views, and a good bibliography.

With luck, next month we'll have our new Pentium II system built. I've got all the parts, and we're getting a new ViewSonic monitor to go with it. Now to do my space council reports.

Jerry Pournelle is a science fiction writer and BYTE's senior contributing editor. You can write to Jerry c/o BYTE, 29 Hartwell Ave., Lexington, MA 02173. Please include a self-addressed, stamped envelope and put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on the Internet or BIX at jerryp@bix.com. Visit Chaos Manor at http://home.earthlink.net/~jerryp/.



See us at COMDEX '97 Booth S2881 Sands Expo



The **explosive** television series

that goes beyond news

Hosted by Mark Hamill



Watch ".com" on CNBC and on the web at: www.tviweb.com

Seen on: CNBC Saturday @ 12:00 p.m. ET • www.tviweb.com

.com is produced and paid for by TV Interactive • 1.800.311.8001

















0011

0111 **0011** 0011 000 000

0111



Special Guest



BYTE Magazine

Editor In Chief

Mark Schlack




The Next Generation Of Storage, DVD-RAM from Hitachi

The Changing Face Of On-Line Banking with Bank Of America

Product Review
We Test The EasyCam from Phillips

E-commerce - Securing Internet Transactions with ATT Secure Buy

This April in Chicago a 565 Bill 0 IT Market Will Emerge.



Want a piece of it?

It's the #1 technology event bringing together the most innovative IT solutions in corporate computing, telecommunications and digital consumer technologies, along with the people whose jobs depend on them.

Only one event delivers 100,000 attendees, including corporate volume buyers from the Fortune 500, channel buyers, OEM buyers and developers — the most important buying segments of the IT industry. They know where to go to evaluate, compare and buy technology.

COMDEX in Chicago. Now you know.

For opportunities on exhibiting Call 781-433-1600 • E-mail kazarian@comdex.com

For information on attending Call 781-433-1500; or go online at www.comdex.com

Spring 98

If it's on the network...on the desktop...on the Web...in digital consumer technology...it's at COMDEX.

Windows E World 98

This is where Microsoft will roll out the future of the Windows platform worldwide. From the consumer market to 32-bit solutions for the server, network, enterprise and Web.



Broadband, wireless and remote access solutions. Across platforms. Across organizations.

April 20–23, 1998 McCormick Place • Chicago, Illinois

Produced by SOFTBANK COMDEX Inc., the leading producer of worldwide information technology events. Windows, WINDOWS WORLD and the Windows logo are registered trademarks of Microsoft Corporation, and WINDOWS WORLD and the Windows logo are used by SOFTBANK COMDEX or certain of its coproducers under license from Microsoft. ©1997 SOFTBANK COMDEX Inc. • 300 First Avenue, Needham, MA 02194-2722 USA SP98-1376 9/97

BUYER'S GUIDE



Mail Order


Top mail-order vendors offer the latest hardware and software products at the best prices. Page 140

Hardware/Software Showcase

Your full-color guide to in-demand hardware and software products, categorized for quick access. Page 150

Buyer's Mart

The BYTE classified directory of computer products and services, by subject so you can easily locate the right product. Page 154





RAID CHASSIS


POWER SUPPLIES

RACK MOUNT PC SYSTEMS



INDUSTRIAL CPU CARDS

> INDUSTRIAL TELECOM



TOWERS FOR APPLICATIONS



PASSIVE **BACK PLANES**



WALL MOUNT/ BULKHEAD **MOUNT PCs**

20 SLOT REDUNDANT SERVER



Global solutions





Designed and manufactured in house by Tri-MAP International.



Full design, customisation and production service in the UK and USA.



Chassis, industrial CPU cards, passive back planes and power supplies.

BS EN ISO 9002 Registered (UK)

UK Manufacturing Headquarters

Units 2 & 3, Kingscroft Court, Ridgway, Havant, Hampshire, UK

Tel: 01705 424800 Fax: 01705 424801

Int: +44 1705 424800 Int: +44 1705 424801

email: sales@map.co.uk Web:www.tri-map.com 31,000 sq ft production facility


USA Manufacturing Headquarters

4569A Las Positas Road, Livermore, California, CA94550, USA

Tel: 510 447 2030 Int: +1 510 447 2030 Fax: 510 447 4559 Int: +1 510 447 4559

email: trimapintl@earthlink.net Web: www.rackco.com

30,000 sq ft production facility




Bonus!!!

Buy Any Two CBTs at the regular price and get The Micro House Technical Library™

EREE

he first 100% Computer Based Training (CBT) programs on CD-ROM to fully prepare you for Novell's CNE, Microsoft's MCSE and the A+ Certification exams. ForeFront's Self-Study Courses give you flexibility and portability unmatched by traditional training methods. You'll study at your own pace using our easy to follow, step-by-step format. Study whenever and wherever it's convenient for vou!


- All on one CD
- Interactive simulations for hands-on exercises
- Study at your own pace
- Hundreds of practice questions
- Priced below competitive products
- Everything you need to prepare for the exams!



Become MCSE Certified ...FAST!

The ForeFront MCSE Self-Study Course™ ensures the highest rate of retention so that when you complete your training you'll be fully prepared to pass your MCSE exams. You'll be ready and confident to go into the workplace to effectively plan, implement, maintain and support information systems in a wide range of computing environments, using Windows NT and other Microsoft Server products.

Contains All 6 Training Modules! Call for Special Pricing!




Become CNE Certified ...FAST!

The ForeFront CNE Self-Study Course™ provides fast, effective and convenient training to anyone wishing to become a Certified NetWare Engineer, even when hampered by a busy schedule. Our CNE CBT allows you to learn and practice everything you'll need for full NetWare certification.

Contains All 7 Training Modules!

Call for Special Pricing!



Become A+ Certified ...FAST!

Getting A+ Certified will help open the way to further advancement in the corporate world. The ForeFront A+ Certification Self-Study Course™ is a hands-on self-study course that will give you all the technical material, knowledge, interactive exercises, and confidence you'll need to pass your exams and excel in today's competitive Call for Special Pricing! PC repair marketplace!

Call for Special Discount Pricing Today!





Free Technical Support

Next Day Shipping









Local U.S: (813) 724-8994 • FAX (813) 726-6922

Ireland: 1800 66 00 11 UK: 0800 279 2009 Europe: (353) 1 670 3177

Fax: (353) 1 670 3211

25400 U.S. Hwy. 19 N., #285 Clearwater, FL 34623 http://www.ffg.com

Performance Guaranteed

Copyright @1997 ForeFront Direct, Inc. All Rights Reserved. ForeFront CNE Self-Study Course, ForeFront A+ Certification Self-Study Course and ForeFront MCSE Self-Study Course are trademarks of ForeFront Direct, Inc. The ForeFront Logo is a trademark of the ForeFront Group, Inc. All other trademarks are the properties of their respective holders. ForeFront Direct, Inc. is a subsidiary of ForeFront Group, Inc.

All the RAID you can handle... FlexArray-T FlexArray-TFX FlexArray-FibreArray FibreArray




Do it right. Do it with Raidtec. The industry leading RAID anutacturer.

- State-of-the-art Fibre Channel, Fast & Ultra SCSI RAID Systems Up to 200MB/sec
- Tower or 19" Rackmount Configurations -12 GB to TeraByte Capacities
- Programmable RAID Levels (0,1,3&5)
- PCI & Host Independent RAID controllers
- Hot Swap Drive Bays, Fans & Power Supplies
- RAIDman[™] GUI Software for Remote Alarms, Configuration & Monitoring
- LCD Status Display
- Environment Array Manager
- Auto Sensing, Universal N+1 Power Supplies

Raidtec Corporation (USA) Tel. 770-664-6066 Fax. 770-664-6166 eMail: raidtec@raidtec.com www.raidtec.com

Tel. 353-21-353440 Fax. 353-21-353799 eMail: raidtec@raidtec.ie





The world leader in FrontPage™ hosting

PLANS FROM PER MONTH

(800) 339-HWAY www.hway.net (561) 989-8574

Career Opportunities Available

For high performance web hosting, more people turn to Hiway than anyone else.

Serving more than 40,000 web sites for customers in over 90 countries. Hiway is the worldwide leader in web hosting. With so many choices, why does everyone pick Hiway?

- ✓ Three T3 lines to diverse backbones
- ✓ Silicon Graphics WebFORCE Servers
- ✓ Industrial-strength Cisco routers
- √99.5% uptime—guaranteed!
- ✓ Full generator backup
- ✓ 24 x 7 network operation center
- ✓ 40 terabyte tape archive system
- ✓ 24 x 7 multilingual support
- ✓ Accounts set up within a few hours
- ✓ Domains registered within 24 hours
- √ 30 day money-back guarantee
- ✓ Serving over 40,000 domains

Reseller Opportunities Available



Introducing
POLYVUELL
ADDITA

How does an Alpha with OpenGL running at 533Mhz... for under \$2995! * sound to you?!

CAD/CAM- ANIMATION · VIDEO EDITING · INTERNET/INTRANET · SQL SERVERS

GOLD SERIES

Polywell offers Alpha based systems
designed to BLAST through the heaviest,
most intense tasks you can throw at them!!
* (533Mhz Alpha CPU, 2MB Cache with 64MB ECC RAM,

4GB Ultra Fast Hard Drive,
Open GL Accelerator Graphics Card &
NT 3D Workstations)

AlphaPowered

So what are you waiting for?
Call today... if you feel the need for SPEED!

(800) 258-9946

Alphapowered is a trademark of Digital Equipment Corporation

Circle 163 on Inquiry Card.

Waranty and Support
5-year in-house labor, 2 year standard parts
24-tech support, optional on-site service
10-year toll free support,

Polywell Computers - 1461 San Mateo Avenue - South San Francisco - CA 94080 USA Tel: (650) 583-7222 Fax: (650) 583-1974 Email: Info@polywell.com Web Site: www.polywell.com



We've got the solutions you need and a SPECIAL DEMO PACKAGE too good to pass up!



We're Minicom and we've been building a broad line of unique KVM solutions worldwide for over 10 years. We can customize sophisticated solutions for all your KVM needs. Our products support 1280 x 1024 resolution, integrated On-Screen Menus and full keyboard and mouse emulation. Call us and we'll deliver exactly what you need, without compromise!

Need: Control multiple CPUs using only one keyboard, monitor and mouse.

The Supervisor! Control up to 256 CPUs from a single location. Multiple user solutions available.

Need: Control a CPU from distant locations.

Solution: **The Duet!** Control your CPU from up to eight locations, at distances up to 400 feet.

Display video on multiple monitors. Need:

The Video Splitter! Display your video signal on up to 16 monitors, 200 feet apart.

SEE US AT COMDEX BOOTH #S9038



414 North Wood Ave., Linden, NJ 07036 888-486-2154 • Fax 908-486-7788

For international inquiries: 11 Beit Hadfus St., 95483 Jerusalem, Israel +972 2 651 85 93 • Fax 972 2 651 89 71 www.minicom.netmedia.co.il


Big Things Come in Small Packages...

SuperSlim Computer

2.4"

Ready-to-run 5x86 PC system with LCD display in an ultra-thin chassis.

- Flexible Installation
- Networking Capability
- Optional Touchscreen for Silent and Quick Operations
- Offering Maximum Work
 Space with Only 2.4" Depth
- a. FDD port
- b. Parallel port
- c. VGA port
- d. Ethernet port
- e. Power switch
- f. Keyboard connector
- g. 4 serial ports
- h. 4 digital input/output
- i. AC power socket
- j. PS/2 mouse connector



Wall Mount

Retail, restaurant, process control, home automation and educational applications




Panel Mount

Banking, gaming, recreational and medical services, retail and hospitality point of sales (POS)



Desktop

Webserver, registry counter and precision machinery applications



Call 1-800-800-6889 now!

American Advantech Corp.

750 East Arques Ave., Sunnyvale, CA 94086 E-mail: lcinfo@advantech-usa.com Homepage: www.advantech-usa.com Sunnyvale:

Tel: 408-245-6678 Fax: 408-522-1883 Atlanta:

Tel: 770-409-7878 Fax: 770-409-7895



Circle 162 on Inquiry Card.

AUDIO EDIT FEATURE.

Allows you to select and copy Audio CDs, track-by-track, or disc-at-once, to create custom Audio CDs.

AUTOMATICALLY DECODES AND COPIES VIRTUALLY ANY CD FORMAT.

CD-ROM, Audio, CD-DA, CD-XA, Mac HFS, Mixed Mode, and ISO 9660

INTERNAL A/V HARD DRIVE.

Stores bit-by-bit disk images forinstant on line duplication.



TOTALLY SELF-CONTAINED.

No additional bardware or software is required.

SIMPLE, PUSH BUTTON OPERATION.

The on board microprocessor does it all. Absolutely no CD design or multimedia experience is needed. Produce custom CDs for only a few dollars.

EXTERNAL SCSI PORT WORKS LIKE A FAST CD WRITER.

Connect it to your PC or Mac and use it to design custom CDs.
Software included free!

COPY ANY CD CREATE AUDIO CDS NO COMPUTER REQUIRED

CD DUPE-IT!

Instantly duplicate CD-ROM discs for software distribution. Make spare backup copies of your valuable software. Produce discs quickly and economically. No CD design or multimedia production is required.

HOW EASY IS IT?

One-button operation means

BUY MANUFACTURER DIRECT: \$1295

408-743-8732

anyone can use CD Dupe-It! Simply insert your original disc and push "enter." The onboard fast multimedia processor decodes the CD format and copies it to the internal A/V hard drive. Insert blank recordable discs and make

as many exact copies as you like. You'll easily and quickly produce identical bit-for-bit duplicates.



CORPORATE SYSTEMS CENTER
www.corpsys.com

Circle 164 on Inquiry Card.

CD DUPE-IT! IS SOLD AND INTENDED FOR BACKUP AND IN-HOUSE DUPLICATION PURPOSES ONLY. COPYRIGHT LAWS MUST BE OBSERVED. CALL FOR RACK MOUNT AND MULTI-DRIVE COPIERS.

Managing Multiple Servers?



Think MasterConsole for Rock-Solid Control

Save Time, Space, & Money

MasterConsole is the premier KVM switch, engineered to provide complete, reliable control of all your systems from a single keyboard, monitor, and mouse. It improves operations and eliminates the cost and clutter of unnecessary peripherals to save you time, space and money.

Hardware & Software Independent

MasterConsole's unique technology enables flawless control of 2 to 64 computers in any combination of

PCs, Macs, and Suns, running any operating system or application software. Thousands already rely on MasterConsole. So can you! For more information call

800-RCI-8090 ext. 71



"We tried other products but they were flat-out unreliable. MasterConsole is rock-solid."

Rick Jorgenson Manager, Information Systems Precor





See Us At ** **DCOMDEX** in Las Vegas, NV Foll 97 November 17-21, Booth #L4500

Raritan

Raritan Computer Inc. 400 Cottontail Lane Somerset, NJ 08873 Tel. 908-764-8886 Fax 908-764-8887

E-mail sales@raritan.com http://www.raritan.com

MasterConsole and MasterView are trademarks of Raritan Computer Inc.



Get the product information you need, when you need it, now!

Introducing HotBYTEs, our new product information server.
HotBYTEs gives you fast access to the product information you need from one convenient source, 24 hours a day. Simply click on the HotBYTEs link from the BYTE Site home page to request the latest product information from BYTE advertisers and companies mentioned in the pages of BYTE. Product information will be rocketed to you via e-mail, the web or traditional mail. Powerful search capabilities allow you to find products by company, reader service number or category.

Quit waiting for product information to arrive by snail mail, carrier pigeon or the pony express. Try **HotBYTEs** today!

No hassles, no stamps or long waits—just free product information—**FAST.**Visit the BYTE Site at www.byte.com, click on the **HotBYTEs** link, and hold on to your hat!



Something Missing?

Complete your BYTE collection by ordering Back Issues today!

	1992	1993	1994	1995	1996	1997
January						
February						
March						
April						
May						
June						
July						
August						
September						
October						
November						
December		Berning (1)				

Special Issues U.S. Delivery \$3.00, Foreign Delivery \$4.00 • 1990 thru 1997 U.S. Delivery \$6.50, Foreign Delivery \$8.50, Canada & Mexico \$7.00 • All issues prior to 1990 U.S. Delivery \$3,00, Foreign Delivery \$4.00. Call for availability) These prices include: postage (US), surface mail (foreign). • All checks must be in U.S. funds and drawn on a U.S. bank. Please indicate which issues you would like by checking (/) the boxes. Send requests with payment to:



Check enclosed	Charge:	First Name				
MasterCard Eurocard	American Express VISA	Last Name				
Card#		Address				
Exp. Date		Address				
Name		City				
Signature		State	Zip			
	II. II. and a few dally see the outfood mo	ι Δ	Division of The McGraw-Hill Companies			

Only credit cards or Eurochecks accepted! Please allow th


The Communication Run DOS from ROM Stand alone 386 CPU KS-67 CPU with AMD 386 Up to 6MB Memory, FLASH 7 standard Serial ports (RS485) Ethernet (NE2000) PCMCIA, 2 Par., AT Bus \$249 +q100 KILA DOS-IN-FROM www.kila.com 303-444-7737 Fax 303-786-9983 sales@kila.com



Circle 95 on Inquiry Card.



Data Acquisition



1998 Instrumentation Catalogue

The National Instruments 1998 Catalogue features hundreds of products for computer-based measurement and automation. Some of the new products in the 1998 Catalogue include our new PCI line of PCI-based modular instrumentation products, the latest version of LabVIEW graphical programming software, and our IMAQ imaging and analysis software and hardware.

National Instruments

6504 Bridge Point Parkway, Austin, Texas 78730 (512) 794-0100 (800) 433-3488 (U.S. and Canada) Fax: (512) 794-8411

E-mail: Info@natinst.com WWW: http://www.natinst.com
See us at: COMDEX/Fall '97, Nov. 17-21, Las Vegas, NV, Booth #S3485

Circle 97 on Inquiry Card.

Why have the new LaserLite[™], DuraTrax[™], and LaserLite *Pro* received such outstanding reviews?



Because **metal cases** provide impressive strength and durability! You get **over 100,000 scans** from one set of batteries! And, you get **easy-to-use** Windows™ software to build your application!

Best of all—LaserLite, DuraTrax, and LaserLite *Pro* are uniquely affordable!



Call for your free information packet today.

Œ

See us at COMDEX Booth #L143

1105 N.E. Circle Blvd., Corvallis, OR 97330 541-758-0521 • Fax 541-752-5285 • http://www.videx.com



Industrial Rackmount Computers INDUSTRIAL PC SYSTEMS SOLUTION: Single Board Computers 486 ~ Pentium Pro Passive Backplane 3-slot ~ 20-slot Wall Mount/19" Rackmount Chassis 4/8/16 Ports Switch Box (PC/KB/Mouse) AC PS 90 ~ 260V, DC PS +12V/+24V/-48V ACI SYSTEMS Western Region: 1-800-983-1177 Eas: 1-415-428-0866 Eastern Region: 1-800-886-2243 Fax: 1-617-938-8037

Circle 85 on Inquiry Card (RESELLERS: 86).



Industrial Computers

Circle 102 on Inquiry Card.

industrial PC Power Supply

- 85~265VAC, -48VDC, +24VDC, +12VDC input
- 70W~350W output
- 60KHz PWM control IC
- 0~55°C operating
- MTBF > 20 years


ICP ACQUIRE INC.

CALL: 1-415-967-7168 FAX: 415-428-1172




Circle 87 on Inquiry Card (RESELLERS: 88).











ideo Windo


 4 Concurrent Real-Time Video Windowing on a Single PCI Card

- NTSC, PAL, SECAM Non-synchronous Video Source
- Dynamically Sized Video Windows Displayed At Any Position
- Remarkable High Quality Video
- Max. VGA Res. at 1024x768
- Max Video Size at 1024x768
- · VGA Text Graphics Overlay on Video
- Windows 95 & NT 4.0 API and GUI



Redmond, Washington, USA Voice: 425 836-8970 Fax: 425 836-8976

Circle 89 on Inquiry Card.



for under \$1.500!!!



 Speedy configuration setup -- in 5 minutes Easy software upgrade -- Flash ROM

s Expo, Nov. 17 ~ 21, Booth No. C9324

www.moxa.com

524 Weddell Drive, Suite 1, Sunnyvale, CA 94089 Tel : (408) 734-2224 Fax: (408) 734-4442 E-mail: info_byte@moxa.com

· User Authentication and accounting -

RADIUS

Moxa Technologies

Expandability -- 8 to 32 ports

API-232 Library for Win32 SDK

Drivers for all popular O.S





· High Performance, Compact, Reliable

· Easy to program in Borland/ Microsoft C/C++

We have 20+ Low Cost 16-bit Controllers with ADC, DAC, solenoid drivers, relay, PC-104, PCMCIA, LCD, DSP motion control, 10 UARTs, 100 I/Os. Customer boards design. Save time and money.

- 2.3"x2.2" A-Core™
- 3.6"x2.3" A-Engine"
- AMD188ES. 50+ I/Os, 11 12-bit ADC
- . 3 UARTs, 3 timers, 2 PWM, Bat+RTC
- · C library, Development kits



216 F Street, Ste. 104, Davis, CA 95616, USA Tel: 916-758-0180 Fax: 916-758-0181 tern@netcom.com http://www.tern.com

Circle 91 on Inquiry Card.





Circle 93 on Inquiry Card (RESELLERS: 94).



BL 1500 controller is ideal for OEM machine control and data aquisition, especially when analog I/O is required.

Our Dynamic C™ software (editor, compiler, and symbolic debugger) makes your system development fast and easy.

- 4 analog inputs
- 26 parallel I/O lines
- Real time clock
- SRAM/Flash EPROM
- RS485/RS232
- Watchdog timer

INNOVATION IN CONTROL TECHNOLOGY



Call for the name of the dealer nearest you!

916.757.3737 916.753.5141 FAX

http://www.zworld.com

Circle 90 on Inquiry Card.



Surprised at your rates?

Then call ValueWeb today, the world's most affordable web hosting service!

- Domain name registration provided (http://www.your_name.com/)
- Access to our SSL secure server
- · Your own CGI-bin directory

- · Anonymous Virtual FTP
- E-mail forwarding
- Daily tape backup
- 1000 Mb of data transfer per month

• T3 connection to the Internet

- Choice of UNIX and Microsoft Front Page
- Detailed web usage statistics
- Auto E-mail responders
- 25 Mb of disk space
- Truespeech® server support included (real time audio)
- Same day setup
- POP3 F-mail accounts

30 Day Money Back Guarantee!

The #1 Choice for Professional Website Developers.

Ask about our reseller program! 1-888-846-7756

Save \$10 When You Register Online! • www.valueweb.net • E-mail: sales@valueweb.net

Circle 107 on Inquiry Card.

HE BUYER'S

A DIRECTORY OF PRODUCTS AND SERVICES

THE BUYER'S MART is a unique classified section organized by product category to help readers locate suppliers. Ads may have inquiry numbers to aid readers requesting information from advertisers. AD FORMAT: Each ad will be designed and typeset by BYTE. Do NOT send logos or camera-ready

artwork. Advertisers should furnish

typewritten copy. 2"x1 1/16" ad can include headline (23 characters maximum), descriptive text (300 characters is the maximum recommended) plus company name, address, telephone and fax number. 2"x2 5/8" ad has more space for descriptive text (850 characters is the maximum recommended). **DEADLINE:** Ad copy is due

approximately 2 months prior to issue date. For example: November issue closes on September 15. Send your copy and payment to: THE BUYER'S MART, BYTE

Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information please call Mark Stone in BYTE sales at 603-924-2533 or FAX: 603-924-2683.

RATES (January 1997)

		issues	issues	issues
	1 ad	\$820	\$790	\$690
2"x11/8"	2 ads/issu	ue "	"	660
	3 ads/issu	ue "	"	620
	1 ad	\$1,640	\$1,580	\$1,380
2"x25/8"	2 ads/issu	ue "	"	1,320
	3 ads/issu	ue "	"	1,250
	COLOR -	Add \$	100	

BAR CODE

Bar Code Headquarters

- · Complete Bar Code Readers from \$299
- Portable Bar Code Readers from \$759
- Laser Gun Readers from \$549
- · Cordless Scanners from \$595
- · Two way RF Terminal \$1095
- · Bar Code Labeling Software for Windows - \$295 DOS Version - \$279
- · Bar Code Fonts for Windows/Mac \$199
- · Direct from Manufacturer

Worthington Data Solutions

800-345-4220

Phone: 408-458-9938 • Fax: 408-458-9964 In UK call 0800 393 213 In France call 0800 90 65 47 In Germany call 0130 8150 84 Rest of Europe call 353 1 6614 566 Website: www.barcodehq.com

CAD/CAM

CONTOURING MOTION CONTROL FROM A PRINTER PORT! Indexer LPT™ software \$249

- VERSION 3

 Controls up to six step motors simultaneously.
 Linear and Circular Interpolation.
- New features to accommodate machine control.

 Easy-to-use device driver. Super Manual.
 CAD-CAM interface available.

Coppration, 1422 Arnold Ave.
Roslyn, PA 19001 (215) 657-4338 http://www.abilitysystems.com FAX: (215) 657-7815

Inquiry 381.

TG-CAD Professional v.6.0 CAD Solutions Software

A 16 & 32 bit C/C++ Windows 95, Win NT & Win 3.1 CAD Developers Kit. The best in CAD/CAM software kits. Free Demo and Technical Paper Call 800-635-7760 or Fax 972-423-7288 or http://www.disksoft.com or E-mail disksoft@ix.netcom.com or BBS 972-881-9322 Disk Software, Inc. 109 S. Murphy Rd., Plano, TX USA 75094

Inquiry 382.

CD-ROM

CD-R Media \$2.99

DVD-R, SCSI Drives Data Compression: CRI-X INC 500, Established 1988 303-384-3922 FAX 303-384-3926

www.cdrominc.com

Inquiry 383.

CD-ROM

	CD-ROMS
	Windows95.com 32-bit Shareware Collection
	Compilation of "www.windows95.com" website 32-bit Shareware Section. LINUX Developers Resource 6 CD set
	LINUX Developers Resource 6 CD set. \$27.50 Redhat, Debian, Slackware, MetroX Server, On-Line Docs.
	LINUX Toolbox \$45.00
	Includes 6 CD Set with 600 Page Manual!
i	Programming Languages \$25.00
l	REXX, Oberon, Modula-2, Modula-3 (pre-built binaries) Scheme/Jacl Standards \$30.00
	Domestic and international networking standards.
	Webmaster Tools Volume 1\$35.00
	Everything needed to generate and promote web pages.
	Webmaster Tools Volume 2\$35.00
	Everything you need to run and administer a web server. Webmaster 3 \$35.00
	Includes all the advanced aspects of web design including Video, VRML and more
	Workgroup Server New Version
	Print and File Sharing for DOS, WIN, MAC, OS/2 and NT under LINUX
	MOO-TIF for LINUX - 100% Motif Compatible GUI - for LINUX \$99.00
	Visual Basic Tools \$35.00 Latest shareware tools and utilities. Databank, multimedia & refined VBX control
	Winsite CD-ROM Set \$35.00
	Shareware for Windows 3.1, NT and 95
	Pawn to King 4\$30.00
	Over 2,000 Etexts of classical literature, government, biology, kids & fairy tales. Programmers Heaven \$30,00
	Programmers Heaven \$30.00 Contains over 8500 files and more than 630 nacked menabytes of

Web Orders: www.infomagic.com E-mail: orders@infomagic.com InfoMagic 11950 N. Hwy 89, Flagstaff, AZ 86001

Inquiry 385.

DATA RECOVERY

We Can Save It!

All Platforms - All Storage Devices Proprietary techniques so advanced we rescue data others simply abandon.

DRIVESAVERS

Restoring data since 1985 1-800-440-1904

415-883-4232

Inquiry 386.

The Leader in Data Recovery

- Expertise in virtually every operating system & media storage device
- Emergency services with calls answered 24 hours a day. Call for a FREE consultation!

ONTRACK DATA RECOVERY

MpIs • LA • DC • London • Tokyo • Stuttgart 1-800-872-2599 · www.ontrack.com

Inquiry 387.

Don't pay thousands of Dollars! Download our DO-IT-YOURSELF Data Recovery Software

TIRAMISU.

We support DOS, WINDOWS, NOVELL and NTFS file systems http://www.recovery.de

Email: data_recovery@compuserve.com The Virtual Data Recovery Company

Inquiry 388.

DATA RECOVERY

Data Recovery Service

From one of Europe's largest disk drive manufacturers

- 24 hour, 7 day hotline
- Data promptly restored and returned
- SSA capability No fix. no fee

Call now: +44(0)1705 443283 or (0)374 136170 On-line information: www.xyratex.com

Xyratex

Inquiry 389.

DATA/DISK CONVERSION

CONVERSION/DUPLICATION

Tape: 4mm, QIC, 8mm, DLT, 9-trk, 3480/90/90E Disk: 3", 31/2", 51/4", 8" CD-ROM

1-800-357-6250

Shaffstall Corporation 317-842-2077 Fax 317-842-8294 7901 East 88th Street Indianapolis IN 46256 sales@shaffstall.com http://www.shaffstall.com Since 1973

EDUCATION

EARN B.S. AND M.S. IN COMPUTER SCIENCE THROUGH DISTANCE EDUCATION

- Object oriented B.S. program
- · New courses in Java, Networking, HTML, MIS
- Approved by more than 275 companies
- · Follows ACM/IEEE guidelines

Free catalog 1-800-767-AICS or http://www.aics.edu.

Accredited: World Association of Universities & Colleges

HARDWARE

HEWLETT-PACKARD

DeskJet

DraftMaster

Buy - Sell - Trade ColorPro LaserJet DraftPro RuggedWriter

Electrostatic Plotters DesignJet
We specialize in Demo & Refurbished Equipment
HP 9000 Workstations and Vectras also available.

Ted Dasher & Associates
4117 Second Ave., S. Birmingham, Al. 35222
Phone: (205) 591-4747 Fax: (205) 591-1108
(800) 638-4833
E-mail: sales@dasher.com

Inquiry 390

HELP WANTED

Multiligual-Junior
Windows NT Systems Engineer
Urgently required by TPD Publishing Group the UK's fastest growing contract publishers and specialising in multi-lingual pervices. The successful candidate must be multi-lingual, preferably with more than one European language, and have at least one middle-eastern language. You must know Win95, WinNT & MacOS. You should also be a Microsoft Certified System Engineer.

Salary £22,000

Send your CV to Chuck Goolsbee, IT Director, TPD Publishing Group, Long Island House, 1-4 Warple Way, London W3 ORG, or 3-mail: IT-job@tpd.com

INTERNET PRESENCE

Virtual Web Hosting • 3-T3 Connections!

www. YourName.com

http://PICK.NET RESELLERS Welcome

Inquiry 391.

LASERJET PCL VIEWER

LaserJet PCL Conversion and Viewing Tools

View your PCL5e print files in Windows with 100% accuracy using Visual PCL. PCL to TIF/Fax/raster command line conversion tools. Convert PCL print files to Acrobat PDF in DOS, Windows, UNIX for viewing and distribution over the net. Evaluations and full details available on our Web site. Libraries available for OEM developer integration.

Visual Software

http://www. visual.co.uk geddes@visual.co.uk

Inquiry 392.

PROGRAMMERS'TOOLS

EASIER! HIGHER QUALITY! FASTER! LOWER COST!

- Tools For VB & Access™ Developers

 Impress your clients with the unique visual cues and enhanced navigation and input interfaces of our Sense! custom controls! Be more productive than ever with the Sense graphical design tool!
- With VBRender™ and DBRender™, you have a point-and-click interface for designing, developing, managing, sharing and reusing source code and schema. efficiently and safely! You've never been more productive!
- Let Serve™ turn an Access file server database into a scalable, distributed client/server system without the expense and hassle of real upsizing! Best of all, the end result is still based on VB / Access!
- With Inform™ it will be easy and inexpensive for your clients to train and support their workers! Inform is an easy-to-use, multi-media, interactive EPSS supplement to or replacement for traditional Help.
- Bring it all together with Profit™! Estimate, analyze, design, model, develop, test, document, account for, manage and report on a development project with ease

ALL PRODUCTS UNDER \$50! VOLUME DISCOUNTS AVAILABLE!
SOURCE CODE AVAILABLE!

KinetiSys 799-7115 (847) 835-7115 (800) 799-7115 www.kspot.com

sales@kspot.com

Inquiry 393.

INTERNET APPLICATION DEVELOPMENT IN VISUAL BASIC

VB Bridge allows VB apps. to communicate with NT/IIS server thru ISAPI. To put it simply, you can build Internet server apps. using VB and save money!

Intro Price \$99

Pacific Software Publishing

Sales 800-232-3989 Tel 425-688-8080

http://vbbridge.pspinc.com

Inquiry 394.

High-Speed xBASE Engine...

For C, C++, VB, Delphi and Java programmers. Get multi-user compatibility with FoxPro, Clipper and dBASE files. CodeBase is portable between DOS, Windows, UNIX, Mac and OS/2! Includes unlimited client/server, ActiveX controls & visual report writer!

FREE 30 day test drive!

Call Sequiter Software Inc. for details or visit us on the web at www.sequiter.com FAX 403 436-2999 Phone 403 437-2410

Inquiry 395.

SCIENTIFIC GRAPHICS

GraphiC

Outstanding scientific graphics

http://www.sciend.com

Inquiry 396.

SECURITY

THE ULTIMATE SOFTWARE SECURITY

- THE ULTIMATE SOFTWARE SECURING STOPCOPY family UNCOPIABLE copy protection STOPVIEW software encryption NETLMIT network license metering DOS, Windows (3.X, 95, NT), Mac, OS/2, support Machine Tie, Internet Protection, CD-ROM Protection, Serialization, Date & Execution Limitation, Registration, Remote Authentication, Concurrent User Limitation Our products destroy ALL of our competition

BBI Computer Systems, Inc. 14105 Heritage Lane, Silver Spring, MD 20906 800/TRY-ABBI • 800/879-2224 • 301/871-1094 • FAX: 301/460-7545 E-mail: bbi@bbics.com • Web: http://www.bbics.com

Inquiry 397.

CRYPKEY SOFTWARE LICENSING SYSTEM

- CrypKey is software copy protection that is:

 completely secure from any disk copy program
- perfect for CD-ROM or INTERNET distribution!
 cost effective, user friendly, and 100% guaranteed

CrypKey can increase your software sales:

• upsell options and levels of your software

- lease or demo your software by runs or time

enable or upgrade your customers instantly by phone, fax or E-mail! New! unique Ready-To-Try feature upon install allows 1 trial period only per customer. New! unique Add-On feature - add

more options, levels, runs or time to existing licenses. New!

CrypKey Instant-protects in just 5 minutes with no source

CrypKey is completely compatible with MS-DOS, MS-Windows 3.x, Win32s, Win95, Win95B/FAT-32, Win NT, and manages network licenses on all Novell and Microsoft operating system based networks.

CrypKey Instant is Ready-To-Try. FREE for 30 days on our web site: http://www.kenonic.com/crypkey.htm Kenonic Controls Ltd. Calgary, Canada (403) 258-6200 • fax: (403) 258-6201 INTERNET: crypkey@kenonic.com

Inquiry 398

VT Protect

SECURE PRODUCT LICENSING **OVER THE WEB!**

Secure, reliable piracy protection at a fraction of hardware dongle prices.

Single tool allows administration of multiple products on Windows and UNIX platforms with full integration measured in hours, not days!

Unique user defined security level with support for time limited evaluations, product demos and full and sub product licensing

An individual, node locked password generated with VT Protect Administrator converts demos and evals to a full single user product, cutting sales time and reducing licensing headaches.

> **Download VT Protect Today!** WWW.VTPROTECT.COM

(888) 842-8323 / (508) 647-0464

Inquiry 399.

SECURITY

KEY-LOK II™ SECURITY Software Piracy Prevention — Survival 14 years proves effectiveness. Active algorithm, programmable memory, counters, date control, remote update. No ID on device. Low pricing (e.g. \$16.50 each for 5).

No startup costs.
Also, ACCESS CONTROL systems and disk drive/system LOCKS

MICROCOMPUTER APPLICATIONS, INC.

3167 E. Otero Circle, Littleton, CO 80122 http://www.keylok.com

1-800-453-9565 (303) 770-1917 FAX: (303) 770-1863

Inquiry 400.

SIMULATION SOFTWARE

Analog/Digital Simulation!!

- · Windows, NT, DOS
- · Model Libraries, RF, Power
- Power Mac, Macintosh
 IsSpice4 Real Time SPICE
- More Than 5000 parts
 Waveform Analysis
 Full SPICE programs Mixed Mode Simulation
- Schematic Entry
 New AHDL Modeling Kit!! starting at \$95. Complete systems, \$595-\$2595

(310)833-0710, FAX (310)833-9658 INTUSOft P.O. Box 710 San Pedro, CA 90733-0710 Call for your Free Demo and information kit

Inquiry 401.

SOFTWARE PACKAGING

MANUALS ON DEMAND

600 dpi in 4 days — As low as 2¢/page BUY JUST WHAT YOU NEED – CONSERVE CASH

· · · FREE CATALOG · · ·

Software boxes Laser labels 15¢ Mailers Everything you need to sell your software

Hice & Associates

8586 Monticello Dr., West Chester, OH 45069 Phone/Fax: 513-779-7977

Inquiry 402.

TRANSLATION SOFTWARE

Word Translator for Windows

- Hot-key translation of words, phrases & documents from within your word-processor or DTP program;

- Huge range of languages including tost 8. West European, Scandinavian, Latin American 8. Slavic;
 User-defined dictionary add your own entries;
 Prices start at only USS60 call, fax or email for details!
- CREATIVE TECHNOLOGY (ctsales@net-shopper.co.uk)
- Europe: Tel +44 1889 567160 Fax +44 1889 563548 US: Tel 303 329 8716 Fax 303 388 1521
- http://www.net-shopper.co.uk/software/ibm/trans/index.htm

Inquiry 404.

YOUR AD HERE

ADD COLOR IMPACT TO YOUR AD

The Buver's Mart

For rates and details to start or upgrade your advertising

Call Mark Stone today at 603-924-2533


Fax: 603-924-2683 stonem@mcgraw-hill.com

Inquiry 405.

ADVERTISER CONTACT INFORMATION

To order products or request free information, call advertisers directly or send in the Direct Link Card by mail or fax Let them know you saw it in BYTE!

INQUIRY	NO.	PAGENO	. PHONE NO.	INQUIRY	NO.	PAGENO	. PHONE NO.	INQUIRY	NO. P.	AGE NO.	PHONENC
	A			180	DIAL DIGITAL INC	136	604-291-8838		0		
			200 000 4477		DIGITAL	56-57	800-DIGITAL	400		400	E00 000 400
35-86	ACI SYSTEMS	151	800-983-1177	144	DISTINCT CORPORATION	16	408-366-8933	179	OBJECT MANAGEMENT GROUP	103	508-820-430
93-94	AE HOME CORPORATION	153	626-369-2608	145	DISTINCT CORPORATION	16	408-366-8933		OSBORNE MCGRAW-HILL	135	800-822-815
110-111	ALADDIN KNOWLEDGE SYSTEMS LTD	12	800-562-2543	355-356	DISTRIBUTED PROCESSING TECHNOLOGY	104E	407-830-5522	-	P		
108-109	ALADDIN KNOWLEDGE SYSTEMS LTD	83	800-223-4277	123-124	DTK COMPUTER INC	79	800-289-2385	127	PANASONIC COMMUNICATIONS & SYSTEMS	69	800-742-808 ext P
	ALPHA POWERED	8-9	888-ALPHA-45		F			151-152	PHILIPS BUSINESS ELECTRONICS	120	800-835-350
1910Hg		OUTSERT		125	FAIRCOM CORPORATION	96	573-445-6833	*		96NA 1	000 000 000
162	AMERICAN ADVANTECH	145	800-800-6889	168	FOREFRONT DIRECT INC	141	800-475-5831	128-129	PKWARE INC	131	414-354-869
	AMERICAN POWER CONVERSION	16A-B	401-788-2797**	100		141	000-473-3031	163	POLYWELL SYSTEMS	143	800-300-765
12	AMERICAN POWER	17	888-289-APCC		G			149-150	POWERQUEST DRIVE IMAGE	67	800-379-256
112	CONVERSION		ext8199	169-170	GRANITE DIGITAL	144	510-471-6442	147-148	POWERQUEST PARTITION MAGIC	35	800-720-039
	AMERICAN POWER CONVERSION	48A-B	401-788-2797**	142-143	GRIFFIN TECHNOLOGIES	130	800-986-6578	101	PRECISION GUESSWORK INC	152	508-887-657
113	AMERICAN POWER CONVERSION	49	888-289-APCC ext8251	477 470	H	440	000 000 11444		0		
46	ARTECON	95	800-USA ARTE	177-178	HIWAY TECHNOLOGIES	142	800-339-HWAY	130	ONX SOFTWARE SYSTEMS LTD	25	800-676-056
157-158 39	ARTMEDIA AVITECH INTERNATIONAL COR	99 P 152	+886-2-778-5850 425-836-8970	126	HUMMINGBIRD COMMUNICATIONS	42	416-496-2200	*		NA 4-5	ext104 800-624-554
		2 40/ 104	120 000 0010		The same of the same				QUANTUM GUILI UNATION 30	IIA 4-0	ext13
	В				IBM	- 11		131-132	QUATECH INC	94	800-553-117
	BUSINESS WEEK	96NA 2				11	000 500 4100		R		
	BYTE BACK ISSUES	149	603-924-9281	87-88	ICP ACQUIRE	151	800-500-4138				
	BYTE ON CD ROM	133	800-924-6621	371	INTRASERVER TECHNOLOGY	104R	888-429-0425	175-176	RAIDTEC CORPORATION	142	770-664-606
	BYTE READER SERVICE	105		96	IO TECH	150	216-439-4091	133	RAINBOW TECHNOLOGIES	5	800-852-856
	BYTE READER SERVICE	148			The state of the s			171-172	RARITAN COMPUTER INC	147	908-764-8887
	BYTE SUB MESSAGE	134		00	IN MICDOCACLENG	150	E10 000 11E1	102	RECORTEC INC	151	888-RECORTE
	BYTE WEB SITE	104	http://www.byte.com	92	JK MICROSYSTEMS	152	510-236-1151	134-135	ROSE ELECTRONICS	93	800-333-934
	C			- AND SERVI	K				S		
153-154	CMD TECHNOLOGY	50	714-454-0800		KILA	150	303-444-7737	136	SAMSUNG	27	
352	COMP USA	38-41	800-865-4576	*	KILA	151	303-444-7737	360	SCEPTRE TECHNOLOGIES	104	888-580-558
*	COMPAO	20-21	800-345-1518	*	KILA	153	303-444-7737	361	SCEPTRE TECHNOLOGIES	104G	888-580-558
	COMPUTER	15	888-864-2368	357	KINGSTON NETWORKING	104B	800-337-7039	362	SLIGER DESIGNS	104U	800-255-026
	ASSOCIATES/CHEYANNE	13	000 004 2000	358	KINGSTON STORAGE	1040	800-337-7039	103-104	SLIGER DESIGNS	151	800-255-026
*	COMPUTER	29	800-864-2368		•		000 001 1000	*	SOFTBANK/COMDEX	138	617-433-160
116	ASSOCIATES /UNICENTER COMPUTER DISCOUNT	76-77	800-959-4239	367-368	LEOPTICS INC	1041	+886-2-755-0366	155-156 137	SPOT TECHNOLOGY STATSOFT	123 71	+886-3-587-896 918-749-111
	WAREHOUSE		000 000 0004	30.000			7000 2 700 0000		T		
95	CONTEC MICROELECTRONICS		800-888-8884		M			105 100	TECHNICI AND	454	000 000 450
118	COREL	91	613-728-0826 ext3080	359	MICRO 2000	104J-K	818-547-0397**	105-106 91	TECHNOLAND TERN INC	151	800-292-450
164	CORPORATE SYSTEMS CENTER/CSC	146	408-743-8732	160-161	MICRO MACRO TECHNOLOGIES	132	303-320-1628	159	TRACEPOINT TECHNOLOGIES	153 89	916-758-018 888-688-250
353-354		104L	800-953-0145	*	MICROGRAFX	127	800-877-3040	165	TRI-MAP INTERNATIONAL INC	140	510-447-203
119-120	CYBEX COMPUTER	55	205-430-4000	*	MICRO-INTERNATIONAL INC	152	800-967-5667		TV INTERACTIVE/.COM	137	800 311 800
	PRODUCTS CORP			140	MICRON ELECTRONICS	CII-1	800-362-7306		V		
	D			*	MICROWAY	36	508-746-7341	107	VALUE WEB	153	888-846-775
		200		166-167	MINICOM ADVANCED SYSTEMS	144	+972-2-518593	369-370	VECCOM CO LTD	104W	+886-3-451-521
	DELL COMPUTER CORP	CV-CVI	800-678-1710	363-364		104Q	+886-3-328-9000	98	VIDEX INC	150	541-758-052
		CVII-CVIII	800-678-1710	99-100	MOXA TECHNOLOGIES	152	800-699-MOXA	138-139	VIEWSONIC	65	800-888-858
16	DELL COMPUTER CORP (F1000)	CV-CVI	800-727-4236			104X	+886-2-707-3123				AGENT400
	DELL COMPUTER CORP (F1000)	CVII	800-766-4783						W		
	DELL COMPUTER	CVIII	888-678-3355		N	Saurin	92 - I	142-143 351	WIBU SYSTEMS AG WINBOOK COMPUTER	130 7	800-986-657 800-293-163
	CORP (F1000)	20.04	000 000 0000	97	NATIONAL INSTRUMENTS	150	800-433-3488	001	CORPORATION	380	000-239-103
- 1775	DELL COMPUTER CORP	30-31	800-822-3309	*	NEC COMPUTER SYSTEMS	62-63	1-888-8-NEC-NOW		7		
104 400	DELL COMPUTER CORP	96NA 7	800-765-5361		DIVISION				Z		
121-122	DELIEU	86	800-DELTEC-1	173-174	NEWVOICE	147	908-684-1300	90	Z-WORLD ENGINEERING	153	916-757-373



BYTE ADVERTISING SALES STAFF

Michael P. Walsh, Associate Publisher 29 Hartwell Avenue, Lexington, MA 02173 Tel: 781-860-6714, Fax: 781-860-6179, mike_walsh@mcgraw-hill.com

Lori Silverstein, Eastern Regional Sales Director 921 Eastwind Drive, Suite 118, Westerville, OH 43081 Tel: 614-899-4908, Fax: 614-899-4999, lorisf@mcgraw-hill.com

Jim Hussey, Western Regional Sales Director 1900 O'Farrell Street, Suite 200, San Mateo, CA 94403 Tel: 650-513-6861. Fax: 650-513-6867. jim hussev@mcaraw-hill.com

NORTH PACIFIC

AK, Northern CA, HI, ID, MT, OR, Silicon Valley, WA, WY, Western Canada Lisa Farrell 650-513-6862 Ifarrell@mcgraw-hill.com Matt Knuth 650-513-6951 matt_knuth@mcgraw-hill.com Sarah McGregor 650-513-6952 sarah_mcgregor@mcgraw-hill.com Chris Litchfield 650-513-6939 The McGraw-Hill Companies 1900 O'Farrell Street, Suite 200 San Mateo, CA 94403 FAX: 650-513-6867

SOUTH PACIFIC

AZ, Southern CA, CO, NM, NV, UT
Beth Dudas 714-443-9314
bdudas@mcgraw-hill.com
Geanette Perez
gperez@mcgraw-hill.com
The McGraw-Hill Companies
635 Camino de los Mares, Suite 212
San Clemente, CA 92672
FAX: 714-443-9602

MID WEST-SOUTHEAST NEW MEDIA/ONLINE PRODUCTS

FL, GA, IL, KY, MI, MN, NC, SC, SD, WI Neil Helms 404–843–4777 nhelms@mcgraw-hill.com Kirstin Powell 404–843–4765 kpihl@mcgraw-hill.com The McGraw-Hill Companies 4170 Ashford-Dunwoody Road Suite 520 Atlanta, GA 30319–1465 FAX: 404–256–5962

NEW ENGLAND

CT, MA, ME, NH, NY, RI, VT, Ontario, Canada, Eastern Canada Edward Marecki 401-351-0274 ed_marecki@mcgraw-hill.com BYTE Magazine One Richmond Square Providence, RI 02906 FAX: 401-351-0276

MID ATLANTIC

DC, DE, IN, MD, Metro NY, NJ, OH, PA, VA, WV
Don Calamaro 212–512–4811
doncalamaro@mcgraw-hill.com
John Ferraro 212–512–2555
jferraro@mcgraw-hill.com
Jill Pollak 212–512–3585
jpollak@mcgraw-hill.com
The McGraw-Hill Companies
1221 Avenue of Americas, 28th Floor
New York, NY 10020
FAX: 212–512–2075

SOUTHWEST-MIDWEST

AL, AR, IA, KS, LA, MO, MS, ND, NE, OK, TN, TX
Jennifer Brinkman 214–688–5165
jen_brinkman@mcgraw-hill.com
Chrissy Copple 214–688–5171
ccopple@mcgraw-hill.com
The McGraw-Hill Companies
Mockingbird Towers, Suite 1104E
1341 W. Mockingbird Lane
Dallas, TX 75247–6913
FAX: 214–688–5167

PETERBOROUGH, NH OFFICE

One Phoenix Mill Lane Peterborough, NH 03458 Sales FAX: 603-924-2683 Advertising FAX: 603-924-7507

BUYERS MART & FURO-DECK

Mark Stone 603-924-2533 stonem@mcgraw-hill.com

BYTE Deck

Brian Higgins 603-924-2596 bhiggins@mcgraw-hill.com

ADVERTISING PRODUCTION

Advertising/Production FAX: 603-924-7507

Advertising Production Manager: Linda Fluhr 603-924-2551 Ifluhr@mcgraw-hill.com

Senior Advertising Production Coordinator:

Lyda Clark 603-924-2545 lclark@mcgraw-hill.com

Advertising Production Coordinators: Karen Cilley 603-924-2557 kcilley@mcgraw-hill.com Rod Holden 603-924-2675 wholden@mcgraw-hill.com

Senior Operations Coordinator: Lisa Jo Steiner 603-924-2540 lisajo@mcgraw-hill.com

Advertising Graphics Manager: Susan Kingsbury 603-924-2507 suekings@mcgraw-hill.com

MARKETING AND PLANNING

Market Information Manager: Edward Fielding 781-860-6344 FAX: 781-860-6822 fielding@mcgraw-hill.com

Market Information Coordinator: Dylan DiGregorio 781-860-6267 FAX: 781-860-6822 digregor@mcgraw-hill.com

Assistant Manager, Trade Shows and Special Events: Arja Neukam 781–860-6378 FAX: 781–860-6307 aneukam@megraw-hill.com

Marketing/Sales Information Associate:

Susan Monkton 603-924-2618 smonkton@mcgraw-hill.com FAX: 603-924-2602

Marketing Services Coordinator: Kate Woodhouse 781-860-6361 FAX: 781-860-6307 woodhous@mcgraw-hill.com

SUBSCRIPTIONS

Customer Service U.S. 1-800-232-2983 Outside U.S. +1-609-426-7676 For a New Subscription U.S. 1-800-257-9402 Outside U.S. +1-609-426-5526

INTERNATIONAL ADVERTISING SALES STAFF

Lori Silverstein, International Sales Director, 921 Eastwind Drive, Suite 118, Westerville, OH 43081 U.S.A.
Tel: +614-899-4908, Fax: +614-899-4999, lorisf@mcgraw-hill.com

BYTE ASIA-PACIFIC AUSTRALIA, HONG KONG, INDIA, INDONESIA, KOREA, MALAYSIA, PAKISTAN, PHILIPPINES, OTHER ASIA AND PACIFIC COUNTRIES, SINGAPORE. TAIWAN

Weiyee In weiin@mcgraw-hill.com Jennifer Chen jennchen@mcgraw-hill.com #305 Nanking East Road, Section 3, 10th floor Taipei, Taiwan, R.O.C. Tel: +886-2-715-2205 FAX: +886-2-715-2342

KOREA

Young-Seoh Chinn JES Media International 6th Fl., Donghye Bldg. 47-16, Myungil-Dong Kangdong-Gu Seoul 134-070, Korea Tel: +82-2-4813411 FAX: +82-2-4813414

GERMANY, SWITZERLAND, AUSTRIA

Jürgen Heise

jheise@mcgraw-hill.com The McGraw-Hill Companies Adam-Berg-Str. 115a D-81735 Munich, Germany Tel: 449-89-680701-16 FAX: 449-89-680701-18

ISRAEL

Dan Aronovic rhodanny@actcom.co.il DARA International 11 Hasheldag Street P.O. Box 2335 Kadima 60920, Israel Tel: +972-9-8995813 FAX: +972-9-8995815

ITALY, FRANCE, SPAIN, PORTUGAL, SCANDINAVIA

Zena Coupé, Amanda Blaskett 101645.1710@compuserve.com A-Z International Sales Ltd. 70 Chalk Farm Road London NW1 8AN, England Tel: +44 171 2843171 FAX: +44 171 2843174

JAPAN

Akiyoshi Kojima Japan Advertising Communications, Inc. Three Star Building 3-10-3 Kanda Jimbocho Chiyoda-ku, Tokyo 101 Japan Tel: +81 3 3261 6126 FAX: +81 3 3261 6126

UNITED KINGDOM, BENELUX

Jonathan McGowan

jonmegow@megraw-hill.com Tel: +44 171 495 6781 Marc Green mare_green@megraw-hill.com Tel: +44 171 495 6780 The McGraw-Hill Companies 34 Dover St. London W1X 4BR England FAX: +44 171 4956734

EDITORIAL INDEX

For more information on any of the companies covered in articles, columns, or news stories in this issue, enter the appropriate inquiry number on the response card. Each page number refers to the first page of the article or section in which the company name appears.


	٨		1001	Digital Equipment	18, 106, 114,	1121	Kinetix	129	986	RDI Computer	1
	A		1052,	Digital Equipment	159	Prompto.	Kiwi Computers	106		Reliable Software	3218
075	Acer America	106	1081			1000	KMPG Peat Marwick	104M		Technologies	0210
191	Adobe Systems	159	1000	Dimensional Insight	159		NWII U I Gat Wat Wick	INLEDI		Restaurant Consulting	104
	Alcatel	58	1028	Dr. Solomon's Software			1			Services	10
	Alpha Telecom	32IS 7		_			Lernout&Hauspie	32IS 3	1108	RSA Data Security	1
	AMD	18, 73	4	E			Lockheed	58	1124	RT Computer Graphics	1
076	AMS Tech	106		Ecobalance/Ecobilan	32IS 23	1004			1124	KI Computer Grapines	
	Apple Computer	18, 87	1082	Empac International	106	1024	Logitech	32IS 28		S	
	Applix	18	1110	Entrust Technologies	121		Loral	58			0010
บบง	Aqueduct	159		EORM	32IS 23		Lotus Development	18		Savantage	3218
190	Artecon	159	996	Eos Systems	159		M			, Sceptre Technologies	
			983,	Epson America	159				1095		
029	Articon Information Systems	32IS 28	989			979	Matrox Graphics	159	993	Seagate	
		70		E-tech	3218 7		McCabe and Associates	32IS 17	1059	Secure Computing	
050	Asus	73	1083	Eurocom	106		Mercury Interactive	32IS 17	1096	Sharp Electronics	
U53	Aventail	114	1084	Everex Systems	106	1116	MetaCreations	129	1026	Sicon-Socomec	3218
	Axent Technologies	81					Metrowerks	101		Siemens Nixdorf	3218
	В			F associ		1090	MicroExpress	106	1022	Silux	3218
				FAPS	32IS 23	1091	Micro International	106			
021	BinTec Communications	32IS 28	985	Franklin Electronic Publish		1092	Micron	106		Sony Electronics	
	Boothroyd Dewhurst	32IS 23		FTP Software	114			4, 121, 125,	1106		
198	Borland International	159		TH Continue	STATE OF STATE	1062,		6NA 3, 104C		Spinwest	3218
019	Brain Boxes	32IS 28		G		1109			1115	Strategic Simulations	
			1110	G&A Imaging	129		Motorola	58	1060	Sun Microsystems	
	C		1113	GA Seer Technologies	32IS 23	987	Mylex	159		SunTest	3218
77	Canon Computer	159	1005	Gateway 2000	106					Symantec	0210
	Casady & Greene	87	1086	dalaway 2000	100		N			Oymantoo	
	CB Consultants	104M	100	Gimpel Software	32IS 17		NCR Retail Services Group	104M		T	
	CCL/ITRI	32IS 7		Great Lakes Business Solu		1093	NEC Computer Systems Divis	ion 106	1000	The second second	
007	CE Infosys	32IS 28		droat Earloo Basinooo Gold	01		Netscape	121, 125	1098	Tatung Company of America	1
021				H		1112	Communications	121,120		Teledesic	
	Centaur Technology	73	982,	Hewlett-Packard	106, 159	101	Network Information Technolo	igy 81		Texas Tech University	3218
	Central Research	32IS 3	1088	Howiell Fackaru	100, 100	mek	Nortel/Cognition	32IS 23	1099	Toshiba America	
400	Laboratories	100		Hitachi	18, 106	1074	Number Nine Visual Technolog			Information Systems	
	Cerious Software	129	100.	Hughes Communications	58		Transor Willo Viodar Tooliilolo	9) 00	984	Toshiba Imaging	
054	Check Point Software	114	1022	HyperTec	32IS 28		0		1002	Traveling Software	1
077	Technologies	100	IOLL	Пуропоо	0210 20	1114	Olympus America	129	1004		
	Chem USA	106				1114	olympus America	123	1042		253/44
030	Cherwell Scientific	32IS 28	981	IBM	159		P		1061		
	Publishing	2010.7		ICP Vortex	32IS 28	1000	The second second	2010 00	1001	-,	1
	CIS Technology	32IS 7		The Imtec Group	32IS 28	1030	Paradigm Business Simulators	32IS 28		Turtle Bay	3218
	COM One	32IS 28				1033	Planetary Systems	32IS 28		V	
	Compaq Computer	106	1031	Information Technologies and Electronics	32IS 28	976					
010	Computer Connections	32IS 28	1015	Innovative Software	32IS 28	110000000000000000000000000000000000000	Polywell Computers	159		Verilog	3218
	Conceptware	32IS 23	1120	Inso	129	1107	Pretty Good Privacy	121		VersaNet	321
	Connectix	51	994	Intel	The state of the s		Prime View International	3218 3		Vicious Fishes Software	
	Corel	18	1113	Interplay Productions	18, 73, 159		Product Ecology Consultants	32IS 23	1123	Visio	1
079	CTX International	106			129			0010 47	1013	Visualizing Ideas	
	Cyrix	18, 73	995	lomega IPL	159 32IS 17		Programming Research Pure Atria	32IS 17 32IS 17	1010		3218
					0210 11			0210 17		W	
	D	Z minus		J	To be seen		Q		997	WexTech	1
	Data Fellows	114	1118	Jasc	129	978	Quantum	159	1100	WinBook	1
92	DataLink	159		I/							
	Decision Dynamics	32IS 23		K			R	MENDOS V		Z	
กลก	Dell Computer	106	10/11	KDS USA	159	1050	Raptor Systems	114		ZyXel Communications	3218

IS pages appear only in the International edition. NA pages appear only in the North America edition. C and M pages appear only in the Reseller edition.

What's New

Hardware

A 600-MHz Alpha workstation, Unix notebooks, Java development tools, and remote network management software.



PolyAlpha PC \$10,661

Enter 976 on Inquiry Card.

Polywell Computers

South San Francisco, CA 800-999-1278 415-583-7222 http://www.polywell.com

The Fastest Box on the Block

Digital Equipment's Alpha chip is not just for servers anymore, though it is still not your typical desktop processor. The latest 21164 processor can run at 600 MHz, roughly twice the speed of most competitors' chips. The typical user won't need this kind of speed to run Microsoft Office or read e-mail, but this level of processing power promises to push high-end graphics or database applications to new heights.

I looked at a Polywell PolyAlpha PC running the new 600-MHz chip with a 2-MB L3 cache, 128 MB of RAM, a 4.5-GB Ultra-Wide SCSI hard drive, and a 4-MB Matrox Millennium PCI graphics card. This configuration costs \$10,661, though most users will probably opt for a more powerful graphics card, should they use this system for animation, 3-D rendering, and such graphics applications.

The system runs either Unix or Windows NT. Unix systems have been shipping since July, but the system I saw is among the first running NT. I ran the native Alpha BYTEmark benchmark on this system (see "A Chip Off the Old Block" on page 18), which tests the raw processing power of the CPU, and got the highest numbers from any NT desktop system we've tested to date.

If over \$10,000 is excessive for this kind of processing power, a 533-MHz system will cost \$4300 less, and the 500-MHz Alpha system will cost \$5200 less. The price of the 21164 chip will eventually come down, and the price of the system with it, but for now, this is likely the most screaming processor on the market.

-Jason K. Krause

Add-ins

Video Graphics TV Kit for PCs

MATROX'S NEW GRAPHICS, VIDEO AND TV Kit combines the Matrox Mystique 220 3-D and video accelerator with 4 MB of SGRAM and video-capture and TV-tuner options to let you capture and edit video. Or, you can simply watch TV on your PC. The system, which includes video-editing software, games, and other titles, sells for \$379.

Contact: Matrox Graphics, Dorval, Quebec, Canada, 800-361-1408 or 514-969-6300; http://www.matrox.com. Enter 979 on Inquiry Card.

Printers

Desktop Printing in a Small Package

CANON'S BJC-80 OFFERS COLOR PRINTing in a package that's not just affordable, but portable, too. The Canon BJC-80 (\$299) is a 3-pound,




four-color ink-jet printer that is 11.8 inches wide, 6.2 inches deep, and 2.2 inches high. It is capable of printing on paper up to 8 inches wide. The BJC-80 achieves 720 by 360 dpi with Canon's Drop Modulation Technology that allows the print head to control the size of dots as it prints. It is rated for 4-pageper-minute printing in black ink and 2 pages per minute in color. Contact: Canon Computer Systems, Costa Mesa, CA, 800-848-4123 or 714-438-3000; http://www.ccsi.canon.com. Enter 977 on Inquiry Card.

Scanners

Digitize Images Faster

THE HP SCANJET 6100C (\$799) SPEEDS the scanning process, capturing images with a single exposure, and



hardware-accelerated image processing takes the guesswork out of scanning. A trichromatic beam captures the full spectrum of color in one pass across an image, and a processing chip, new to Hewlett-Packard's line of scanners, performs color matching, more accurate gray-scale output, and basic image-processing tasks.

Contact: Hewlett-Packard, Palo Alto, CA, 800-722-6538 or 650-857-1501; http://www.hp.com. Enter 982 on Inquiry Card.

Enter 902 on inquiry card

Bigger, Bolder

Scanning

THE EPSON EXPRESSION 836 XLIS A SCANner for graphic designers and engineers. It can scan images the size of a tabloid newspaper, such as posters, blueprints, or large-format prints, or can batch-process multiple smaller images. It has 800- by 1600-dpi optical resolution with 36-bit color and an auto-focus lens, rather than fixed-focus. The Expression 836XL makes scans in one pass and can scan images of up to 12.2 by 17.2 inches. With the bundled SilverFast scanning software, you can optimize image output with control over range, gradation, color balance, contrast, brightness, highlights, halftones, and shadows. The basic unit costs \$2500. For \$3000, you can get one that can process slides, 40 at a time.

Contact: Epson America, Torrance, CA, 310-782-0770; http://www.epson.com.

Enter 983 on Inquiry Card.

Videoconferencing

Get the Picture

THE TOSHIBA IK-MM1 BRINGS HIGH-RESolution imaging to the portablecomputer environment for \$139. It features a CCD image sensor with a fixed-focus lens, automatic white balance, 512- by 492-pixel resolu-



tion, and a video-capture rate of 30 frames per second. The IK-MM1 has analog NTSC video output and works with most video-capture cards. It has no audio capabilities, which means you need a separate microphone to conduct an audio/video videoconference.

Contact: Toshiba Imaging Systems, Irvine, CA, 714-461-4984; http://www.toshiba .com/pccam.

Enter 984 on Inquiry Card.

PC Cards

King of the PIMs

REX IS A PIM IN A PC CARD FORM FACtor. Use it to download information from PIMs such as Microsoft's Out-



look, Schedule+, Lotus Organizer, and Starfish's Sidekick. You can access the data anywhere on REX's 9-row, 30-column LCD screen. REX has 128 KB of flash ROM, fits into a Type II PC Card slot or uses a serial-port adapter to access PCs, and uses Starfish's TrueSyncsynchronization software for accessing data. It weighs 1.4 ounces, measures ¼ inch thick by 2 inches wide and 3 inches deep, and runs on two lithium-ion batteries. The estimated street price of the REX PIM ranges from \$129.95 to \$179.95.

Contact: Franklin Electronic Publishers, Burlington, NJ, 609-386-2500; http://www.franklin.com.

Enter 985 on Inquiry Card.

Monitors

Get the Whole Picture

A 19-INCH MONITOR FROM KDS USA, THE Visual Sensations VS-19, presents 18.8 inches of screen space priced at \$999. It has a horizontal scanning frequency of up to 95 kHz with a picture resolution of up to 1600 by 1200 pixels at 75 Hz. It needs an adapter for use with a Mac and supports Plug and Play on Windows 95 machines.

KDS USA, Garden Grove, CA, 714-379-5599; http://www.kdsusa.com. Enter 1041 on Inquiry Card.

Systems

The Power Paradigm

THE POWERDIGM XSU FEATURES MICRON'S Samurai chip set, which promises higher system bandwidth and support for Ultra SCSI, Gigabit Ethernet, or Fibre Channel I/O. Slots on the motherboard include one (66-MHz) 64-bit PCI, two (33-MHz) 32-

bit PCI, and two ISA. The system supports up to two Pentium II CPUs and comes with your choice of a Diamond Fire GL or Number Nine Revolution 3D video card. Standard features include the Pentium II, a 512-KB L2 cache, up to 384 MB of RAM, a 24× CD-ROM drive, and up to a 9-GB Ultra SCSI hard drive. The system starts at \$5199 with a single processor.

Contact: Micron Electronics, Nampa, ID, 800-209-9686 or 208-893-3434; http://www.micronpc.com.

Enter 980 on Inquiry Card.

New Network Computers

NOT EVERYONE ON A CORPORATE NETWORK is a power user. IBM's new Series 1000 network computers are built to be cost-effective alternatives to a PC. They have e-mail and Internet and intranet access. They can run Java applets and applications as well as execute Windows applications via multiuser implementations of Windows NT on a PC server. They support 3270 and 5250 terminal applications and work with applications on AIX and Unix servers using X Window System server support. Contact: IBM, Somers, NY, 800-426-7080 or 416-383-5152:

or 416-383-5152; http://www.ibm.com/nc.

Enter 981 on Inquiry Card.

Cameras

Making Picture Taking Simple

EPSON'S PHOTOPC 600 DIGITAL CAMERA (\$799) captures images at XGA resolution (1024 by 768 pixels), with an auto-focus lens and built-in ColorTrue image-processing software for fine-tuning color accuracy, saturation, balance, and contrast. Auto-exposure and a built-in automatic flash simplify picture taking, a built-in LCD monitor plays back photos, and the camera will print photos directly to the Epson Stylus Photo color ink-jet printer without downloading them first to a PC. The

printer's estimated street price is \$499, and the \$69 Stylus Photo Direct Kit includes the implements necessary for direct printing without a PC.

Contact: Epson America, Torrance, CA, 310-782-0770; http://www.epson.com. Enter 989 on Inquiry Card.

Portables

Portable Sun Workstations

THE ULTRABOOK (\$11,995), FROM RDI Computer, offers Unix workstation performance in a portable notebook. This 7.4-pound lithium-ion-



powered notebook has a 200–MHz UltraSPARC processor, a 14.1-inch active-matrix LCD, and a 9–GB EIDE hard drive for portable processing power. It includes 32 to 512 MB of memory and a PCI-based ATI Rage LT Sun Creator 2–D or 3–D graphics accelerator. The UltraBook runs unmodified Solaris 2.5.1 or 2.6 and is compatible with Sun Microsystems workstations.

Contact: RDI Computer, Carlsbad, CA, 760-929-0992; http://www.rdi.com.

Enter 986 on Inquiry Card.

Hard Drives

High-End Hard Drives

THE QUANTUM ATLAS III AND VIKING II have the disk space and throughput that high-end workstations and servers need. Both support the Ultra2 Low Voltage Differential SCSI for high bus transfer rates, and the 7200-rpm Atlas III drives support Fibre Channel-Arbitrated

Loops. The Atlas III series (from \$749 to \$1995) offers 4.55-, 9.1-, and 18.2-GB hard drives, and the Viking II series (\$595–\$895) has 9.1- and 4.55-GB drives. The Viking II series is targeted at the PC server and workstation environment. The Atlas III is geared for OLTP, data warehousing, and multisystem clustered environments.

Contact: Quantum, Milpitas, CA, 408-894-4721; http://www.quantum.com. Enter 978 on Inquiry Card.

Servers

Thin Is In

THE AUTONET (\$995), FROM MYLEX, IS A platform-independent, embedded Plug and Play network server engine, otherwise known as a "thin" server. Based on the NetEngine architecture, which uses open RISC, ASIC, I/O, and LAN architectures, the AutoNet will support the addition of high-performance SCSI peripherals to a LAN architecture. The AutoNet has the form factor of a 31/2-inch disk drive. You can use it as a file server or to add storage products to a network. You can use the AutoNet to perform functions that were previously performed by more expensive file servers, but



without requiring NICs, large amounts of RAM, or NOS licenses, as do other file servers.


Contact: Mylex, Fremont, CA, 510-608-2222;

http://www.mylex.com.

Enter 987 on Inquiry Card.

Continuing the Revolution

BUILDING ON THE ARCHITECTURE OF THE ALR Revolution Quad6 and Revolution 6×6 servers, the Revolution 2XL (\$3495) supports dual Pentium Pro



or Pentium II processors and a host of the latest server features. The Revolution 2XL, an enterprise-class server, has a 64-bit SMP parity path between processor, cache, and memory; integrated PCI Fast Wide UltraSCSI and PCI graphics controllers; and two 365-W power supplies for load sharing. A PCI/EISA bus architecture offers fast peripheral performance, while maintaining backward compatibility with EISA legacy systems.

Contact: Advanced Logic Research, Irvine, CA,

714-581-6770; http://www.alr.com. Enter 988 on Inquiry Card.

Storage

Highly Scalable RAID Solutions

THE LYNXSTAK SERIES 2000 RAID SYStem scales from simple 4-GB RAID protection up to backup protection for workgroup environments with terabytes of backup disk space. Each LynxStak controller supports as many as 14 Artecon Lynx drive subsystems, for up to 118 GB of usable capacity. Ultra Wide SCSI channels provide up to 40-MBps burst and 33-MBps sustained data transfer rates. Hot-swap removable RAID controllers, disk drives, fans, and power supplies help eliminate downtime, and the RAID controller achieves 4600 I/Os per second. Prices start at \$9710 for a 12-GB configuration.

Contact: Artecon, Carlsbad, CA, 619-931-5500; http://www.artecon.com.
Enter 990 on Inquiry Card.

SOFTWARE Imaging

Digitize Real-World Objects

PhotoModeler Pro 3.0 (\$795) Generates 3-D models of real-world objects and scenes for architecture, accident-reconstruction, forensics, archaeology, engineering, and 3-D-animation applications. To construct 3-D models of real-world objects, shoot two or more photographs of an object or scene from different angles and mark points on one photograph that correspond to points in another picture. Scan



or digitize the photographs, and let PhotoModeler process the data. You can export the resulting 3-D models into CAD, animation, or graphics software. A few new features include support for new file export formats, enhanced phototexturing, cylinder and curve modeling, and multimedia tutorials. Contact: Eos Systems, Vancouver, British Columbia, Canada, 800-782-5974 or 604-732-6658;

http://www.photomodeler.com.
Enter 996 on Inquiry Card.

PC Camera and Software

INTEL'S CREATE AND SHARE LETS YOU TAKE snapshots from your PC, create short videos, or make video phone calls over the Web and regular phone lines. The program comes in three versions—USB, PCI, and PCI with built-in modem—ranging in



price from \$199 to \$349. Applications include photo-enhancement software, NetCard (for creating e-mail messages with images and sound), Kai's Power Goo for shrinking and morphing images, and video phone. It also includes an imaging camera that sits on top of a 90-MHz Pentium (or better) PC. Contact: Intel, Santa Clara, CA, 800-538-3373 or 916-377-7000; http://www.intel.com.
Enter 994 on Inquiry Card.

Postproduction for Home Movies

FEED VIDEO INTO YOUR COMPUTER AND EDIT and addspecial effects with lomega's Buz multimedia production software for under \$200. The Buz kit includes in and out connector cables for S-video, composite video, and stereo audio systems, and can output finished product to videotape. Buz consists of a video-capture card, an UltraSCSI controller, and software. It is compatible with PCs and Macs, and can accept not only video input, but also data from any SCSI device.

Contact: Iomega, Roy, UT, 801-778-1000; http://www.iomega.com.
Enter 995 on Inquiry Card.

Programming

Java Development Tools

BORLAND'S JBUILDER FAMILY OF VISUAL development tools for Java, JBuilder Standard, JBuilder Professional, and JBuilder Client/Server Suite feature a JavaBean creation component, a scalable database architecture, and visual development tools. These Java development environments offer support for JavaSoft's JDK 1.1, JDBC, and the JavaBeans component model for producing Java applications, applets, and JavaBeans. JBuilder's open environment also supports 100 percent Pure Java, JFC, AFC, RMI, CORBA, JDBC, ODBC, and most major corporate database servers. JBuilder Standard has an estimated street price of \$99.95. Owners of other Borland tools can purchase JBuilder Professional for \$249.95, and owners of competitive tools can purchase JBuilder Professional for \$299.95.

Contact: Borland, Scotts Valley, CA, 408-431-1000; http://www.borland.com.

Enter 998 on Inquiry Card.

Build a More Helpful Application

ANSWERWORKS (\$795) IS A NATURALlanguage interface for building help files in an application. The program can interpret queries you type in and matches keywords from the question to the most relevant topics stored in the application's help file. For developers, the AnswerWorks project wizard guides them through the process of creating help topics. The program automatically generates end-user project files (NJP, LIM, and NMP files) and has intelligence built in for extracting keywords from a sentence keved into a help program. AnswerWorks runs on Windows 3.1, 95, and NT; supports six languages; and can be given a custom interface.

Contact: WexTech Systems, New York, NY, 212-949-9595; http://www.wextech.com.

Enter 997 on Inquiry Card.

Compression

File-Compression **Technology**

RMX TECHNOLOGIES HAS DEVELOPED Rush, an encoding technology that, RMX claims, can shrink some files by up to 95 percent of the original size. RMX has kits available, starting at \$5000, for developers who want to use this technology. Rush is able to encode parts of a file's data structure without mathematical compression, though you can use standard math-based compression on Rush-encoded files to further reduce file size. Rush is tailored to shrink graphics files. You can view the files with most Web browsers or through plug-ins. Contact: RMX Technologies, Ottawa, Ontario, Canada, 613-749-1400;

http://www.rmx.com.

Enter 999 on Inquiry Card.

Disaster Recovery

Survive a **Network Crash**

SEAGATE'S BACKUP EXEC FOR WINDOWS NT is backup software that, with its Intelligent Disaster Recovery module, provides recovery for your server after hardware failure. Backup Exec automates backup operations and can recover critical data in the event of a crash without reinstalling the OS. Fault-tolerant backup processing maintains backup integrity by rerouting jobs in the event of system, medium, or device error. With support for Microsoft's COM architecture, Backup Exec can



integrate with applications from third-party storage management vendors. The single-server edition costs \$695, and the enterprise edition is \$1395.


Contact: Seagate Software, Heathrow, FL, 800-327-2232 or 407-531-7500; http://www.seagatesoftware .com.

Enter 993 on Inquiry Card.

Development

Better Beta Testing

AQUEDUCT PROFILER (\$20,000) ANSWERS the questions on every beta tester's mind: How are people using an



application, who is using it, how long they are using it, and when does it crash? Written for SunOS. HP-UX, and Windows NT and 95 applications, it is integrated into an application by adding library calls to the source code. It automatically e-mails user activity information from the application to the developer as ASCII text, and a reporting tool puts the data into simple graphs, pie charts, or tables quantifying the ways beta users deployed the application.

Contact: Aqueduct, Menlo Park, CA, 650-463-8700; http://www.aqueduct.com. Enter 1003 on Inquiry Card.

⊕ ⊕ ⊕ 50% → **a** □ **T Q** Undo 1 1 Saturation: Figure Lightness: 500 L

PhotoDeluxe 2.0

\$49

Enter 991 on Inquiry Card.

Adobe Systems, Inc.

San Jose, CA 800-888-6293 408-536-6000 http://www.adobe.com

Photo Editing Made Easier

dobe's PhotoDeluxe 2.0 image-editing software adds a host of Adobe's Photopeluxe 2.0 image colling of the Adobe many features designed to appeal to both novice and experienced users. Although that sounds like a bit of a tightrope act, Adobe manages to pull it off. I previewed a beta version of PhotoDeluxe for Windows, but Adobe will also release a Mac version.

PhotoDeluxe's revamped user interface has visual cues that present functions in a more logical way to the end user, and Guided Activities in the program now require fewer steps. These improvements make the program more approachable and easier to follow for first-time and occasional users. Key tasks, such as Red Eye removal or edge selection, are vastly improved and automated for quicker execution. However, I think that Microsoft's Picturelt does a slightly better job at quickly outlining shapes. Other additions include the powerful PhotoShop clone tool, better text manipulation, and more snazzy special-effect filters.

For those who don't want to be led by the hand, PhotoDeluxe's Advanced mode is also beefed up, and it is easier to switch from the Guided Activities into the Advanced mode. In either mode, you can now access the Internet (Internet Explorer is built in) to send photos or get onto the Adobe Web site and download new Guided Activities. You can also make screen savers, e-mail cards, and slide shows out of photo projects.

Other notable features include Storm's EasyPhoto Organizer. plenty of project templates, and MMX support. PhotoDeluxe 2.0 is a winner, offering both creative power and usability. -Jon Pepper

Analysis

Dive Into Your Database

DI-DIVER (\$1000) TAKES ODBC-COMpliant relational database files or flat ASCII files and turns unfath-

omable amounts of data into functional reports and graphs. DI-Diver supports HTML for accessing information across the Web and intranets, allowing reports to be shared on-line. The interface supports more than 100 analytical functions and can create reports with one mouseclick of the "report" button.

Contact: Dimensional Insight, Burlington, MA, 617-229-9111; http://www.dimins.com.

Enter 1000 on Inquiry Card.

Mapping

Travel Assistant Speaks for Itself

TRAVROUTE SOFTWARE'S IN-CAR NAVIGAtion assistant (12-channel GPS receiver included) not only guides you in your trip from door to door, it will talk to you as you drive. If you miss a turn or need to detour for traffic, CoPilot (\$499) automatically provides a new route to your



destination, while continuing to provide verbal directions. CoPilot gives you detailed directions; all you do is input the addresses of the starting and destination points. In addition to CoPilot talking to you, you can talk back to it. You can speak to the program, commanding it to tell you where you have to make the next turn, for example. Contact: TravRoute Software, Princeton, NJ, 888-872-8768 or 609-252-8197;

http://www.travroute.com. Enter 1004 on Inquiry Card.

Financials

Stock Quotes on Demand

DATALINK, A PROVIDER OF FINANCIAL AND personal information services that are delivered using alphanumeric paging and other wireless networks, enhances its QuoteXPress stock market service by adding Quote-On-Demand capabilities. QuoteX-Press delivers stock quotes to your digital cellular phone or pager based on criteria you specify. With Quote-On-Demand, you can query a realtime stock quote feed and receive

quotes over a wired or wireless phone. You can also get updates on market indexes (e.g., Dow Jones) and currency exchange rates. Contact: DataLink Systems Corp., San Jose, CA, 888-603-5465 or 408-558-0800; http://www.datalink.net. Enter 992 on Inquiry Card.

Networking

Pragmatic Virtual Networks

REMOTE NET-ACCELERATOR (\$1999), from Traveling Software, lessens the burden of remote- and Internetaccess clients on a network. File compression, disk caching, and buffering increase an application's response time over a virtual private network or RAS remote-node connection. During file transfer, only the parts of files that have changed are uploaded. Remote Net-Accelerator groups file requests and transfers files in blocks of information to control the network's burden.

Contact: Traveling Software, Bothell, WA, 800-343-8080 or 425-483-8088;

http://www.travsoft.com.

Enter 1002 on Inquiry Card.

LAN, WAN, and VLAN Management

DIGITAL EQUIPMENT'S CLEARVISN 2.0 network management suite meets the demands of remote network administration. It features a new wizard for virtual LAN configurations, support for emulated LANs, and WAN services management. It supports a common database for storing device information. The suite consists of the Fault Policy Manager (\$1495); the Intranet Manager, including WAN Services Management (\$10,995); and the RMON Manager (\$3495).

Contact: Digital Equipment Corp., Littleton, MA, 508-493-5111; http://www.networks.digital

.com.

Enter 1001 on Inquiry Card.

Software Update

Intel has introduced a unified Windows NT and Novell NetWare client/server virus-protection version—5.0—of LANDesk Virus Protect (\$1495). This release provides protection with real-time background scanning of incoming data and an integrity shield that secures executable files with write protection. Integrity verification scans modified files to limit virus propagation. Centralized management works across all Windows platforms as well as NetWare Server and DOS platforms, and you can activate a virus sweep of all servers and clients in a domain with one mouse-click.

Contact: Intel, Santa Clara, CA, 800-538-3373 or 916-377-7000; http://www.intel.com.

Enter 1005 on Inquiry Card.

Built-in HTTP and CGI functionality ends FileMaker Pro's reliance on other software products for Web-related tasks. You can search, edit, and update records with a Web browser, and HTML templates facilitate the creation of custom intranet or Internet pages. File-Maker Pro 4.0 (\$199 or \$99 upgrade) supports storage of GIF and JPEG files in the database, and can send records in large, bulk e-mails. For general use, you can create FileMaker Pro files directly from Excel spreadsheets, and you can sort information in the main database according to various relationships and not just displayed by the dates files were created. This latest release also has new calculation functions and improved search features. It supports http, ftp, mail to, and file protocols for viewing on-line data.

Contact: Claris, Santa Clara, CA, 408-987-7000; http://www.claris.com.

Enter 1006 on Inquiry Card.

First Aid 98 (\$39.95), the third-generation version of the PC repair software, has a newly refined interface, an Emergency Recovery System, and on-line help services. It lists any problems with a system in plain English, listed in order of severity. It can fix a problem automatically. If you don't trust the software to fix a bug on its own, you can fix stuff yourself, and the software will walk you through the steps, explaining them as it goes. It links to support sites to get answers it doesn't know, and with HTML support and FAQs, on-line data can be presented without needing to launch a Web browser. First Aid 98 traps error messages to make it easier to identify the source of a crash. If the program is unable to find the source of a glitch, it will contact the vendor by e-mail, sending a detailed message outlining the nature of the bug. The Emergency Recovery System checks the OS for signs of failure. First Aid 98 runs on Windows 95.

Contact: CyberMedia, Santa Monica, CA, 310-581-4700; http://www.cybermedia.com.

Enter 1007 on Inquiry Card.

improbable

Advances and Retreats in Computing







Something to STARE At

orget 3-D because 4-D is here, literally here on this page. As you can see, it is stunning. Promises about 3-D stretch back more than a generation, but the reality was

always disappointing, requiring that you wear colored lenses or that you buy very expensive and hokey viewing equipment. Some of the 3-D images also had the drawback of making

you nauseous while you looked at them.

Arvin Papadopoulous, Inc., a tiny outfit from the hightech wilderness of Boise, Idaho, has rendered all these 3-D efforts obsolete. The company is about to market a new kind of ink-jet printer that produces 4-D images on glossy paper. With this printing breakthrough, you can view all sides (including the inside) of every object in a picture. And you can also see the "fourth dimension," which is time. move! And you don't even have to wear goggles!

This new printer allows you to vary the printing process so that the images appear to move in real time, accelerated time, or even

slow motion. Ironically (and this example really demonstrates that life is a series of technological trade-offs), with this process, it is difficult to print an image that

appears to be "still."

Continuous Bombardment

Our recent story about e-junkmail generated numerous letters from readers who want to join the fight against e-spam. But e-junkmail perpetrators often disguise their true addresses

Firehose

Firehose is a simple Java applet. It's free, fun, and satisfying to use. The noble men and women (and skilled children) of the Department of Public Works maintain a list of the e-junkmailers' true addresses that is updated daily. Firehose sends a continuous stream of messages to every junkmailer who has sent e-junkmail to you and who is on the DPW's list.

The E-junkmailers' e-junkmail is jujistuistically turned back against themand then some. The evil e-junkmail creatures cannot for long avoid Firehose's mighty stream.

by forging the message headers. Even if you find them. e-junkmailers are elusive. They move quickly (and often) from one Internet service provider (ISP) to another. What's needed is a way to find and track them as you lay down a stream of deadly fire to wipe them out. We speak metaphorically, of course.

An elegant program called Firehose (see the text box) does exactly that. Like e-junkmailers themselves, Firehose is relentless and inhuman. Some of you may ask whether this approach is overkill, in that the

mail Firehose generates does itself soak up enormous bandwidth. Perhaps. But in this war to eliminate e-junkmail, it may be necessary to destroy the global village in order to save it.

Admittedly, it takes a while to accustom your eyes to the Papadopoulous system. But once you "get it," you will be able to instantly see the full glory of any other picture of this kind.


> The image shown above appears to be three images, but really isn't) was prepared using a beta

version of the 4-D printer. To view it, position your eyes about 80 centimeters from the paper and hold the page at a slight angle. Do not blink (that's important). If this is the first Papadopoulous image you have seen, it will likely take approximately 4000-4500 seconds before you see the picture for what it is

Marc Abrahams is the editor of the Annals of Improbable Research. You can contact him by sending e-mail to marca@improb.com.

You can see the images

INTRODUCING A WHOLE NEW CATEGORY OF HIGH-PERFORMANCE NOTEBOOKS. (THE UNDER \$4,000 CATEGORY.)



NEW DELL® INSPIRON™ 3000 M233XT 233MHz PENTIUM® PROCESSOR WITH MMX™ TECHNOLOGY

- ★ 13.3" XGA Active Matrix TFT Display
- * 32MB SDRAM (144MB Max)
- 512KB L2 Pipeline Burst Cache
- ★ 2.1GB ATA Hard Drive
- Modular Options Bay accepts 20X Max° Variable CD-ROM, 3.5" Floppy Drive (both included) or Optional 2nd Lithium Ion Battery
- 128-bit Graphics Accelerator with 64K Colors at 1024x768
- · Zoom Video and USB Ports
- ★ Stereo Speakers with 3D Surround Sound and Yamaha SW Wavetable
- . Smart Lithium Ion Battery
- · Cardbus Ready/Fast IR 1.1
- ★ Microsoft® Office 97 Small Business Edition
- · Microsoft Windows® 95
- · Microsoft Internet Explorer
- ★ 6.9 Pounds*/Touchpad
- Extendable 1 Year Warranty[†]
- ★ Upgrade to 64MB SDRAM, add \$399.
- ★ Upgrade to a 4GB Ultra-ATA Hard Drive, add \$349.

\$3999

Business Lease: \$142/Mo., 36 Mos. Order Code #800186

INTRODUCING THE DELL INSPIRON 3000 M233XT-13.3" XGA SCREEN, 233MHz, SDRAM. FINALLY, HIGH-END FEATURES WITHOUT THE HIGH-END PRICE.

Okay. We admit it. We think our new line of Inspiron™ notebooks is pretty impressive. And it offers a feature set for under \$4,000 that's even more exceptional. It comes loaded with a 233MHz Pentium® processor with MMX™ technology, the fastest mobile Pentium processor you can find in any notebook. A 13.3" XGA TFT screen, adding up to a 21% larger viewing area than a 12.1" screen and, thanks to XGA resolution, fitting



63% more information on the screen. 3D Surround Sound and high-performance video. Pretty amazing considering that even loaded with all these features, the new Dell® Inspiron 3000 M233XT weighs in at just 6.9 pounds. So you see a whole new category of notebooks has arrived. Dell Inspiron. The notebook for people who are looking for more. If you're looking for more, give us a call or visit us on our website.



TO ORDER TOLL-FREE

800-678-1710

TO ORDER ONLINE

www.dell.com/buydell

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT Sun 12pm-5pm CT In Canada, call 800-233-1589 GSA Contract #GS-35F-4076D

Keycode #01260

DELL DIMENSION® DESKTOPS FOR BUSINESS

Common features: Mini-Tower Model 512KB L2 Cache 24X Max Variable CD-ROM Drive Microsoft Office 97 Small Business Edition plus Bookshelf 96 Microsoft Internet Explorer Microsoft Mouse (MS IntelliMouse on XPS Systems) 2 Universal Serial Bus (USB) Ports 3 Year Limited Warranty! with 1 Year CUpgrades: 3Com 3C905 Fast EtherLink XL 10/100 PCI Card, add \$99. 4/8GB EIDE TR4 TBU, add \$199. APC Back-UPS Pro 650, add \$299. 3 Years On-site

NEW DELL DIMENSION® XPS D300 300MHz PENTIUM® II PROCESSOR FFATURING MMX™ TECHNOLOGY

Common features listed above plus:

- 64MB SDRAM Memory
- NEW 8.4GB Ultra ATA Hard Drive with 512KB Cache (9.5ms)
- NEW 1200HS Monitor (17.9" v.i.s., .26dp)
- NEW Matrox Millennium II 8MB WRAM AGP Video Card[^]
- NEW Creative Labs AWE64 Value Sound Card
- · Altec Lansing ACS-90 Speakers
- lomega® Zip 100MB Internal Drive with One Cartridge

\$3499

Business Lease°: \$124/Mo., 36 Mos.

Order Code #591005

NEW DELL DIMENSION XPS D266266MHz PENTIUM II PROCESSOR FEATURING MMX TECHNOLOGY

Common features listed above plus:

- 64MB SDRAM Memory
- NEW 6.4GB Ultra ATA Hard Drive (9.5ms)
- NEW 1000TX Trinitron® Monitor
- NEW STB Velocity 4MB AGP Video Card
- NEW Creative Labs AWE64 Value Sound Card
- Altec Lansing ACS-90 Speakers
- Iomega Zip 100MB Internal Drive
- 3Com 3C905 Fast EtherLink XL 10/100 PCI Card

\$2999

Business Lease^o: \$109/Mo., 36 Mos. Order Code #591004

NEW DELL DIMENSION XPS D233 233MHz PENTIUM II PROCESSOR FEATURING MMX TECHNOLOGY

Common features listed above plus:

- 32MB SDRAM Memory
- NEW 8.4GB Ultra ATA Hard Drive with 512KB Cache (9.5ms)
- NEW 1000TX Trinitron Monitor (15.9" v.i.s., .26dp, 1280x1024 max. res.)
- NEW STB Velocity 4MB AGP Video Card
- NEW Creative Labs AWE64 Value Sound Card
- Altec Lansing ACS-90 Speakers
- ★ Upgrade to a 1200HS Monitor (17.9" v.i.s., .26dp), add \$189.

\$2599

Business Lease°: \$95/Mo., 36 Mos. Order Code #591003

DELL DIMENSION XPS M233s 233MHz PENTIUM® PROCESSOR WITH MMX TECHNOLOGY

Common features listed above plus:

- 32MB SDRAM Memory
- . 6.4GB Hard Drive (9.5ms)
- 1000LS Monitor (15.9" v.i.s.)
- Matrox Millennium II 4MB WRAM
 PCI Video Card
- Sound Blaster 16 WaveSynth Wavetable Sound
- Altec Lansing ACS-90 Speakers
- ★ Upgrade to an 8.4GB Hard Drive with 512KB Cache, add \$89.

2199

Business Lease°: \$80/Mo., 36 Mos. Order Code #591002

OUR NEW 300MHz SYSTI AND PRIC

DELL DIMENSION DESKTOPS FOR HOME

Common features: Mini-Tower Model 512KB L2 Cache 24X Max¹ Variable CD-ROM Drive NEW 56K Capable** U.S. Robotics x2 WinModem
Windows 95 MS Internet Explorer MS Home Essentials plus Best of Entertainment Pack MS IntelliMouse 3 Year Limited Warranty¹ with 1 Year On-site^x Service
Upgrades: Iomega Zip 100MB Internal Drive with One Cartridge, add \$99. HP DeskJet 820Cse Color Printer, add \$249.

NEW DELL DIMENSION XPS D300 300MHz PENTIUM II PROCESSOR

FEATURING MMX TECHNOLOGY

Common features listed above plus:

- 64MB SDRAM Memory
- NEW 8.4GB Ultra ATA Hard Drive with 512KB Cache (9.5ms)
- NEW 1200HS Monitor (17.9" v.i.s., .26dp)
- NEW Matrox Millennium II 8MB WRAM AGP Video Card[^]
- Integrated Yamaha Wavetable Sound
- Altec Lansing ACS-490 Full Dolby Surround Sound Speakers with Subwoofer
- Iomega Zip 100MB Internal Drive with One Cartridge

\$3599

Personal Lease: \$160/Mo., 24 Mos.º Order Code #501004

NEW DELL DIMENSION XPS D266

266MHz PENTIUM II PROCESSOR FEATURING MMX TECHNOLOGY

Common features listed above plus:

- 64MB SDRAM Memory
- NEW 8.4GB Ultra ATA Hard Drive with 512KB Cache (9.5ms)
- NEW 1000TX Trinitron Monitor (15.9" v.i.s., .26dp, 1280x1024 max. res.)
- NEW STB Velocity 4MB AGP Video Card
- NEW Creative Labs AWE64 Value Sound Card
- Altec Lansing ACS-490 Full Dolby Surround Sound Speakers with Subwoofer

\$2999

Personal Lease: \$134/Mo., 24 Mos.° Order Code #501003

NEW DELL DIMENSION XPS D233

233MHz PENTIUM II PROCESSOR FEATURING MMX TECHNOLOGY

Common features listed above plus:

- 32MB SDRAM Memory
- NEW 6.4GB Ultra ATA Hard Drive (9.5ms)
- 1000LS Monitor (15.9" v.i.s.)
- NEW STB Velocity 4MB AGP Video Card
- Integrated Yamaha Wavetable Sound
- Altec Lansing ACS-290 Speakers with Subwoofer
- ★ Upgrade to 64MB SDRAM, add \$179.
- ★ Upgrade to a Creative Labs AWE64 Value Sound Card, add \$39.

\$2499

Personal Lease: \$111/Mo., 24 Mos.[∞] Order Code #501002

DELL DIMENSION XPS M200s 200MHz PENTIUM PROCESSOR

WITH MMX TECHNOLOGY

Common features listed above plus:

- 32MB SDRAM Memory
- 4.3GB Hard Drive (9.5ms)
- 800HS Trinitron Monitor (13.7" v.i.s., .26dp
- Matrox Millennium II 4MB WRAM PCI Video Card
- Sound Blaster 16 WaveSynth Wavetable Sound
- Altec Lansing ACS-290 Speakers
- with Subwoofer

 ★ Upgrade to a 1000LS Monitor (15.9"
- v.i.s.), add \$99. ★ Upgrade to a Matrox Millennium 8ME WRAM PCI Video Card, add \$79.

\$1000

Personal Lease: \$89/Mo., 24 Mos.^π Order Code #501001

Call for details on Dell's Business Lea



Pricing is not discountable. 1For a complete copy of our Guarantees or Limited Warranties, please write Dell USA L.P., Attur. Warranty, One Dell Way, Round Rock, IX 78882 "Leasing arranged by Dell Financial Services L.P., an independent entity, to qualified customers." System weight with floppy of view or Den Olm in options by 4, "One sits services provided by an independent third-part provider. May not be available in certain remote areas." "QXX May 11X Min. "24X May 12X Min." "22 products are capable of 56Xbps downloads. Due 16C Oile shalt are restrict power output, however, current downloads speeds are limited to 33Xbps. Actual speeds may vary depending on line conditions. "4MB Baseboard with a 4MB Upgrade Module. "Prices and specifications valid in the U.S. only and subject to change without notice. Intel. the Intel Inside logo, LINDSes and Performar en registred trademarks and MMX and EtherExpress are trademarks of limit Corporation. MS, Microsoft, Windows and Windows NT are registred trademarks of Microsoft Corporation. "Com and EtherLink are registred trademarks of SDOW. Corporation. Trinitor is a registred trademark of Somy Corporation. DirectLine is a service mark of Dell Computer Corporation. © 1997 Dell Computer Corporation. All rights reserved.

*Amount of monthly lease payment, based upon 24-month lease from Dell Financial Services L.P., an independent entity; first and last monthly lease payments due prior to delivery: "\$321; "\$267; "\$223; "\$178 Above monthly lease payments exclude tax which may vary; (for example, Hartford City, IN sales tax: "\$8.02); shipping cost and \$55 doc. fee due with second payment; no security deposit required, subject to credit approval and availability. Lease terms subject to change.



Microsoft Windows® 95 site^a Service rvice, add \$99.

DELL DIMENSION M200a 200MHz PENTIUM PROCESSOR WITH MMX TECHNOLOGY

Common features listed above plus:

- 16MB SDRAM Memory
- 3.2GB Hard Drive (12ms)
- NEW 800LS Monitor (13.7" v.i.s.)
- 2MB EDO ViRGE 3D Video
- lomega Zip 100MB Internal Drive with One Cartridge
- 3Com EtherLink III 10Mbit ISA Combo Card
- ★ Upgrade to 32MB SDRAM, add \$89.
- ▶ Upgrade to a 4.3GB Hard Drive, add \$39.
- ★ 3-Pak of lomega Zip Cartridges, add \$39.

1899

Business Lease°: \$69/Mo., 36 Mos. Order Code #591001 SOFTWARE DESCRIPTIONS

Microsoft Office 97 Small Business Edition (SBE) includes:

- Word 97
- Excel 97
- Publisher 97
- Outlook 97
- · Automap Streets Plus
- Small Business Financial Mgr 97

Microsoft Home Essentials plus Best of Entertainment Pack (available on desktops only) includes:

- Word 97
- Works 4.0
- Encarta 97
- · Greetings Workshop
- Arcade
- TETRIS, Taipei, SkiFree, Dr. BlackJack and more.

Microsoft Internet Explorer

DELL POWEREDGE SERVERS

Common features: ◆512KB Integrated L2 ECC Cache ◆ Integrated PCI Ultra-Wide SCSI-3 Controller ◆ Intel® Pro/100B PCI Ethernet Adapter ◆ Intel LANDesk® Server Manager v2.5x ◆ 3 Years Next Business Day On-site® Service

DELL® POWEREDGE® 2200 SERVER

300MHz PENTIUM II PROCESSOR Dual Processor Capable, RAID Capable

Common features listed above plus:

- 128MB ECC EDO Memory (512MB Max)
- 4GB Ultra-Wide SCSI-3 Hard Drive (27GB Max)
- 24X Max§ Variable SCSI CD-ROM
- · APC Smart-UPS 700w Power Supply
- 3Com Office Connect Hub 8-Port/TPC
- 6 Drive Bays: 3 Hard Drive, 3 Removable Media
- 6 Expansion Slots: 3 PCI, 3 EISA
- ★ MS Windows NT® Server 4.0 (10 Client Access Licenses), add \$799.

\$**4999**

Business Lease: \$177/Mo., 36 Mos. Order Code #250101

DELL POWEREDGE 2200 SERVER

233MHz PENTIUM II PROCESSOR Dual Processor Capable, RAID Capable

- Common features listed above plus:
- 64MB ECC EDO Memory (512MB Max)
- 2GB Ultra-Wide SCSI-3 Hard Drive (27GB Max)
- 24X Max§ Variable SCSI CD-ROM
- 6 Drive Bays: 3 Hard Drive, 3 Removable Media
- 6 Expansion Slots: 3 PCI, 3 EISA
- ★ Upgrade to 266MHz Pentium II Processor, add \$300.
- ★ 12/24GB Variable SCSI DAT Tape Backup Unit, add \$1099.

\$2999

Business Lease: \$109/Mo., 36 Mos. Order Code #250100

MS ARE BUILT FOR SPEED. ED TO FLY.

DELL NOTEBOOKS — INTRODUCING DELL° INSPIRON™ 3000

Common features: ◆ Modular Options Bay accepts 20X Max°° Variable CD-ROM, 3.5" Floppy Drive (both included), or Optional 2nd Li-lon Battery ◆ Smart Lithium Ion Battery ◆ Microsoft Windows 95 ◆ Microsoft Office 97 Small Business Edition ◆ Microsoft Internet Explorer ◆ Touchpad

Extendable 1 Year Warranty[†]

NEW DELL INSPIRON™ 3000 M233XT 233MHz PENTIUM PROCESSOR w/MMX

Common features listed above plus:

- 13.3" XGA Active Matrix TFT Display
- 32MB SDRAM (144MB Max)
- 512KB L2 Pipeline Burst Cache
- 128-bit Graphics Accelerator with 64K Colors at 1024x768
- 2.1GB ATA Hard Drive
- · Zoom Video and USB Ports
- Stereo Speakers with 3D Surround Sound and Yamaha SW Wavetable
- · Cardbus ready/Fast IR1.1
- 6.9 Pounds*
- ★ Upgrade to 64MB SDRAM, add \$399.

\$3999

Business Lease: \$142/Mo., 36 Mos. Order Code #800186

NEW DELL INSPIRON 3000 M200ST 200MHz PENTIUM PROCESSOR w/MMX

Common features listed above plus:

- 12.1" SVGA Active Matrix TFT Display
- 32MB SDRAM (144MB Max)
- 512KB L2 Pipeline Burst Cache
- 128-bit Graphics Accelerator with 16 Million Colors at 800x600
- 2.1GB ATA Hard Drive
- Zoom Video and USB Ports
- Stereo Speakers with 3D Surround Sound and Yamaha SW Wavetable
- · Cardbus ready/Fast IR1.1
- 6.4 Pounds*
- ★ Upgrade to a 4GB Hard Drive, add \$349.

\$3399

Business Lease: \$120/Mo., 36 Mos. Order Code #800187

NEW DELL INSPIRON 3000 M166ST 166MHz PENTIUM PROCESSOR w/MMX

Common features listed above plus:

- 12.1" SVGA Active Matrix TFT Display
- 16MB SDRAM (144MB Max)
- 256KB L2 Pipeline Burst Cache
- 128-bit Graphics Accelerator with 16 Million Colors at 800x600
- · 2.1GB ATA Hard Drive
- Zoom Video and USB Ports
- Stereo Speakers with 3D Surround Sound and Yamaha SW Wavetable
- · Cardbus ready/Fast IR1.1
- 6.4 Pounds*
- ★ Upgrade to 32MB SDRAM, add \$199.

\$2999

Business Lease: \$109/Mo., 36 Mos. Order Code #800183

DELL LATITUDE® LM M133ST 133MHz PENTIUM PROCESSOR w/MMX

Common features listed above plus:

- 12.1" SVGA Active Matrix TFT Display
- 16MB EDO RAM (72MB Max)
- 256KB L2 Pipeline Burst Cache
- 128-bit Graphics Accelerator with 64K Colors at 800x600
- 1.6GB Hard Drive
- Integrated 16-bit Stereo Sound
- IrDA 1.0 Std. Compliant
- Under 7 Pounds *
- ★ Upgrade to 40MB EDO RAM, add \$299.
- ★ Upgrade to a 2.1GB Hard Drive, add \$149.
- ★ 2nd Lithium Ion Battery, add \$149.

\$2499

Business Lease: \$91/Mo., 36 Mos. Order Code #800154

g and new Personal Leasing programs.





TO ORDER TOLL-FREE

800-678-1710


TO ORDER ONLINE

www.dell.com/buydell

Mon-Fri 7am-9pm CT Sat 10am-6pm CT Sun 12pm-5pm CT In Canada* call 800-233-1589 GSA Contract #GS-35F-4076D



Keycode #01261



RODUCING THE DIMENSION URING OVER 300% FASTER 30

NEW DELL DIMENSION® XPS D2 266MHz PENTIUM® II PROCESSOR FEATURING MMX^{IM} TECHNOLOGY

- · Mini-Tower Model
- **★ 32MB SDRAM Memory**
- 512KB Integrated L2 Cache
- * NEW 6.4GB Ultra ATA Hard Drive (9.5ms)
- 1000LS Monitor (15.9" v.i.s.)
- * NEW STB Velocity 4MB AGP **Video Card**
- 24X Max§ Variable CD-ROM Drive
- · Integrated Yamaha Wavetable Sound
- · Altec Lansing ACS-90 Speakers
- * NEW 56K Capable** U.S. Robotics x2 WinModem
- · 2 Universal Serial Bus (USB) Ports
- Microsoft® Office 97 Small Business Edition plus Encarta 97
- MS Windows® 95/Internet Explorer
- · Microsoft IntelliMouse
- · 3 Year Limited Warranty with 1 Year On-site[△] Service

Business Lease: \$91/Mo., 36 Mos. Order Code #591022





You'll be doing a double-take once you've seen the new Dell Dimension® XPS D266. Because it's more than just a 266 megahertz demon. We've armed this Intel Pentium® II processor-based system with the new STB Velocity 4MB AGP card, boosting 3D graphics performance a whopping 317% over the STB Nitro 4MB PCI video card. And faster graphics means more realistic and more lifelike

graphics. On this Dell Dimension XPS D266, design, CAD/CAM, virtual reality imaging, web content development, games and just about any other 3D application will blow you away. We've also included high-speed SDRAM memory that "bursts" data twice as fast as EDO memory, and a 6.4GB

Ultra ATA hard drive (up to 8.4GB available) with two times the data transfer rate of a non-ATA hard drive. So give us a call or visit our website today.





TO ORDER TOLL-FREE

800-678-1710

TO ORDER ONLINE

www.dell.com/buydell

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT Sun 12pm-5pm CT In Canada, call 800-233-1589 GSA Contract #GS-35F-4076D

Keycode #01259